

Laophontidae: Harpacticoida

Quinguelaphonte n. gen

Wells, Hicks & Conell, 1982: 178.

Quinquelaophonte candelabrum

— Wells, Hicks & Cowl, 1982: 179—182
fig. 16-17.

-- IWASAKI, N. 1993: 402-, TAB. 4, NEW ZEALAND

= QUINQUELAOPHONTE Laophontidae - Harpacticoida

Laophonte capillata, n. sp. ♂. ♀.

①

— — Wilson, 1931

— — Wilson, 1932, p. 277: pl. 16.

—, Vervoort, 1964, p. 334

Habitat, Beach sand, Katama Bay.

WILSON, 1932 (♀ ONLY) = PARONYCHOCAMPTUS WILSONI

(♂ ONLY) = HETEROLAOPHONTE CAPILLATA

(COULL 1976 2: 36. fig.)

= QUINQUELAOPHONTE

HETEROLAOPHONTE CAPILLATA (WILSON, 1932) ⁽²⁾

-- NEW COMBINATION, COULL, 1976a: 42-44 ♀♂;

FIG. 4; SYN: LAOPHONTE CAPILLATA ♂

WILSON, 1932; HETEROLAOPHONTE NONCAPIL-
LATA LANG 1948

-- (? species), Coffin, 1978-79, p. 593

-- KASK ET AL. 1982: 37, NANAIMO, BRITISH COLUMBIA

Quinquelaophonte

capillata (Wilson)

— Wilson, 1932

— Coull, 1986: 126—128

-- FELLER ET AL. 1990: 1916-, SOUTH CAROLINA

QUINQUE LAOPHONTE

HETEROLAOPHONTE LONGIFURCATA LANG, 1965

H. Lang, 1965: 475-480, fig. 259-261

H. -, HAMOND, 1973: 406

H. -, HICKS, 1977a: 457; TAB. 3, 4

H. -, COULL, 1976a: 44

H. -, WELLS, 1973: 143

H. -, WELLS & MCKENZIE 1973: 143

Q. -, WILLEN 1996: 1324, TAB. 1

Quinquelaophonte quinquespinosa (Sewell)

— Wells & McKenzie, 1973:

— Fiers, 1986c: 142

-- REID 1990g: 200

-- WILLEN 1996: 1322, TAB. 1

QUINQUELAOPHONTE Laophontidae - Harpacticoida
Laophonte quinguespinosa Seymour-Sewell, ♀, ♂.

L. — Sewell, 1924, p. 832: pl. 58, fig. 1.

cf. Heterolaophonte

L., Vervoort, 1964, p. 333

Habitat, Chilka Lake.

L., Lang, 1944, p. 35, a syn. of Heterolaophonte q.

L. (MESOLAOPHONTE) —, RAIBAUT 1961: 628

QUINQUELAOPHONTE

HETEROLAOPHONTE WELLSI (HAMOND, 1973)

H. - HAMOND, 1973: 394-402 ♀♂; 406, 418; FIGS. 1-26;

TAB. 1, 2

H. - COULL, 1976a: 44

H. NOV. SPEC., WELLS + MCKENZIE 1973: 143

QUINQUELAOPHONTE - , WILLEN 1996: 1322, TAB. 1