

Clausiidae - Cyclopoida

Rhodinicola

POECILOSTOMATOIDEA

Lerinsen, 1878-----R. elongata.

Syn. Rhodinicola Lerinsen, 1878, p. 360.

- GOTTO 1993: 132, DIAGNOSIS
- O'REILLY 1995: 54 -

Rhodine, an annelid genus and cola,

- BRESCIANI 1964: 232-233, DONUSA NORDMANN A POSSIBLE SYNONYM.

Body elongate, depressed; cephalothorax with two pairs of antennae, free mandibles and 2 pairs of mx'pds. 1st.antennae 6-jointed, second pair e-longate, 3-jointed. 1st.mx'pds. 2-jointed, stout; 2nd.pair 4-jointed, last joint acute. Abdomen with 5 segts., the 1st.fused with cephalothorax. All abdomen segts armed with swimming legs, 5th. pair uniramose, 2-jointed, the others biramose, 3-jointed. Postabdomen 4-jointed, anal laminae with long setae.

Clusiidae Cyclopoida

Rhodinicola elongata Levinson, ♀.

-- Levinson, 1878, p. 360: pl. 6, figs. 1-4.
---, Bresciani 1964. pp. 224-226, fig. 1

Host. Rhodina lovenii (annelid).

Island of Samos,
Kattavat

RHODINICOLA ELONGATA LEVINSEN, 1878 CARD 2

-- GOTTO, 1964: 325

-- GOTTO 1993: 132, FIG. 31N-P

-- O'FREILLY 1995: 60, TAB. 1

Rhodinicola gibbosa Bresciani

-- -- Bresciani 1964. pp. 226-231, fig. 2-5

-- O'REILLY 1995: 56 -, TAB. 1

RHODINICOLA RUGOSA (GIESBRECHT, 1897)

SERIDIUM RUGOSUM, GIESBRECHT 1897: 223, PL. 9

FIGS. . . .

HOST PRAXILLA sp. (ANNECID).

MEDITERRANEAN

S. RUGOSUM, GRAVIER 1912: 831?

RHODINICOLA RUGOSA, N. COMB., PESCIANI 1969: 232,
233

R. RUGOSUM, O'REILLY 1995: 56-, TAB. I

Rhodinicola thomassini Laubier

- Laubier, 1970: 561-568, figs. 1-3, N.S.P. - INDIAN
-- Laubier, 1971: 352-358, figs 1-3. OCEAN
-- O'REILLY 1995: 56-, TAB. I

RHODINICOLA sp.

-- I. H. KIM + STOCK 1996:3