

Harpacticoida:

Canuellidae

Scottolana Por

Scottolana Por, 1967, p. 105

Scottolana Por, sensu restricto Por, 1984

- Por 1984:14, diagnosis, species list

Scottolana antillensis Fiers 1984

— Fiers 1984: 197-204, figs. 1-4, n. sp. ♀♂, Jamaica.

— Wells, 1985: 1

-- REID 1990g: 196

Scottolana bulbosus Por - see Sunaristes

Scottolana canadensis (Willey) - see Coullana

SCOTTOLANA CURTICAUDATA (THOMPSON & SCOTT, 1903)

-- FIERS 1982: 15, 16, TRANSFERRED FROM
CANUELLA NOT = S. balbosus; refers to
CANUELLA CURTICAUDATA SENSU A. SCOTT 1909.
CANUELLA —, A. SCOTT 1909: 197, pl. 64, f. 1-6.

Scottolana dissimilis Fiers 1982

- Fiers 1982: 1, 11-15, Pl. VI, figs. 3-4; Pl. VII, figs. 1-10; Pl. VIII, figs. 1-9; Pl. IX, figs. 1-2; n. sp.
♀♂, Papua New Guinea.

— Wells, 1985: 1

Scottolana glabra Fiers 1982: 1, 8-11, Pl. iii, fig. 2a,
2b; Pl. IV, figs. 1-10; Pl. V., figs. 1-6, n. sp. ♀♂,
Papua New Guinea.

—Wells, 1985: 1

SCOTTOLANA

INOPINATA -

SEE

CANUELLA

Harpacticidae - Harpacticoida.

Sunaristes longipes Thompson & Scott, ♀. /

— Thompson & Scott, 1903, p. 256: pl. 3, fig. 9-11.

--, Hamond, 1972, p. 178.

Host. "Ceylon Invertebrates",

CANUELLA

LONGIPES

(THOMPSON & SCOTT)

2

— —, LANG, 1948, p. 165, Pl. 103:2.

— —, Por, 1964, pp. 57-59, pl. 1 figs. 1-5

Scottolana longipes. — Por, 1967, p. 105.

— Wells, 1967: 213-214, fig 11-12.

SCOTTOLANA —, REID 1990g: 196

Scottolana longipes (Thompson & A. Scott)

3

--, Coull, 1970, p. 130, table 1

-- FIEBS 1982: 13, 15

— Por, 1983: 193

— Por & Marcus, 1972, Red Sea, Suez Canal

-- Por 1984: 6-, FIG. 18

-- Hays 1995: 237, 238, TAB. 1

CANUELLA -, Por 1962: 12, 15, 17, 27, 41, 42, FIGS. 1-5,
MEDITERRANEAN COAST, ISRAEL

UXORIS

Scottolana ^x~~uxoris~~ ^r Por, 1983

- Por, 1983, new species, pp. 187-193, figs 1-15
Red Sea

-- Por 1984: 6- , Figs. 5, 10, 13

- Wells, 1985:1

Scottolana sp.

—, Coull, 1971, p. 208 (T. 1)