

Lichomolgidae - Poecilostomatoida

Scyphuliger Humes, 1991

- Humes 1991d: 1184, n.g., type S. concavipes n.sp.;

1225, IN KEY

SCYPHULIGER ARISTOIDES HUMES, 1993

-- HUMES 1993: 830-834, FIGS. 18-20, NEW
CALEDONIA, EX ACROPORA EXILIS

Scyphuliger concavipes Humes 1991

-- Humes 1991d: 1184-1190, Figs. 8a-h, 9a-k, 10a-g,
11a-g, n. sp. female + male, Mermaid Cove, Lizard
Island, Great Barrier Reef, Australia, ex Acropora
hyacinthus; also from A hyacinthus, Big Broadhurst
Reef, Great Barrier Reef, and Acropora sarmentosa,
Mermaid Cove; type of Scyphuliger n.g.

-- HUMES 1993: 830, 834, NEW CALEDONIA, EX
ACROPORA EXIGUA

Scyphuliger eumorphus HUMES, 1993

-- HUMES 1993: 824-830, 834, FIGS. 14-17, NEW
CALEDONIA & MOLUCCAS, EX ACROPORA

-- Humes 1994b: 5, Table 3

Scyphuliger manifestus Humes, 1991

-- Humes 1991d: 1190-1195, Figs. 12a-j, 13a-i, 14a-i,
n. sp., female + male, ex Acropora hyacinthus,
Mermaid Cove, Lizard Island, Great Barrier Reef,,
Australia; also ex Acropora squarrosa (A. loripes),
same locality

-- HUMES 1993: 830, 834, NEW CALEDONIA, EX
ACROPORA VALIDA

Scyphuliger tenuatus (Humes, 1990)

Schedomolgus tenuatus, Humes 1990:121-127, figs. 1-3,
n. sp. female + male, ex Acropora cymbicyathus,
Ricaudy Reef, New Caledonia

Scyphuliger -, n. comb., Humes 1991d: 1195, ex Acropora
humilis, Mermaid Cove, Lizard Island, Great Barrier
Reef, Australia, and A. hyacinthus, same locality

SCYPHULIGER -, HUMES 1994b: 5, TABLE 3

SCYPHULIGER -, HUMES 1993: 810, 830, 834, 852, NEW
CALEDONIA, EX ACROPORA HYACINTHUS ETC.