

in)

Diosaccidae - Harpacticoida.

Stenoheliopsis. syn.

Sars, 1906.

(M.)

S. diraricata

Syn. Stenoheliopsis, Sars, 1906, p. 191.

Syn. of Pseudomesochra, Lang 1936

Stenohelia and ὄψις, likeness.

General form short and stout; caudal rami long and narrow, divergent. First antennae short & much curved; second antennae strong with small setae, exopod 2-jointed. Mandibles with normal palp. 2nd. mxpds. with a prehensile hand. Endopod of 1st. legs 2-jointed not prehensile. of the other legs also 2-jointed, coarse. 5th. legs small, distal joint rudimentary.

Diosaccidae - Harpacticoida.

Stenoheliopsis affinis G.O.Sars. ♀.

syn.

— — Sars, 1920, p. 54; pl. 34.

= *Pseudobradya longifurcata*, Lang, 1936, p. 174.

Habitat. Risør, Norway - 30-50 fathoms.

Diosaccidae - Harpacticoida.

Stenoheliopsis crispata Brady, ♀

syn.

— — Brady, 1910, p. 515; pl. 55, figs. 15-25
= Pseudomesochra — Lang, 1936, p. 175

Habitat. Antarctic Ocean -

Diosaccidae - Harpacticocida.

Stenoheliopsis divaricata G. O. Sars, ♀.

syn.

— — Sars, 1907, p. 192; pl. 125, f. 2.

= Pseudomesochra — Lang, 1936, p. 175.

Habitat. Norway Coast.

Diosaccidae — Harpacticoida.

Stenoheliopsis latifurca G.O. Sars, ♀.

syn.

— Sars, 1911, p. 392; Suppl. pl. 25, fig. 1.

Habitat. Norway Fjord.

Diosaccidae - Harpacticoida

Stenoheliopsis media G.O.Sars, ♀.
syn.

— Sars, 1911, p. 394: Suppl. pl. 25, fig. 2.

Habitat. Norway Coast.