

in) Tachidiidae - Harpacticoida.

Tachidiella.

G.O. Sars, 1909.

T. minuta.

Syn. Tachidiella Sars, 1909, p. 332^(M).

— Lang, 1965: 146 Key

Diminutive of Tachidius.

Body short, subdepressed, anterior division broader than posterior. Caudal rami short, with coarse setae. 1st. antennae 8-jointed, densely setose. Exopod of posterior antennae small, 2-jointed. Endopod of 1st. legs larger than exopod, 3-jointed. Rami of 3 following pairs subequal. Last legs with distal joint well defined.

Tachidiidae - Harpacticoida,

Tachidiella minuta G. O. Sars. ♀.

— — Sars, 1910, p. 332; pl. 221,

— — Monard 1935a, p. 19, Roscoff, France, First recordrd
since original.

— —, LANG, 1948, p. 410, Pl. 177.4 - GULLMAR FJORD.

— —, Wells, 1965. p. 4

Habitat. Norway Coast.

— —, Soyer, 1966, pp. 1065-1066

(see book)

-- --, Bodin, 1972, p. 846

--, Vervoort, 1964, p. 103

--, Jakobi, 1959, p. 141, 280

--, BODIN 1970: p. 406; pl. 14; Tab. B.

-- DRZYCINSKI 1986: 552, BALTIC

-- PALLARES 1979: 2, TIERRA DEL FUEGO; Pl. I (1-13)

Tachidiella parva Lang

- Lang, 1965: 146-150, fig. 79-81, pl. III
fig. c