

SPINOALANIDAE, SPINOALANOIDEA, CALANOIDA

TENERIFORMA GRICE + HULSEMAN, 1967

--, REDESCRIPTION OF GENUS DAMKAER, 1975: 92-93

syn: TANYRINUS

-- MAUCKLINE 1988: 724

- SCHULZ 1989: 192-

- SCHULZ 1992: 176-, IN KEY

- ANDRONOV 1992: 109

Teneriforma meteorae Schulz 1989

-- Schulz 1989: 185, 190-192, figs. 44-64, n. sp.

♀ only, eastern North Atlantic off NW-Africa

Teneriforma naso (new name) Calanidae Calanoida

Tanyrhinus naso Farran, ♀. 1

— — Farran, 1936, p. 86: fig. 4, a-k.

Teneriforma naso, Grice & Hulsemann, 1967, p. 22;

— —; Park, 1970, p. 475

--, WHEELER, 1970: 9-10; FIGS. 27-28; TAB. 4; SYN. TANYRHINUS  
NASO

--, DAMKAGER, 1975: 13, 14, 82, 83; FIG. 224

Habitat, Great Barrier Reef.

— Deevy & Brooks, 1977: 263

Teneriforma naso (Farran, 1936)

card 2

-- Schulz 1989: 190-, T. n. of Wheeler (1970) ?=

Teneriforma meteorae, n. sp.

-- RAZOUK 1994: 13

Teneriforma pentatrichodes Schulz 1989

-- Schulz 1989: 185, 192-193, figs. 65-83, n. sp.

♀ only, eastern North Atlantic off NW-Africa