

m) Tisbidae-Harpacticoida

Tisbella valid.

Gurney, 1927, f.

T. timsae.^(M)

Syn. Tisbella, Gurney, 1927, f. p. 500.

(2)

Tisbella Gurney

- VOLKMANN, 1979a: 79
- DAHMS, H.-U. & DIECKMANN 1987: 332

Tisbella alba Volkmann

- Volkmann, 1979a: 83 - 86, fig. 4-6

-- Reid 1990g: 203

TISBELLA PULCHELLA (Wilson)

—, Lang, 1948 (P. 402, FIG. 116:2) USA + BERMUDA.

-- --, Yeatman, 1963. pp. 198-200, fig. 1-7, 9-11
--, Yeatman, 1960, p. 308, syns. as listed below

— Volkmann, 1979a: 87-89 fig. 7, 8, 9, 10,
CHAPPAQUIDDICKA ^{R, MAS}

-- YEATMAN 1983: 57, 79-80, FIG. 14a-f.

-- YEATMAN 1984: 46-48, FIG. 8.2k. - GRAND CAYMAN IS, B.O.I.

synonyms: Chappaquiddicka pulchella Wilson 1932
Tisbella timaae Willey 1930 (not Gurney)

-- REID 1990g: 203

Tisbella rosea Volkmann, 1979

- Volkmann, 1979a: 80 - 83, fig. 1-3, PERMUDA
- REID 1990g: 203

Tisbidae - Harpacticoidea

Tisbella timsae Gurney. ♀.

— — Gurney, 1927f, p. 500 : fig. 131, A-H.

— — Willey, 1932, p. 86 : figs. 7-9.

— —, HANG, 1948, P. 402, PL. 176:1 - EGYPT.

--, Vervoort, 1964, p. 103

Habitat. Suez Canal: Bermuda.

--, Yeatman, 1960, p. 308, Willey Bermuda spec. =
Tisbella pulchella

REDESCRIPTION FROM
HOLOTYPE

— Volkmann, 1979a : 90-92, fig. 11-12, 1

-- YEATMAN 1983: 79.

Tisbella timsae Gurney, 1927

card 2

-- Coull 1968:71-, Bermuda