

Xenocoelomidae - see Xenocoelomatidae

XENOCORLONIDAE BRESCIANI + LÜTZEN 1966

- BRESCIANI + LÜTZEN 1966: 787-806, N. P. A. M.

- RAIBAUT 1982: 321 -

in) ~~Harpylobiidae~~ ~~Lernaeopoda~~

Xenocoeloma.

Cavallery & Mesnil. 1915.

X. brumpti.

11464

Syn. Saccopsis (pars) Brumpt, 1897, p. 1.

Xenocoeloma C. & M., 1915, p. 709

Xenocoeloma C. & M., 1919, p. 231.

ΞΕΝΟΣ, a stranger; κοίλωμα, the coelom.

XENOCOELOMA

Xenocoelomatidae

SIPHONOSTOMAT-
TOLIDA
CARD 2

- BRESCIANI & LÜTZEN 1961: 368-369
- CHANG-ELIX 1960: 88, 95
- GOTTO 1993: 206-, DIAGNOSIS

Xenocoeloma alleni (Brumpt) 1897

--, Bocquet et al. 1968: pp. 285-296; Figs. 1-6.

--, Bocquet et al. 1970: pp. 195-208; Figs. 1-5, Pl.
1, 2.

-- GOTTO 1993: 206; FIG. 52B

HOST: Polycirrus caliendrum (Poly.)

Herpyllobiidae - Notodelphyoida.

Xenocoeloma brumpti Caullery & Mesnil (379)

- — Caullery & Mesnil, 1919, p. 160 : 20 text-figs.
- — Caullery & Mesnil, 1915, p. 709.
- — Caullery & Mesnil, 1917, p. 169.
- — Caullery & Mesnil, 1918, p. 964.

Hast. Polycirrus arenivorus.

The Hague.

-, Cullery, M. & Merrill, 1915, pp. 705, 707

-- IZAWA 1987: 154-