

in

~~Noto~~deIphysida - Ascidicolidae
Cyclopoidea

Zanclopus

Calman, 1908

Z. cephalodisci (M).

Syn. Zanclopus Calman, 1908, p. 177.

Zanclopus Gravier, 1912, h. p. 68

Zanclopus Gravier, 1912, g. p. 240.

Ζάγκλον, a sickle and πούς, a foot.

Female maggot-shaped, $3\frac{1}{2}$ times as long as wide. Head not fused with 1^o thorax seg't - 5 thorax seg'ts, separated by deep constrictions - abdomen cylindrical, 4-jointed - anal laminae very large - 1^o and 2^o antennae, short, thick, unsegmented = no mouth-parts except degenerate 2nd & 5th mx. Basipod of first 4 pairs of legs 2-jointed exopod with sickle-shaped claw - endopod 1-jointed, flattened into a circular pad, with 4 short papillae - 5^o legs, large, ovate plates.

Male Cyclops-like, 5^o seg't, narrower than 4^o, abdomen 5-jointed - anal laminae larger than in the ♀. 1^o antennae 7-jointed; 2^o pair 3-jointed. Basipod of first 4 legs 2-jointed, ramie 3-jointed.

ZANCHOPIUS CALMAN

CARD 2

-, ILLG & DUDLEY 1980: 6, 35, 151-151, 157-DIAGNOSIS &

SYNONYMY; TYPE-SPECIES, Z. CEPHALODISCI

Ascidicolidae - Notodelphyoidea

Zanclopus antarcticus Gravier, ♀.

-- Gravier, 1912, 9, p. 240: 4 text-figs.

-- Gravier, 1912, 7, p. 68: text-figs. 53-62.

-- Wilson, 1920, p. 152.

-- ILLG + DUDLEY 1980: 158

-- IZAWA 1987: 155-

Host, Cephalodiscus anderssoni

-- OISHI 1991: 64-

Marguerite Bay - Antarctic.

Ascidicolidae - Notodelphyoidea

Zanclopus cephalodisci Calman, ♂, ♀.

— — Calman, 1908, p. 178: pls. 18 & 19.

— — Stebbing, 1910, p. 550.

-- ILLG & DUDLEY 1980: 152, 157-158; TYPE-SP. OF GENUS

- CEPHALODISCUS, OOSHIMA 1991: 64-

Host. Cephalodiscus gilchristi (ascidian)

South Africa.

ZANLOPUS

-- ILLG & DUDLEY 1980: 157, LAPSUS FOR ZANLOPUS