

Blias prionoti Kroyer, 1863

- Kroyer 1863 Bidrag til Kundskab, (3)2:336(xii,5a-f)
- Oakley 1930 Parasit., 22:198
- Wilson 1932 U.S.Nat.Mus.Bull.158:493(296)
- Pearse 1947 J.Elisha Mitch.Sci.Soc., 63:14
- Causey 1955 Publ.Inst.Mar.Sci., 4(1):7(1-7)
- Causey 1955 Occ.Pap.mar.Lab., 9:9
- Vervoort 1962 Zool.Verh., 56:98

Carvalho 1951 BolInst.Paulista Oceanogr., 2(2):142

Yamaguti 1963 New York, p.281(243E3)

B.-S. 1899 Proc.Zool.Soc.London, p.491

Ho 1970 Beaufortia 17:140(72-93)

Ho 1977 NOAA Tech.Rep., 409:10

Luque et al 1991 Boletin Lima, 74:24

Boxshall & Montu 1996 Nauplius, 5/1:24(3.10)

*Blias prionoti* Kroyer, 1863

(cont.)

Ostergaard 2003 Systematic Parasitol., 55:138

Ostergaard & Boxshall 2004 Zool.Anz., 243:68(3A-C)

*Blias prionoti*

1. *Aethon prionoti* Kollar
2. *Tuccopsis pinguis* Pearse, 1952
3. *Tucca* sp. Pearse, 1952
4. *Trichthacerus peristedii* Kräyer, 1863
5. " *molestus* Heller, 1868
6. *Triphylla canthus molestus*, Oakley, 1930