

Congericola congri (Yamaguti & Yamasu, 1959)

Kabata 1979 Ray Soc., p. 279

Congericola congru

1. *Metahutschetaia congru* YAMAGUTI & YMASU
1959

Congericola gracilis (Milne-Edwards, 1840)

Wilson 1922 Proc.U.S.Nat.Mus.,60:58

Yamaguti 1963 New York, p.160(183:3)

Congericholla gracilis

1. *Cycnus gracilis* MILNE-EDWARDS, 1840

Congericola kabatai Hewitt, 1975

Hewitt 1975 N.Z.J.Mar.& Fresh.Res.,9(4):563

Congericola kabatai

1. *Congericola pallidus*, Hewitt, 1969
Kazachenko, 1974

Congericola pallida Van Beneden, 1854

Beneden 1854 Bull.Acad.Roy.Belg., 21(9):583(1-6)

Beneden 1861 Mem.Acad.RoylBelg., 33:148(xxiii)

Scott 1913 Ray Soc.Monog., p.124(xli,1)

Scott 1929 Rep.Lanc.Sea-Fish.Lab.,37:100

L.-S. 1933 Parasit., 25:109

Wilson 1922 Proc.U.S.Nat.Mus., 60:58

Willey 1958 Biol.Bull., 115:370

Norman & Scott 1906 London, p.215

Brian 1924 Parasitol.Mauritanica, p.39

Rose et Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.,43:173

D.-D. & N.-R. 1958 Vie et Mileiu 9(2):225(6a-f)

Oorde & S-S 1936 Tierwelt.N.-O.See 31(10c):145(127)

Stock 1959 Bull.Azuat.Biol., 1(6):43

Amaguti 1963 New York, p.159(183:2)

Hewitt 1969 Zool.Publ.Victoria,49:24(78-88)

→ C. Kabatai

Congericola pallida van Beneden, 1854

(cont.)

Bruce et al 1963 Mar.Fauna Isle of Man, 36:132

Kazachenko 1974 Izv.TINRO 88:36(1-2)

→ *C. kabatai*

Kabata 1979 Ray Society, p. 280(1158-1174)

Radujkovic & Raibaut 1989 Acta Adriat., 30:256(25A,b)

Congericola pallidus

1. *Cycnus pallidus*, Richiardi, 1880