

Hersilia apodiformis Philippi, 1839

(Clausidium a.)

Philippi 1839 Arch.Nat.Wiegmann, 5(1):128,131(iv,9-11)

M.-E. 1840 Hist.Nat.Crust., 3:417

Heller 1866 Verh.Zool.-bot.Gesells.Wien,16:750

Claus 1875 Zeits.wiss.Zool.,25:

Canu 1888 C.R.Acad.Sci.,107(3):792

Embleton 1903 J.Linn.Soc.Zool.,28:

Canu 1888 Bull.Sci.Fr.Belg., 19:402,408(xxx,15)

White 1857 London, p.308

Carus 1885 Prodröm. fauna. Medit., p. 331

Graeffe 1902 Arb. zool. Inst. U. Wien, 13(1) 37

Korhauser 1915 Arch. Zellf., 13(3):400,402,430,433(xxvii-
xxix)

Hersilia (Clausidium) apodiformis (Philippi) 1839

(Clausidium a.)

Haddon 1912 Ann.mag.nat.Hist., (8)10:85,86

Sewell 1949 John Murray Exped., 9(2):183

Hersilia vancouverensis Haddon, 1912

(*Clansiatum* V.)

Haddon 1912 Ann.Mag.Nat.Hist., (8)10:84(**fi**),85

Strand 1914 Arch.nat., 80(1):163

Sewell 1949 John Murray Exped., 9(2):161