

(m)

Diaptomidae - Calanocora

Hemidiaptomus valid

G. O. Sars, 1903,

(n)

H. ignatori.

Syn. Hemidiaptomus, Sars, 1903, p. 197.

Hemidiaptomus, Kiefer, 1932, p. 464

HEMIDIAPPTOMUS SARS, 1903

CARD 2

- , BALDI 1936: p. 835, Key to genus.
- Daman-Georgesru, 1966: 49
- BORUTZKY, 1960: 14, IN KEY; 16, 19, 29-34
- STELLA 1989: 20, 25, 34, 41, DIAGNOSIS, KEY TO SUBGENERA
- STELLA 1982: 39, " " " "
- M. S. WILSON 1951: 168
- DASSART 1989: 41, 45-46, DIAGNOSIS, KEY TO AFRICAN spp.
- KIEFER 1978C: 87-, DIAGNOSIS, KEY
- BORUTZKY ET AL. 1991: 176-180, DIAGNOSIS, KEY

HEMIDIAPTONUS S. STR. KIEFER

- STELLA 1984: 41, IN KEY TO SUBGENERA.
- STELLA 1982: 39, " "
- ~~KIEFER~~ DUSSART 1989: 45
- KIEFER 1978c: 87-, KEY
- BORUTZKY ET AL. 1991: 180-181, DIAGNOSIS
- REED 1998: 666 -

HEMIDIAPTONUS (GIGANTODIAPTONUS) KIRFER, 1932,

- STELLA 1984: 41, IN KEY TO SUBGENERA.
- STELLA 1982: 39, " "
- DUSSART 1989: 46
- KIEFER 1978c: 88-, KEY
- BORUTZKY ET AL. 1991: 202, DIAGNOSIS; RESTRICTED, <sup>SUB</sup>GENUS IN PROPOSING *N. SUBGENUS OCCIDIAPTONUS*

HEMIDIAPTONUS (GIGANTODIAPTONUS) KIEFER, 1937

S. RESTR. BORUTZKY IN BORUTZKY ET AL. 1991

-- BORUTZKY IN BORUTZKY ET AL. 1991: 262,

DIAGNOSIS: RESTRICTED, <sup>SUB</sup>GENUS IN PROPOSING

N. SUBGENUS OCCIDODIAPTONUS

HEMIDIAPTOMUS (OCCIDO DIAPTOMUS) BORUTZKY, 199

- BORUTZKY ET AL. 1991: 198, N. SUBGEN.; TYPE

DIAPTOMUS ROUBAUI (RICHARD, 1888); 440

Hemicliaptomus amblyodon (Marenzeller).

Diaptomus — Marenzeller, 1873, p. 593; pl. 6.

Hemid — —, Kiefer, 1932, pp. 464: 494 (key)

— (Giganto.) — , Banarescu + Serban, 1954, pp. 41-42.

— — — —, Herbst, 1951. pp. 249-250, fig. 6

— , Roen, 1957, p. 84, 95

Habitat.

— , Herbst, 1953, p. 146

— , CHISLEUKO, 1977: TAB. 2

— , BREHM 1947: 70

Hemidiaptomus amblyodon (Marenzeller)

card 2

--, Maemets, 1959, p. 28-29, 32

— Pönyi, 1956a: 259

-- MÄEMETS & VELDRE 1956a: 16, 19, 53, 54, 57-58,  
PL. IV, FIGS. 8-10, ESTONIA

→ Damian-Georgescu, 1966: 50-52, fig. 17

-- Borutzky 1960: 32, 33, FIG. 9(2); 178, 189

— Kiefer, 1978: 211

-- Stella 1984: 20

Dr. —, Forró 1986: 560

Hemidiaptomus amblyodon (Marenzeller)

card 3

D. -, Brehm 1908a: 452-

H. (GIGANTODIAPTOMUS)-, KIEFFER 1978c: 94; Pl. 25B

H. (G.)-, Borutzky ET AL. 1991: 202-204, FIG. 83,

DIST. - USSR

HEMIDIAPTONUS ANGULATUS (Rylov)

--, BORUTZKY 1960:34, FIG. 9 (5)

HEMIDIAPTONUS BEHNINGI SMIRNOV, 1940

--, BORUTSKY 1960: 32, FIG. 8(9, 10)

— Kiefer, 1978: 211

H. (s. str.) —, KIEFER 1978 c: 93; Pl. 26A, DIST.

H. (H.) —, BORUTSKY ET AL. 1991: 193; FIG. 77, DIST. - USSR

Hemidiaptomus brehmi MANN, 1940

--, BREHM 1947: 70.

— KIEFER, 1978: 211

-- HUTCHINSON 1953: 572 —

H. (H.)-, KIEFER 1978C: 90-, Pl. 24, DIST.

H. (H.)-, BORUTZKY ET AL. 1990: 195-, FIG. 78, DIST. - USSR

Hemidiaptomus (s. str.) dischensis (Brehm, 1938)

Hemidiaptomus tarnogradskii var. dischensis, Brehm

1938: 217-219, nov. var.

H. (S. str.) dischensis, Kiefer 1978c: 92-, Pl. 25A,

distribution, synonymy - includes pileocaptus

H. tarnogradskii var. pileocaptus, Brehm 1938: 215-216,  
nov. var.

H. (H.) DISCHENSIS, Borutzky et al. 1991: 190; FIG. 76,

DIST. - USSR; SYN. H. LAGOODECHIENSIS

Kutubidze, NEW SYNONYMY, p. 442

Diaptomidae - Caranocaridina

Hemidiaptomus gurneyi (Roy) ♂♀.

Diaptomus — Roy, 1927, c. p. 213: 9 text-figs.

Hemi — — Kiefer, 1932, p. 464: 494 (key); figs. 37-41

— — — Petkovski, 1963. pp. 7-10, fig. 1-7

— BREHM 1947: 70.

— Petkovski, 1983: 103-105, figs 15 A-H, 16 A-D

Habitat. Africa.

—, KIEFER 1938: 155-158; Figs. 8-10.

— Kiefer, 1978: 211

HEMIDIAPTONUS GURNEYI (ROY, 1927)

CARD 2

-- STELLA 1984: 3, 42-44; IN SUBGEN. HEMIDIAPTONUS S. STR.;  
FIGS. 4, 5, 16; DISTRIBUTION - ITALY; H. G. VAR. STEPHANIDESI  
A SYNONYM.

-- STELLA 1964b: 237-259, TEMPORARY POOLS, LATIUM,  
FIGS. 7-14.

-- STELLA 1964c: 372-375, LATIUM, ITALY

- GURNEY, STELLA 1967: 383

- GURNEY, STELLA 1979a: 317-, DISTR. - ITALY

-- STELLA 1982: 27, 34-36, FIG. 22, ITALY

Hemidiaptomus s. str. gurneyi (Roy, 1927) card 3

-- Dussart 1989:46-47, fig. 26A, range - Africa

H. (H.)-, KIEFER 1978c: 90-, PL. 23, DIST.

H. (H.)-, BORUTZKY ET AL. 1991: 187, FIG. 74, DIST. - USSR

H. (H.)-, DIMENTMAN & POR 1985: 94

HEMIDIAPTOMUS (H.) GURNEYI CANAANITA DIMENTMAN  
+ POR, 1985

--- DIMENTMAN + POR 1985: 89, 94, FIG. 17, N. 55P.,  
ISRAEL + SINAI

HEMIDIAPTONUS GURNEYI VAR. STEPHANIDESI

PESTA

--- STELLA 1984: 42, 44, = H. GURNEYI

--- STELLA 1964c: 2-3

--- STELLA 1979a: 322

--- DIMENTMAN & POR 1985: 94

Hemidiaptomus guryneyi var. stephanidesi,  
KIEFFER

--, PESTA 1936: 241; fig 1-10.

--, BORUTZKY 1960: 32, 34, FIG. 8(11, 12)

Diaptomidae - Calanoida

Hemidiaptomus hungaricus (Kiefer) ♀, ♂

-- -- Kiefer 1933, p. 292 : figs. 8 - 13.

- (Gigantodiaptomus) — , Banarescu + Serban, 1954, pp. 40-41, fig. 10

-- -- , Brtek, 1953. pp. 363-373, fig. 1-5, tab. 1-3

-- , BREHM 1947: 70.

Habitat. Bulgaria

Hemidiaptomus (Gigantodiaptomus) hungaricus Kiefer

— (—) — Kiefer, 1933

— (—) — , Bărenescu + Serban, 1954, pp. 40-41, fig. 10.

— — Damian-Georgescu, 1966: 52-56, fig. 18

-- , Borutzky 1960: 33, Fig. 9(3,4); 189

— — Kiefer, 1978: 211

--- KIEFER 1978c: 95-, Pl. 27, DISTRIBUTION

--- BORUTZKY ET AL. 1991: 206-208, FIG. 85, DIST-UKSSR

Diaptomidae - Catantopidae

Hemidiaptomus ignatori G.O.Sars, ♂, ♀.

— — Sars, 1903, p. 198: pl. 10, figs. 1-15.

— — Rylor. 1930, p. 201 : fig. 66.

— — Kiefer, 1932, p. 493 (key): fig. 35.

— Chislenko, 1977: TAB. 2

— Borutsky, 1959: 48

Habitat. Freshwater lakes. Mongolia.

— Kiefer, 1978: 211

— BREHM 1947: 70.

— BORUTSKY 1960: 30, 34, FIG. 8(5,6); 188-189

HEMIDIAPTONUS IGNATOWI G. O. SARS, 1903

CARD 2

-- STELLA 1984: 41, TYPE OF GENUS.

-- FORRO' 1986: 560

-- SARS 1903: 235-, RECORDS, CENTRAL ASIA

-- ?, BREHM 1959C: 929

- (S-STR.) -, KIEFER 1978C: 91-, PL. 24A, DIST.

USSR

- (H.) -, BORUTZKY ET AL. 1991: 181-, FIG. 70, DIST.-

Diaptomidae - Calanoidae

Hemidiaptomus ingens (Gurney) ♂♀.

Diaptomus — Gurney, 1909, p. 298 : pl. 14, figs. 41-45.

Hemid — — Kiefer, 1932, pp. 464-494 (key).

—, COLE 1968: 465, 466, 468.

—, AGUERRE + DASSART 1957: 985, syn. H. INGENS LHERMIS

H. —, GAUTHIER 1934: 64

Habitat. Tunis.

H. —, STELLA 1984: 20, 44

H. —, HUTCHINSON 1953: 572 -

H. —, GAUTHIER 1951: 97 -

Hemidiaptomus (Gigantodiaptomus) ingens (Gurney, 1909) 2

--- Dussart 1989:48-49, fig. 27A, range- Africa

--- KIEFER 1978c: 98-, Pl. 30, DISTRIBUTION

H. (OCCIDODIAPTOMUS) -, N. COMB., BORUTZKY ET

AL. 1991: 199 - 200, FIG. 81, DIST. - USSR; 440

H. -, KIEFER 1973: 281-290, SPAIN

Hemidiaptomus (Gigantodiaptomus) ingens ingens (Gurney,  
1909)

----, Kiefer, 1957, pp. 319-20

Hemidiaptomus (Gigantodiaptomus) ingens inermis Kiefer,  
1955

----, Kiefer, 1957, p. 311, 320.

—, Aguesse & Dussart, 1957, p. 485. (Syn. H. ingens  
d'Algerie)

--- STELLA 1979a: 322

--- KIEFER 1973: 288, 290

Hemidiaptomus ingens maroccanus Kiefer, 1955

---, Kiefer, 1957, p. 320

--- STELLA 1979a: 322

Hemidactyptomus ingens provinciae CHAMPEAU, 1967

Fig. I

Aguesse & Dussart, 1957, p. 481 (syn. H. roubaudi)

--- STELLA 1984: 44, syn. of H. (G.) Roubaudi

--- STELLA 1979a: 322

--- BAN & MINODA 1991: 300 -

--- KIEFER 1973: 289, syn. of H. Roubaudi.

Hemidiastomus (Gigantodiastomus) ingens provincialis  
Petit + Schachter

—(-) -- Petit + Schachter, 1943

— — —, Aguesse, 1957. Rhône mouth. p. 242.

— — —, Dussart, in Aguesse + Dussart, 1957, p. 485-487,  
fig. 1. Camargue.

--- --- Champeau, 1970, pp. 155-189, photo 2 (p. 185),  
(spelled: H. ingens provinciae P. & S.)

Hemidiaptomus

Kummerlöwei

minutus

--, BREHM 1947: 70.

--, BORUTZKY 1960: 32, FIG. 8(13)

- KUMMERLÖWEI, HUTCHINSON 1953: 572 -

H. (S.STR.) -, KIEFER 1978c: 93-, PL. 26B

H. (H.) -, BORUTZKY ET AL. 1991: 196-, FIG. 79, DIST. - USSR

H. -, HAMER 1996: 207

Hemidiaptomus lagodechiensis Kutibidze - see

H. dischensis Brehm

Hemidiaptomus lauterborni - see H. roubaudi

Hemidiaptomus maroccanus Kiefer 1955

Morocco Af.

(1)

-- -- Kiefer, 1954, pp. 323-329, Figs. 13-18..

-- --, 1964, B. H. Dussart, p. 120;

--, Kiefer, 1957, p. 311,

--, Aguesse & Dussart, 1957, p. 485

-- KIEFER 1973: 281-290, SPAIN

- Kiefer, 1978: 211

H. (GIGANTODIAPTOMUS) -, DUSSART 1989: 49-50, FIG. 28,

RANGE - AFRICA

H. (G.) -, KIEFER 1978c: 97, PL. 29A, DISTRIBUTION

H. (OCCIDODIAPTOMUS) -, N. COMB., BORUTZKY ET AL.

1991: 200-202, FIG. 82, DIST. - USSR; 440

HEMIDIAPTONUS MONTICOLA WEISSIG

--, BORUTSKY 1960: 30, 34, FIG. 8 (1, 2)

-- KIEFER 1978c: 92

Diaptomidae - Calanoida

Hemidiaptomus roubaudi (Richard)

Diaptomus — Richard, 1888, p. 44

Hemid. — Kiefer, 1932, pp. 464:494 (key).

H. (Gigantodiaptomus) roubaudi, Kieffer, 1957, pp.  
311-9, illus.

Aguesse, & Dussart, 1957, p. 481, (syn. H. ingens  
<sup>Fig. 1</sup>

Habitat. Spain. provinciae)

- Alonso & Comelles, 1984:1701

--, BREHM 1947: 70.

— Kiefer, 1978:211

HEMIDIAPTONUS ROUBAUI (RICHARD, 1888)

CARD 2

-- STELLA 1984: 3, 20, 44-47, FIGS. 17, 18, DISTRIBUTION-  
ITALY; GIVES SYNONYMY.

-- STELLA 1979 a: 317-, DISTR.-ITALY

-- STELLA 1982: 27, 34, 36-38, FIG. 23-ITALY

-- STELLA & MARGARITOREA 1975-76: 5-, SARDINIA

H. (GIGANTODIAPTONUS)-, KIEFER 1978c: 97-, Pl. 29B,  
DISTRIBUTION; SYN. HAUTERBORNI

H. (OCCIDODIAPTONUS)-, N. COMB., BORUTZKY ET AL.  
1991: 198-199, FIG. 80, DIST.-USSR; TYPE OF NEW  
SUBGENUS OCCIDODIAPTONUS.

HEMIDIAPATOMUS ROUBAUI (RICHARD, 1888) (3)  
LAUTERBORN,  
DIAPATOMUS - , KIEFER 1973: 289, syn. of H. ROUBAUI;  
289-290, SPAIN.

Hemidiaptomus roubau i lauterborni (Kiefer, 1930)

--- --- Champeau, 1970, p. 156.

---, Kiefer, 1957, p. 320, from H. lauterborni

---, CHAMPEAU 1971: 159.

--, Stella & Fano, 1974, p. 138

--, Stella, 1970, p. 72-73, figs. 1-6

--- STELLA 1984: 44, = H. ROUBAU

--- STELLA 1979a: 322

--- KIEFER 1978c: 97, = H. ROUBAU

= H. ROUBAUI

Diaptomidae - Calanoida

Hemicdiaptomus lauterborni (Kiefer)

Diaptomus — Kiefer, 1930, p. 315: figs. 1-3

Hemid — — Kiefer, 1932, p. 494: fig. 42.

—, Kiefer, 1957, p. 311, 320 = H. (Gigantodiaptomus)  
roubaui lauterborni (Kiefer, 1930)

—, BREHM 1947: 70.

—, Stella, 1970, p. 85

— STELLA 1984: 44, = H. (G.) ROUBAUI

— KIEFER 1978C: 97, = H. (G.) ROUBAUI

Diaptomidae - Calanoida

Hemidiaptomus rylovi N. Charin ♀, ♂

— — Rylor, 1930, p. 204 : fig. 67.

— — Kiefer, 1932, p. 493 (Key); fig. 36.

— — Charin, 1928, p. 324; figs. 1-6.

— — Borutzky 1960: 30, 32, FIG. 8(3,4)

— — Kiefer, 1978: 211

— — M. S. Wilson 1951: 169, NAME PREOCCUPIES D. RYLOVI  
SMIRNOV

Habitat. Russia.

H. (5-STR.) -, KIEFER 1978C: 94; PL. 26I

H. (H.) -, BORUTZKY ET AL. 1991: 189; FIG. 75, DIST. - USSR

Diaptomidae - Calanoida

Hemidiaptomus sostarici (Krmptović)

Diaptomus — Krmptović, 1924, p. 16; pl. 2, figs. 1-6.

Hemid — — Kiefer, 1932, p. 464; 494 (key).

--, BREHM 1947: 70.

— Kiefer, 1978: 211

H. (S. STP.) —, KIEFER 1978 c: 94, PL. 26 C

Habitat. Kroatia —

H. (H.) —, BORATZKY ET AL. 1991: 184; FIG. 72, DIST. - USSR

Diaptomidae - Calanoida

Hemicdiaptomus suberbus (Schmeil) ♂♀. ①  
P

Diaptomus — Schmeil, 1895, p. 128

Hemid — — Kiefer, 1932, pp. 464: 494 (key).

--, Roen, 1957, p. 84, 95

--, Herbst, 1953, p. 146

--, Brehm, 1951, p. 86

Habitat. Germany.

--, GILLANDT - MARTENS, 1975: 181-185; FIG. 1-3;

SYN: DIAPTOMUS S.

- SUERBUS, BREHM 1947: 70.

Hemidiaptomus superbus (Schmeil)

card 2

-superbus, Brehm 1958f: 103

- SUPERBUS, BORUTZKY 1960: 32, 34, FIG. 9(1)

- Kiefer, 1978: 211

-- GAUTHIER 1951: 97-

D. -, BREHM 1908a: 453-

D. -, VAN DOUWE 1909b: 14-15, FIGS. 35-37, GERMANY

H. -, LÖFFLER 1956: 251-

H. (GIGANTODIAPTOMUS) -, DUSSART 1989: 47-48, FIG.

26B, RANGE - AFRICA

Hemidiaptomus superbus (Schmeil)

card 3

-- Kiefer 1978c: 9, 96-, Pl. 28A, IN GIGANTODIAPTOMUS  
H. (G.)-, Borutzky et al. 1991: 204-206, FIG. 84,  
DIST. - USSR

-- BREHM 1959: 923

Hemiciaptomus superbus var. hyrcanensis (Brehm, 1937)

---, Brehm, 1951, p. 97

--, BREHM 1937: 217-219; fig. 2.

-- LÖFFLER 1961c: 393

--- BREHM 1959c: 923, IRAN

Diaptomidae — Calanoida

Hemidiaptomus tarnogradskii W. Rylor. ♀, ♂

- — Rylor, 1930, p. 206 : fig. 68.
- — Kiefer, 1932, p. 492. (key).
- — Rylor, 1926, p. 19 : pl. I.
- tarnogradskyi, BREHM 1947: 70.
- , BORUTSKY, 1960: 30, FIGS. 8(7,8).
- Kiefer, 1978: 211

Habitat. Russia.

- (S. STR.) -, KIEFER 1978C: 92, PL. 24B, DIST.
- H. CH.) -, BORUTSKY ET AL. 1991: 185, FIG. 73, DIST. - USSR

Hemidiaptomus tarnogradskii var. dischensis Brehm -

see H. dischensis

Hemidiaptomus tarnogradskii var. pileocaptus Brehm -  
see H. dischensis

Hemidiaptomus thracicicus (Chichkoff)

DIAPTONUS - , CHICHKOFF 1924: 44, FIG. 1-8, PL. I, N.S.P.  
BULGARIA'

H. - , BREHM 1947: 70.

H. Chichkoff, 1924 : 44

H. Petkovski, 1983: 105-108, fig 17 A-I

H. THRACICUS, BORUTZKY, 1960: 38, FIG. 8(14,15)

H. Kiefer, 1978: 211

H. (S. STR.) - , KIEFER 1978C: 92- PL. 24C, DIST.

H. (H.) - , BORUTZKY ET AL. 1991: 183- FIG. 71, DIST. - USSR