## Sabatieria tenuiseta n. sp.

Fig. 148 a, b

Locality and material. — Falkland Islands, St. 57: 12

Dimensions: L=1,405 mm.,  $\alpha=23,81$ ,  $\beta=11,30$ ,  $\gamma=5,87$ , V=45,21 % Body of about even thickness throughout. Cuticle finely annulated. Head rounded, provided with very slender, submedian bristles, about as long as the corresponding head diameter at their level. Buccal cavity small, thin, funnel-shaped, directed slightly ventrally. Oesophagus short, with a small, weakly developed bulb. Lateral organs situated far anteriorly, only 5  $\mu$  behind the front end, rounded, spiral-shaped, small, in section 6  $\mu$ , i. e. exactly 1/3 of the corresponding head diameter.

Tail in its anterior part, measuring 0,44 of the total length of the tail, conical, then in the greatest part uniformly strongly thinned, filiform. Vulva situated in front of the middle of the body. Female organs paired. There are 4 eggs in the uteri, namely 2 on each side of the vulva.

St. 57. Falkland Islands. Port Albemarle. Albemarle Harbour. 52° 8′ S. — 60° 33′ W. Sand. 18—30 m. 11. 9. 1902.

Number of species found: 21; Number of specimens found: 40.






Fig. 148. Sabatieria tenuiseta n. sp. a. Anterior end, × 450, b. Tail, × 270