

Harpaetacoidea - Tegastidae

Amymone = synonym.

Claus, 1860 -

A. satyrus ^(M).

a synonym of Tegastes, the word Amymone having been used by O. F. Müller to designate some nauplii - 1785, and by Savigny for a genus of Vermes in 1817.

Amymone Herrick, 1884, p. 183,

Amymone Claus, 1860, p.

Tegastes Sars, 1904, p. 68.

Amymone Brady, 1880, vol. 2, p. 28,
Tegastes Norman, 1903, p. 368.

ANYNONE SP.

- - WESTWOOD, 1836: 228, REFERS TO EARLY
NAUPLIAR STAGES.

Amyone species of Muller

Roen, 1957, p. 4, all except A. fauna seem not to be
copepods

-, ZIEGELMAYER 1925: 494

Tegastidae - Harpacticoida

Amymone clausii Thomson, ♀

— Thomson, 1882, p. 98; pl. 5, f. 1-8

— Brady, 1899, p. 40

Habitat. New Zealand.

Tegastidae - Harpacticoida

Amymone falcata Norman, ♂, ♀.

— — Norman, 1869, p. 296.

A synonym of Tegastes falcatus.
(Norman & Brady, 1909, p. 124).

Amyone fauna

--, Roen, 1957, p. 4

Harpacticidae

Amymone Harpactoides Claus, ♀.

— — Claus,

— — Claus, 1885, p. 319.

A synonym of Tegastes harpactoides.

ANYMONE INTERMEDIA HERRICK, 1887

ANYMONE -, HERRICK 1887: 22, PL. I FIGS. 10, 11, N.S.P.,
GULF OF MEXICO OFF ALABAMA, USA.

Tegastidae - Harpacticoida

Amymone longimana Claus, ♀.

— Claus, 1863, p. 115: pl. 20, figs. 13-14.

— Thompson, 1893, p. 193: pl. 19, f. 5, b.

—, Pesta, 1932, p. 42

A synonym of Tegastes longimana.
(Norman & Brady, 1909, p. 124).

—, Dolzonolskaya, 1970, p. 69, ~~xx~~ a syn. of Tegastes
longimanus

Tegastidae - Harpacticoida.
Amymone neapolitana Claus, ♀.

— — Claus,

— — Carus, 1885, p. 319.

A synonym of Tegastes neapolitana.

Habitat: Naples.



Mediterranean.

Tegastidae - Harpacticoida.

Amymone nigrans T. Scott, ♀. & A. Scott

— ^{♂ A. Scott} T. Scott, 1894, p. 137: pl. 8, figs. 1-7.

A synonym of Parategastes sphaericus.
(Sars, 1904, p. 73).

Tegastidae - Harpacticoida.
Amymone rubra Boeck.

-- Boeck, 1873, p. 49.

A synonym of Tegastes galeatus.
(Norman & Brady, 1909, p. 124).

-- Brady, 1904, p. 31 pl. I. fig. 13.

Canthocamptidae - Harpacticoida.

Amymone satyra O. F. Müller, ♀.

— — Müller, 1785, p. 42: pl. 2.

These are nauplii and the young of.

Canthocampus minutus.

(Baird, 1850, p. 205).

Amymone satyrus Claus, ♂.
Tegastidae - Harpacticoida.

- — Claus, 1860, p. 11; pl. 3, figs. 31-32.
— — Claus, 1885, p. 319.

A synonym of Tegastes satyrus.

Habitat. Nizza.

Mediterranean

Amymone sphaerica Claus, ♂. ♀.
Tegastidae-Harpacticoida

— — Claus, 1863, p. 114; pl. 20, fig. 1-9.

— — Claus, 1885, p. 319.

Amynone Boeck, 1865, p. 32 (256).

Not falcata Norman, 1868, p. 296.

A synonym of Parategastes sphaericus,
(Sars, 1904, p. 73).

E. Finnmark - Lofoten Islands.

A-sphaerica T. Scott, 1903, p. II: 1899^s, p. 96.

--, Dolzonolskaya, 1970, p. 69, a syn. of Parategastes
sphaericus

Tegastidae - Harpacticoida

Amymone sphaerica Brady, ♀.

- — Brady, 1880, vol. 2, p. 28: pl. 49, fig. 1-11.
— — Thompson, 1893, p. 193: pl. 19, f. 5, a-3.
— Pesta, 1932, p. 43

A synonym of Tegastes falcatus.
(Norman & Brady, 1909, p. 124).

— Scott & Scott, 1901 : 343