

in Cyclopoida-Corycaeidae

Antaria Synonym.

Dana, 1846.

A. crassimana <sup>⊕</sup>.

Syn. Oncaea Philippi, 1843 (pars),

Antaria Dana, 1846, p. 229.

Antaria Dana, 1849<sup>a</sup>, p. 39: 1849<sup>b</sup>, p. 280.

Antaria Dana, 1852, p. 1227,

Antaria Claus, 1863, p. 158.

Body similar to that of *Corycaeus*; conspiciilla small, affixed to the front. 5th. seg't of thorax well concealed, ~~not even~~ rudimentary, 1-seg legs being present. Abdomen ♂ 5-, ♀ 4-jointed, median joints small. 1st. antennae 6-jointed, 2nd. pair 3-jointed, apical joint with setae, prehensile. Endopods of legs 3-jointed. Eye not very distinct. First 4 pairs of legs biramous, rami 3-seg'd.

ANTARIA

Dana

-, Dana 1846: 229.

Corycaeidae

Antaria coerulescens. Claus, ♂. ♀.

— — Claus, 1866, p. 19.

— — Claus, 1885, p. 348.

— — (= Oncaea venusta) Giesbrecht, 1892, p. 590.

Habitat. Mediterranean.

Corycaeidae - Cyclopoida.

Antaria crassimana Dana, ♀

— — Dana, 1849, p. 39.

— — Dana, 1852, p. 1228; pl. 86, f. 10, 10-c.

— — (= Oncaea venusta) Giesbrecht, 1892, p. 590

Habitat. Tropical Atlantic.

Corycaeidae - Cyclopoida.

Antaria gracilis Dana, ♀.

— — Dana, 1849, p. 40.

— — Dana, 1852, p. 1229; pl. 86, fig. 11, a-d.

— — (= Oncaea, sp.) Giesbrecht, 1892, p. 591.

-- (NOT = ONCAEA GRACILIS DANA), NOT A CONAEA,  
HERON 1977: 90.

Habitat. Tropical Atlantic.

-- HERON + BRADFORD-GARIEVE 1995: 46, NOT CONSPECIFIC  
WITH ONCAEA GRACILIS T. SCOTT.

Corycaeidae - Cyclopoida.

Antaria latericia Grube, ♀.

— — Grube, 1872, p. 32, 35; pl. 1, f. 1-4.

— — Giesbrecht, 1892, p. 818.

*Hersiliodes latericius*. Giesbrecht, 1893. a. p. 73.

Cyclopoida - Corycaeidae

Antaria mediterranea Claus, ♂. ♀.

— — Claus, 1866, p. 18; 1863, p. 159: pl. 30, fig. 1-7.

— — Carus, 1885, p. 347; Stebbing, 1910, p. 555.

Oncaea — Cleve, 1900, p. 141; 1904, p. 193.

— — Sars, 1916, p. 3.

Habitat, Mediterranean.

A synonym of Oncaea conifera.  
(Esterly, 1905, p. 216)

- — Zilljeborg, 1875, p. 12,
- — Car, 1884, p. 252,
- — Gourret, 1889, p. 474,
- — Giesbrecht, 1892, p. 591 (= *Oncaea m—*).
- MALT 19836: 6, = O. MEDITERRANEA

Corycaeidae - Cyclopoida.

Antaria obtusa Dana, ♀.

— — Dana, 1849, p. 40.

— — Dana, 1852, p. 1230: pl. 86, f. 13, a-d.

— — Streets, 1877, p. 140.

— — (= Oncaea venusta?) Giesbrecht, 1892, p. 590.

Habitat. Sulu Sea: North Pacific.

Antaria venusta (Philippi), ♀. <sup>Corycaeidae</sup>

Oncaea — Philippi

Antaria — Corus, 1885, p. 348.

Oncaea — Cleve, 1900, p. 142.

—— Sars, 1916, p. 3.

A synonym of Oncaea venusta.