

Arenocaris.

Nicholls, 1935

~~Canthocamptidae~~ - Harpacticoida
GYMNDROPSYLLIDAE
LEPTASTACIDAE (M)

A. bifida

Syn. Arenocaris Nicholls, 1935, p. 399.

- BODIOL 1977: 285, cf. NOTOPONTIA N. GENUS
- BODIOL & COLOMINES 1986: 62, IN KEY
- WILLEMS & CHAEYS 1982: 5-
- HAYS 1992: 71, 77, IN LEPTASTACIDAE GRAD. NOV.;
99-112, DIAGNOSIS.

Arenocaris bifida Nicholls, ♂♀.

— — Nicholls, 1935, p. 401, fig. 9 (22 figs).

— —, Noodt, 1956, p. 58, N. SEA AREA.

— —, Noodt, 1952, p. 18.

— — Wells, 1963, p. 21
— —, Jakobi, 1959, p. 143

Habitat. Sand, Millport, Scotland -

— Mielke, 1975: 108 — , fig. 72

— GEE 1987: 502 —, ENGLAND

— HUYS 1992: 74 —, 77, 99 — III, FIG. S. 25-29, NORTH SEA

ARENOCARIS ORIENTALIS - see PSAMMOLEPTASTACUS

Arenocaris reducta Huys, 1992

-- Huys 1992: 77, 107-110, figs. 30-31, n. sp. male only,

North Sea, Southern Bight

-- Huys 1992: 77