

Tisbidae - Harpacitoidea.

Aspidiscus = synonym.
Norman, 1868.

(M)
A. fasciatus.

Syn. Scutellidium Brady, 1880, p. 175.

Aspidiscus Norman, 1868, p. 298.

Aspidiscus G. D. Sars, 1904, p. 78.

Preoccupied - Aspidiscus - Könnetch., Polypus - 1825.

Changed to Sacodiscus Wilson, 1921, p.

'Ασπίς = a shield and σίκος = a disc.

Anterior body much expanded and depressed; clypeiform; 3rd. segt. fornicate behind, arching over the last segt. 1st. antennae not dilated at center, 9-jointed; exopod of 2nd. antennae 3-jointed. First legs with both rami flattened, endopod 3-jointed; rami of swimming legs nearly equal. 5th. legs coarse in ♀, distal joint lamelliform.

Harpacticoida - Lycidae

Aspidiscus fasciatus Norman, ♂. ♀.

see Sacodiscus f.

— — Norman, 1868, p. 298.

— — Sars, 1911, p. 81: pl. 48. pl. 69, fig. 1-9

~~not~~ Scutellidium fasciatum Brady, 1880, vol. 2. p. 178: pl. 68, fig. 11; n.

Aspidiscus — us Sars, 1904, p. 81: pl. 48.

A. —, BRADY 1872: 442, BRITISH COAST

Habitat. British Seas: Norway -

Changed to Sacodiscus fasciatus.

Wilson 1924

A-f - Brady & Robertson, 1873, p. 134,

--, Vervoort, 1964, p. 103

Harpaicticoidea - Gayeace.

Aspidiscus littoralis G.O. Sars, ♂. ♀

syn. Sacodiscus l.

Scutellidium fasciatum Brady, 1880, p. 178:
pl. 68, fig. 11; pl. 69, figs. 1—9.

Aspidiscus littoralis Sars, 1904, p. 79; pls. 46, 47.
— — Norman & Brady, 1909, p. 125.

— — Jørgensen, 1940, p. 77. Iceland.

Habitat. British Seas = Norway-

A. - , V. HARRIS 1994:336

— — T. Scott, 1906, a, p. 313.

Changed to Sacodiscus littoralis

Wilson, 1924, p. 14.

Aspidiscus — Stephensen, 1929, p. 4.

--, Klie, 1941, p. 18