

Harpacticoida

Balaenophilidae Sars, 1910

- Gotto 1993: 210, diagnosis

in) Balaenophilidae - Harpacicoidea

Balaenophilus valid.

Aurivillius, 1879.

B. misetus.

Syn. Balaenophilus Aurivillius, 1879, p. 5.

Balaenophilus G. O. Sars, 1910, p. 347.

- GOTTO 1993: 210, DIAGNOSIS

Bálaiva = a whale - φίλος = friend.

Body narrow, elongated, seg'ts. sharply marked off  
gen. seg't. in ♀ not subdivided. Caudal rami mod-  
erate, each with only one seta. First antennae  
9-jointed, tapering, 5th. joint with sensory ap-  
pendage. Exopod of posterior antennae small,  
1-jointed. Posterior mxpds. well developed, with  
a strong clawed hand. Both rami of 1st. legs  
3-jointed. Exopods of 3 following pairs 3-  
jointed, endopods 2-jointed.

Balaenophilidae - Harpacriocera.

Balaenophilus unisetus Aurivillius ♂♂

- — Aurivillius, 1879, p. 5: pls. 1-4.
- — Aurivillius, 1879, b, p. 8: pls. 1-4.
- — Sars, 1910, p. 347: pls. 229 & 230.
- — HANG, 1948, P. 584.

Host. Baleen plates of Balaenoptera  
sibbaldii Gray.

Norway -

-- --, Vervoort & Tranter, 1961. pp. 70-84, fig. 1-6,

EX BLUE WHALE *BALAENOPTERA MUSCULUS*, OFF W.

AUSTRALIA

Balaenophilus unisetus

card 2

--, Bannister, J.L. and J.R. Grindley, 1966, pl8, fig. 1

pl. 1, OFF SOUTH AFRICA, ANTARCTIC, CHILE

-- FENSLY & GRINDLEY 1973: 121

- MISETUS, JAKOBI & GOMES DA FONSECA 1984: 116

-- RAGA & SANPERA 1986: 489-497, FIG. 1, ON  
BALAENOPTERA PHYSALUS, SPAIN

-- DUDLEY 1986: 8-, FIG. 1h

-- CLOOSTER 1965: 18-19, 193-205, PLATE 20, EX  
S. BALDUS MUSCHALS. OFF CALIFORNIA

Balaenophilus unisetus Aurivillius, 1879

card 3

-- Gotto 1993: 210-, Figs. 53L-O