

Harpacticoida

Canthocamptidae Sars, Monard, Lang

①

- Por 1986: 420, 423, created Hemimesochrinae n. subfam.  
and added several genera from Cletodidae to  
"Canthocamptidae incertae sedis."

- FIERS & RUTLEDGE 1990: 114-116, AMPHIBIPERITA N.G.

- CHAPPUIS 1929c: 471-516, REVIEW

- HUYS & THISTLE 1989: BATAYCAMPTUS N.G.

(don't have this article yet)

-- BRANCELJ 1991: 193, 197, PARAMORARIOPSIS N.G.

Canthocamptidae Sars, Monard, Lang

card 2

- Borutskii 1966: 771-, Epactophanoides, n.g.

- Rouch 1962: 258-260, Löfflerella n.g.

- Huys 1992: 70 -

- MARTÍNEZ ARBIZU + MOURA 1994: 62-, ADDRD

SUBFAMILY CYLINDROPSYLLINAE (CYLINDROPSYLLUS,

EVANSULA, STENOCARIS, STENOCARIOPSIS, DOROPONTIA,

CYLINULA, SELENOPSYLLUS

- ISHIDA 1994a: 261

- KIKUCHI 1994b: 59-, GLACIELLA n.g.

CANTHOCAMPTIDAE

3

- REID + ISHIDA 1996: 133-134, SYNONYMIZED  
NEOMARAENOBLOTUS WITH GULCAMPTUS.
- BRANCELT 1994: 89-, PSEUDOMORARIA N.G.

Canthocamptidae - Harpacticoida  
Canthocamptus. valid,

Westwood, 1836. C. staphylinus.<sup>(M)</sup>

CANTHOCAMPTUS WESTWOOD, 1836: 228, n.g. ~~228~~

Syn. Canthocampus Westwood, 1836, p. 115.

Canthocarpus Baird, 1834, a. p. 97.

Harpacticus Dana, 1847, (pars), p. 157.

Cyclopsina M-Edwards, 1840, (pars) p. 42

Cyclops, Monoculus, Nauplius.

Canthocamptus Herrick, 1884, p. 164.

Ἀκάνθα, spine and καμπτός, flexible

Canthocamptus Dana, 1852, p. 1178, 1186

Body slender, cylindric, flexible; head of moderate size; caudal rami slightly produced; eye well developed. 1st. antennae slender, 8-jointed, strongly hinged in  $\delta$ . Exopod of 2nd. antennae 2-jointed, distal joint the smaller.

Mandible palp small, 2-jointed; maxillae without exopodal and epipodal plates. Endopod of 1st. legs 3-jointed, longer than the exopod. endopod of 2nd. & 3rd. legs 3-jointed, of 4th. leg 2-jointed, endopod of all the pairs transformed in  $\delta$ .

Canthocamptus G. O. Sars, 1906, p. 194.  
Canthocamptus Brady, 1880, vol. 2, p. 48.  
Canthocamptus Schmeil, 1893, p. 15.

Canthocamptus (2)

Canthocamptus Pesta, 1921, p. 611.

Canthocamptus Claus, 1863, p. 118

(3)

Canthocampius WESTWOOD

- , Por, 1967, p. 1
- , Pesta, 1932, p. 93-6, key
- , ACADEMIA SINICA, 1979: 212
- , EBERT 1976: 2.
- , Ito, T., & T. Takashio, 1980, p. 218
- , Lang, 1934, p. 3
- , MENZEL, 1926: 210
- MENZEL 1924a: 70, 71
- BORUTZKY 1960: 101, 102; 111-114, KEY TO SOME SPP.; 164
- CHAPPAIS 1916: 556

CANTHOCAMPTUS WESTWOOD

(4)

- CLAUDIUS 1833c: 334-335
- ZIEGELMAYER 1925: 500
- LABBE' 1929: 614
- ROUCH 1986b: 352
- IZAWA 1987: 194
- LEWIS M. 1986: 115 -
- WECKERL 1914: 199 - 201, DIAGNOSIS, KEY TO N. A. SPECIES
- VAN DOUWÉ 1909b: 38 - 40, KEY + LIST OF GERMAN SPP.
- KABATA 1988b: 4, ORIGIN OF NAME
- Workman & Sigler, 1965: tbl. 1

Canthocamptus Westwood

card 5

- Williamson 1991:795-
- CHAPPUIS 1929c: 474-475, CHAR. EMEND.; TYPE  
C. STAPHYLINUS,
- WHIPPLE, G. 1899: 242, PL. 17 FIG. 7

CANTHOCAMPTUS (BAIKALOCAMPTUS).

--, BORUTZKY 1960: III, IN KEY

CANTHOCAMPTUS (CANTHOCAMPTUS)

--, BORUTZKY 1960:111, IN KEY

CANTHOCAMPTUS ABLATIFURCATUS HAMOND, 1988

-- HAMOND 1988: 1106-1108, FIGS. 129-134, N. SP.,

NEW CALEDONIA

Canthocamptidae - Harpacticoida

*Canthocamptus acanthophorus* Delachaux, ♂, ♀.

— — Delachaux, 1924: fig. 6, 1-14.

— —, *hanc*, 1948, p. 936.

— — MENZEL 1924b: 300.

Habitat. Surinam.

Canthocamptus aculeatus Thiebaud - see Attheyella

Canthocamptus aequipes Krichagin

— Krichagin, 1877: 34 - 35, pl. 3, fig 1-5

Canthocamptidae - Harpacticoida

Canthocamptus aischghoi Schiklejew

— — Schiklejew, 1931, p. 185: figs. 1, a-f; 2: 3, a-d.

Habitat. Caucasus mountains.

Canthocamptidae - Harpacticoida.  
Canthocamptus aloisianus Brehm, ♀.

- — Brehm, 1908, p. 598: 2 text-figs.
- — Chappuis, 1928, p. 126 (Key).

Habitat. Alps.

Canthocamptidae - Harpacticidae

Canthocamptus alpestris (Vogt).

Cyclopsine Vogt, 1845, p. 17: pl. 1, figs. 1-12.

Canthocamptus - Chappuis, 1928, p. 127 (Key).

— — Kreis, 1920, p. 266: pl. 9, figs. 26-41.

— —, BORUTZKY, 1952, p. 222, f. 69, 15-16. USSR.

--, Kiefer, 1923, p. 123

Habitat. Switzerland.

Canthocamptus antarticus

--, Lang, 1934, p. 3

Canthocamptus arcticus Lilljeborg, 1902 - see

Bryocamptus

Canthocamptidae - Harpacticoida

Canthocamptus armatus Delachaux, ♀.

— — Delachaux, 1918, p. 327; text-fig. 7, 1-9.  
Elaphoidella — Chappuis, 1929, p. 491.

SEE ELAPHOIDELLA

Habitat. Naticocha Lake, Peru.

Canthocamptidae, Harpacticoid

Canthocamptus arndti Kiefer ♀, ♂

— — Kiefer, 1924, p. 301 : fig. 3

— — Chappuis, 1928, p. 128 (key).

— —, BORUTSKY, 1952, P. 216, F. 69, 4-6. USSR.

Habitat Bulgaria

Canthocamptidae -  
Harpacticoid

Canthocamptus assimilis (Kiefer) ♀, ♂

-- Kiefer, 1931, p. 600: figs. 40 - 52

-- Kiefer, 1931, p. 221: figs. 6 - 7

-- Reed, 1962, pp. 27-50.

-- U.S. WILSON 1975: 125, LOUISIANA; 130, CALIFORNIA

-- STRAYER 1988(89)b: 200 -, SE NEW YORK

Habitat North America

-- Whitman, Gochee & Ruckmann, 1988: 1045

-- STRAYER 1985: 358; TAB. 21, MIRROR LAKE, NH, USA

Canthocamptus australicus (G.O. SARS )

Benzie 1984: 693, Australia

-- N. COMB., HAMOND 1988: 1073-1076, FIGS. 75-80,  
AUSTRALIA; REDESCRIPTION FROM TYPES

Canthocamptidae - Harpacticoid

Canthocamptus baikalensis Borutzky ♀, ♂

— — Borutzky, 1931, p. 111 : fig. 33.

— — BORUTSKY, 1952, P. 18 FIG. 4

— — BORUTSKY, 1952, P. 152, FIG. 54, 55, 1-5. USSR

— —, LANG, 1948, P. 932.

— —, Sterba, 1967, p. 331

Habitat. Russia.

CANTHOCAMPTUS (C.) BAICALENSIS BORUTZKY

---, BORUTZKY 1960:114, FIG. 46(7)

CANTHOCAMPTUS BIDENS - SEE ELAPHOIDELLA

CANTHOCAMPTUS BILLWILLIAMSII HAMOND, 1988

-- HAMOND 1988: 1076-1078, FIGS. 42J, 43E, 81-84,

N. SP., AUSTRALIA

Canthocamptidae - Harpacticoida

Canthocamptus borcherdingii Poppe, ♀.

— — Poppe, 1889, p. 545 (no figs).

— — Herrick, 1895, p. 134.

A synonym of Attheyella pygmaea  
Sars, 1907, p. 202.

Canthocamptus brevicornis Daday, 1884

--, Dolzonolskaya, 1970, p. 100, a syn. of Cletocamptus  
retrogressus

Canthocamptidae - Harpacticoida.

Canthocamptus brevipes G. O. Sars, ♂. ♀.

— Sars, 1863, p. 64; Herrick, 1884, p. 169.

A synonym of Morarina brevipes.  
(Sars, 1907, p. 206).

— Scourfield, 1939: 117

— Haberbosch, 1920: 108

— Krichagin, 1877: 35-36, pl. 3, fig. 6-11

CANTHOCAMPTUS BREVISETOSUS - SEE

PHYLLOGNATHOPUS COECUS BREVISETOSUS

Canthocamptidae - Harpacticoida

Canthocamptus bromeliaecola Chappuis ♂♀

— — Chappuis, 1928, p. 274: text-figs. 1-12

Habitat. In cups of Bromeliads, Java

Canthocamptus brunnthaleri Brehm

— —<sub>2</sub> Brehm, 1913, pp. 722-3, fig. 1-2.

Canthocamptus bryobates Monard, ♂ ♀.

— — Monard, 1928, p. 258: figs. 1-10.

— —, BORUTSKY, 1952, p. 225, f. 69, 11-13. USSR.

Habitat. Lakes of the Pyrenees Mts.

Canthocamptidae - Harpacticoida

Canthocamptus bryophilus Chappuis, ♂♀.

— — Chappuis, 1928, p. 378: figs. 5-14

— —, Borutzky, 1952, p. 297, f. 24, 19-28 - USSR.

Habitat, Moss, Java.

CANTHO CAMPTUS (S. STR.) BULBIFER — BORUTSKY,

— — BORUTSKY, 1952, P. 156, F. 55, -12-. USSR.

— (C.) —, BORUTSKY 1960: 114, FIG. 46 (5-6)

-- STERBA 1967: 330

CANTHOCAMPTUS CAECOSITOSUS HAMOND, 1988

-- HAMOND 1988: 1066-1068, FIGS. 53-56, N.S.P.,  
AUSTRALIA

Canthocamptidae - Harpacticoida

Canthocamptus calvus Brehm, ♀

— — Brehm, 1927, p. 143: figs. 17-22.

Habitat, Japan,

Canthocamptus s. l. campaneri Reid, 1994

--- Reid 1993(1994)c: 13-21, FIGS. 1-4, DISTRITO  
FEDERAL, BRAZIL; IN BRYOCAMPTUS-GROUP.

Canthocamptus s. l. a, Reid 1993(1994)a: 59-, central  
Brazil

C. c. 7, HAMER ET AL. 1996: 132

CANTHOCAMPTUS CARINATUS SHEN & SUNG, 1973

-- SHEN & SUNG, 1973: 37-39; FIG. 1-12

--, SHEN & TAI, 1973: 366

--, ACADEMIA SINICA, 1979: 212, 214-216; FIG. 113-114

-- YOO & KIM 1989: 130, PL. 4 FIGS. 1-8, KOREA

Canthocamptidae - Harpacticoida

Canthocamptus catalanus Monard, ♂♀.

— — Monard, 1925, p. 423: figs. 1-13.

Habitat.

Canthocamptidae - Harpacticoida

Canthocamptus cingalensis (Brady) ♀

Attheyella - Brady, 1886, p. 296: pl. 38, figs. 10-15

Canthocamptus - Chappuis, 1928, p. 375

Habitat. Ceylon.

CANTHOCAMPTUS CLAVIFURCATUS HAMOND, 1988

-- HAMOND 1988: 1065-1066, FIGS. 49-52, N. SP.,

AUSTRALIA

Canthocamptus crassus Sars, 1863 - see

Attheyella crassa

Canthocamptus crenulatus Mrazek - see Attheyella

Canthocamptidae - Harpacticoida

Canthocamptus cryptorum Brady ♂♀.

— — Brady, 1868, p. 23: pl. 6, figs. 1-10

— Scourfield, 1939: 119

Habitat. Coal mine, England.

Canthocamptidae - Harpacticoida

Canthocamptus cuspidatoides Kiefer, ♀.

— — Kiefer, 1924, p. 304: fig. 1-6, text.

--, Pesta, 1932, p. 109

Habitat. Moss in Black Forest.

CANTHOCAMPTUS CUSPIDATUS - SEE

BRYOCAMPTUS

CANTHOCAMPTUS CUSPIDATUS EKMANI - SEF

BRYOCAMPTUS

Canthocamptus dacicus Chappuis - see Bryocamptus

CANTHOCAMPTUS DECORATUS - SEE

ELAPHOIDECCA BIDENS DECORATA

CANTHOCAMPUS DEDECKERI HAMOND, 1988

-- HAMOND 1988: 1064-1065, FIGS. 46-48, 62F-H, N.SP.,

AUSTRALIA

-- HAMER ET AL. 1996:96

Canthocamptus dentatus - see Attheyella dentata

Canthocamptus derelictus - see Attheyella fuhrmanni

Canthocamptus dogieli Rylov - see Attheyella

Canthocampidae Harpacticoida

Canthocamptus douweanus Willey ♀

— douwei, Willey, 1925, p. 206 fig. 1

— douweanus, Willey, 1934, p. 80: figs. 11-13

Habitat. Canada -

CANTHOCAMPTUS DUMONTI HAMOND, 1988

-- HAMOND 1988: 1085-1086, FIGS. 98-101, N. SP.,  
AUSTRALIA

Canthocamptidae-Harpacticoida

Canthocamptus duthiei Lilljeborg, ♀.

— — Lilljeborg, 1902, p. 41: pl. 3, §. 5-10

A synonym of Attheyella duthiei.  
(T. Scott, 1906, b. p. 331).

— — Scourfield, 1903, p. 538.

Canthocamptus echinatus Mřázek - see Bryocamptus e.

CANTHOCAIPTUS ECHINATUS LUENENSIS - SEE

BAYOCAIPTUS LUENENSIS

CANTHOCAMPTUS ECHINOPYGE HAMOND, 1988

-- HAMOND 1988: 1058, FIGS. 19-22, N. SP., AUSTRALIA

-- HAMER ET AL. 1996: 96

Canthocamptus elaphoides Chappuis ♀.

- SEE ALSO ELAPHOIDEA -

— — Chappuis, 1924, p. 29: 11 figs.

— — Chappuis, 1928, p. 126 (Key).

— —, BORUTZKY, 1952, P. 302, F. 82, 10-19. USSR.

— —, Chappuis, 1927: 48

-- MENZEL 1924 b: 303.

Habitat, Caves, Servia.

Canthocamptidae - Harpacticoida  
Canthocamptus ensifer Delachaux, ♀.

— — Delachaux, 1918, p. 324; text-f. 5, 1-8.

Attheyella — Chappuis, 1929, p. 489

- SEE ATTHEYELLA

Habitat. Huaron Lake, Peru,  
New Zealand -

Canthocamptus ferox Delachaux - see Attheyella

CANTHOCAMPTUS FIMBRIATUS - SFF

ATTHEVELLA FIMBRIATA

Attheyella (Delachauxiella) fimbriata (Brehm) 1950

Delachauxiella fimbriata, Brehm 1950e:252, N.S.P., TASMANIA

ATTHEYELLA -, ISHIDA 1994:57

CANTHOCAMPYUS -, N.COMB., HAMOND 1988: 1053-1055,  
FIGS. 3-5, 17 FH

Canthocamptidae - Harpacticoid

Canthocamptus finni Bourne,

— Bourne, 1893, p. 164: pl. 6. f. 1-7.

Habitat, Zanzibar.

Canthocamptidae - Harpacticoida.  
Canthocamptus fontinalis Rehberg, ♀.

— — Rehberg, 1880, p. 66: pl. 4, f. 4-6.

— — Schmeil, 1893, p. 57: 2 text-figs.

-- VAN DOUWÉ 1909 b: 48-49, FIGS. 184-195, GERMANY

— Willey, 1925: 206

Habitat. Germany —

Canthocamptus fuhrmanni Thiébaud, 1914

-- see also Attheyella fuhrmanni

-- Dussart 1984c: 151

Canthocamptus furcatus Baird, ♀

— — —, Baird, 1850, p. 210: pl. 25, figs. 1 & 2;  
pl. 30, figs. 4, 5, 6.

A synonym of Tisbe furcata.  
(Norman & Brady, 1909, p. 126).

- furkatus Baird; Giesbrecht, 1882, p. 133, a syn.  
of Idya f.

- Tempere, 1898: 165-166, pl. 21, fig. 2

Canthocamptidae - Harpacticoida

Canthocamptus gauthieri Roy

— — Roy, 1924, p. 461: text-figs. 1-19  
— — Chappuis, 1928, p. 127 (key).

Habitat. France.

Canthocamptidae - Harpacticoida

Canthocamptus georgevitchi Chappuis ♀.

→ SEE ALSO ECHINOCAMPTUS -

— — Chappuis, 1924, p. 33: 7 figs.

— — Chappuis, 1928, p. 126 (key): p. 127

— — Chappuis, 1927: 48

Habitat, Caves, Servia.

Canthocamptidae - Harpacticoida

Canthocamptus glacialis Lilljeborg, ♀.

- Borutzky, 1931, p. 110 : fig. 32.
- Lilljeborg, 1902, p. 3: pl. 1, figs. 1-6.
- , BORUTSKY, 1952, P. 160. (F. 56, 1-5) USSR
- , HANG, 1948, P. 928,
- , Sterba, 1967, p. 330

Habitat. Russia

- CHAPPUIS 1929c : 475
- VEKHOV 1997: 25-26, TAB. 1, F. BARENTS SEA ISLANDS

CANTHOCAMPTUS (CANTHOCAMPTUS) GLACIALIS  
(LILLJEBORG)

---, BORUTZKY 1960: III, FIG. 47(4)

CANTHOCAMPTUS GODETI - SEE ATTHEYELLA

Canthocamptus gracilis G.O. Sars - see Elaphoidella

CANTHOCAMPTUS GRANDIDIERI - SEE ELAPHOIDEA

Canthocamptidae - Harpacticoida

Canthocamptus guyanensis Delachaux, ♂.

-- Delachaux, 1924, p. 4: fig. 2. 1-6.

-- MENZEL 1924b: 300

Habitat. Surinam.

Canthocamptidae - Harpacticoida

Canthocamptus hannae Kiefer, ♂, ♀

-- Kiefer, 1926, p. 221 : figs. 1 - 9

Habitat Chile;

CANTHOCAMPTUS HENRYAE HAMOND, 1988

-- HAMOND 1988: 1055-1057, N. SP., AUSTRALIA

C. hiatus

See Bryocampius

Canthocamptus hibernicus Brady - see Nitokra

CANTHOCAMPTUS HIEMALIS PEARSE - SEE

BRYOCAMPTUS

Canthocamptus hippolytes Krøyer, ♀.

- Krøyer, 1863, p. 334: pl. 17, f. 9.
- Stephensen, 1913, p. 335.
- Wilson, 1920, p. 152.
- , Vervoort, 1964, p. 104

Habitat, Gills of Spinontocaris groen-  
landica

CANTHOCAMPTUS HIRSUTUS - SEE

ATTHEYELLA HIRSUTA

Canthocamptidae - Harpacticoida:

Canthocamptus hirticornis T. Scott, ♀.

— T. Scott, 1895, p. 251: pl. 9, fig. 13-26

— T. Scott, 1903, p. 188.

— T. Scott, 1906, b, p. 329.

— megalops Willjeborg, 1902, p. 30: pl. 2, fig. 14-19.

Habitat. British Seas.

— — Scourfield, 1903, p. 537.

--, Pesta, 1932, p. 83

Canthocamptus hoferi Douwe - see Bryocamptus

Canthocamptidae - Harpacticoida

Canthocamptus horai Chappuis ♀

— — Chappuis, 1928, p. 376: figs. 1-4.

— —, Borutzky, 1952, p. 243, F. 70, 29-31. USSR.

Habitat. Moss, Java.

Canthocamptidae-Harpacticoida

Canthocamptus horridus Fischer, ♂. ♀.

— Fischer, 1860, p. 670: pl. 21, figs. 57-60.

— northumbrius Brady, 1880, vol. 2, p. 57:  
pl. 45, figs. 1-14.

— horridus Norman & Brady, 1909, p. 135

Habitat English Lakes.

- Richard, 1891, p. 245.  
T. Scott, 1906, b, p. 328; 1903, c, p. 187.  
northumbrius Herrick, 1895, p. 130; pl. 29, f. 20<sup>22</sup>  
horridus Scourfield, 1903, p. 537.  
Daday, 1885, p. 292.  
Schmeil, 1893, p. 43  
LILJEBORG 1902a: 10-13, Pl. I FIGS. 7-9,  
SWEDEN

CANTHOCAMPTUS HORVATHI - SEE ATTHEYELLA

CANTHOCAIPTUS HOWARDORUM HAMOND, 1988

-- HAMOND 1988: 1088-1089, FIGS. 97G, 106-109,  
N. SP., AUSTRALIA

Canthocamptus huaronensis Delachaux - see Attheyella

Canthocamptus hyperboreus, Willey, ♂♀.

— — Willey, 1925, p. 156: pl. 3. figs. 28-30.

Habitat. Northern Seas.

Canthocamptidae - Harpacticoida

Canthocamptus japonicus, Brehm, ♀.

— — Brehm, 1927, p. 142: figs. 14-16.

— —, BORUTZKY, 1952, p. 163, F. 56, 10-11. USSR

— —, HANG, 1948, p. 932.

C. japonicus, Sterba, 1967, p. 330

-- CHAPPUIS 1929c: 475

Habitat, Japan.

CANTHOCAMPTUS (C.) JAPONICUS BREHM

---, BORUTZKY 1960: 114, FIG. 47 (7)

Canthocamptidae - Harpacticoida.  
Canthocamptus idahoensis Marsh, ♀, ♂

SEE UNDER ATTHEYELLA

— — Marsh, 1903, p. 112: pl. 9, figs. 1-10.

— — Marsh, 1918, p. 781: text-fig. 1233

Attheyella — Coker, 1934, p. 123: pl. 14: t-fig. 8.

— —, BORUTZKY, 1952, p. 262, F. 77, -5, 78, 3-4, USSR.

Habitat. Idaho. Montana -

Canthocamptus illinoisensis Forbes, ♂♀,

- — Forbes, 1876, p. 1-5.  
— — Herrick, 1895, p. 132: pl. 29, f. 1-5.  
— — Herrick, 1884, p. 170: pl. 0, f. 1-5.  
— — Marsh, 1918, p. 781.  
— — Chappuis, 1927: 47

Habitat. Minnesota.

— — Brewer, 1898, p. 137.

— — Willey, 1934, p. 84!

— — Chappuis, 1927, p. 303: figs. 1-5.

--, Forbes, 1876, p. 14-15, 23, figs. 23-~~31~~, 26, 27, 31

--, Wilson, 1960, p. 163

Diosaccidae — Harpacticoida.

Canthocamptus imus Brady, ♀.

— — Brady, 1872, p. 436: pl. 19, fig. 1-5, ENGLAND

--, Dolzonolskaya, 1970, p. 81, a syn. of Bulbamphiascus

A synonym of Amphiascus imus.

(T. Scott, 1906, 3, p. 321)

Giesbrecht, 1882, p. 119, a syn. of Stenhelia i.

--, Lang, 1944, p. 20, a syn. of Bulbamphiascus. i.

Canthocamptus incertus

-- Forró 1986: 559

Canthocamptidae - Harpacticoida.

Canthocamptus inconspicuus T. Scott, ♀.

— — T. Scott, 1900, b, p. 390: pl. 14, fig. 1-8.

— — T. Scott, 1906, b, p. 330,

Habitat. British Seas.

Canthocamptidae-Harpacticoid

Canthocamptus inornatus T. Scott, ♀.

— T. Scott, 1897, p. 323: pl. 9, figs. 1-12.

A synonym of Canthocamptus gracilis.  
(T. Scott, 1906, b, p. 328).

Canthocamptus insignipes Lilljeborg - see Maraenobiotus

Canthocamptidae - Harpacticoida

Canthocamptus insignis Delachaux, ♀.

— — Delachaux, 1918, p. 320: text-f. 3, 1-9.  
Attheyella — Chappuis, 1929, p. 489.

Habitat. Huaron Lake, Peru.

Canthocamptus insoletus Chappuis ♀, ①

-- Chappuis, 1928, p. 126 (key).

-- Chappuis, 1928, p. 26; text-figs. 17-20

--, BORUTSKY, 1952, p. 366, F. 57, 16-19, U.S.S.R.

--, LANG, 1948, p. 937.

-- Kiefer, 1978: 218

Habitat. Caves, Italy -

-- ROUCH 1986b: 341, 354

-- BORUTSKII 1966: 771,

MORARIA INSOLETE, PESCE 1985: 136, ITALY

CANTHOCAMPTUS INSOLETUS CHAPPUIS, 1928 (2)

-- DUSSART + DEFAYE 1990: 89, INCERTAE SEDIS  
IN CANTHOCAMPTUS.

Canthocamptus javaensis Chappuis - see Elaphoidella

Canthocamptus jeanneli Chappuis - see Elaphoidella

CANTHOCAMPTUS KALIMA - SEE ATTHEYELLA

CANTHOCAMPTUS KAMERUNENSIS - SEE

ECHINOCAMPTUS

CANTHOCAMPTUS KROCHINI BORUTZKY

— — BORUTZKY, 1952, P. 226, F. 66, 8-12 USSR.

Canthocamptus Kunzi Apostolor

—

— Kiefer, 1978: 218

Canthocamptidae - Harpacticoida

Canthocamptus laccophilus Kessler ♂, ♀

— — Kessler, 1914<sup>a</sup>, p. 628: figs. 3-5 text.

— — Chappuis, 1928, p. 127 (key).

— —, Borutski, 1952, p. 221, F. 69, 7-8

— —, Pesta, 1932, p. 108

Habitat. Mts. in Bohemia.

Canthocamptidae - Harpactic, coeloc

Canthocamptus laciniatus Douwe ♀,

— — Douwe, 1911, p. 163: fig. 5.

— — Douwe, 1912, p. 317: figs. 15-20.

Habitat. Brazil.

CANTHOCAMPTUS LACINULATUS HAMOND, 1988

-- HAMOND 1988: 1057-1058, FIGS. 10-18, N.SP.

AUSTRALIA

CANTHOCAMPTUS LANATUS - SEE

ATTHEYELLA LANATA

Canthocamptus lanceolatus Delachaux

--, Kiefer, 1957, p. 148

- See also ATTHEYELLA LANCEOLATA

CANTHOCAMPTUS (S. STR.) LATUS BORUTSKY.

— — BORUTSKY, 1952, P. 155, (F. 55, 8-11) USSR

--, Sterba, 1967, p. 330

CANTHOCAMPTUS (CANTHOCAMPTUS) LATUS BORUTZKY

---, BORUTZKY 1960:113, FIG. 46(4)

Canthocamptidae - Harpacticoida

Canthocamptus linearis Dana, ♀.

— — Dana, 1852, p. 1188: pl. 83, f. 9, a-b.  
Harpacticus linearis Dana, 1847, p. 152.

Habitat. Feejee Islands.

Canthocamptus longicaudatus Krichagin

— Krichagin, 1877: 36-37, pl. 3, fig 12-17

CANTHOCAMPTUS LONGIFURCA HAMOND, 1988

-- HAMOND 1988: 1059, FIGS. 23-27, 65 J-L, N.SP;

AUSTRALIA

CANTHOCAMPTUS (BAIKALOCAMPTUS) LONGIFURCATUS.

BORUTSKY.

— —, BORUTZKY, P. 154, (F. 55, 6-7) USSR 1952.

--- BORUTZKY 1960: III, FIG. 46 (3)

CANTHOCAMPTUS LONGIPES HAMOND, 1988

-- HAMOND 1988: 1070-1071, FIGS. 63-66, N. SP.,  
AUSTRALIA

-- HAMER ET AL. 1996: 96

CANTHOCAMPTUS LONGIROSTRIS - SEE SCHIZOPERA

CANTHOCAMPUS LONGIFETA (-us) - SEE

ATTHEYELLA

Canthocamptidae - Harpacticoida

Canthocamptus longisetosus Daday, ♀

— — Daday, 1902, p. 213: pl. 9, figs. 2-8.

-- FORRO' 1986: 559

-- CHAPPUIS 1924: 97, 103

Habitat. Patagonia.

Canthocamptidae - Harpacticoida,

Canthocamptus lucidulus Rehberg, ♀.

— — Rehberg, 1880, p. 551.

— — T. Scott, 1906, b, p. 329.

— *minutus* Claus, 1863, p. 122: pl. 12, fig. 1-3.

— — T. & A. Scott, 1895, p. 236: pl. 4, fig. 14-20

Habitat, British Seas.

- minutus Sars, 1907, p. 197: pl. 128.
- lucidulus Scourfield, 1903, p. 537.
- CLAUS 1893c: 334

Canthocamptus malayicus Chappuis - see Elaphoidella

CANTHOCAMPTUS MAMILLIFURCA HAMOND, 1988  
-- HAMOND 1988: 1086-1087, FIGS. 102-105, N. SP.,  
AUSTRALIA  
-- HAMER ET AL. 1996: 96

CANTHOCAMPTUS MAORICUS - SEE ATTHRYELLA MAORICA

Canthocamptidae - Harpacticoida

Canthocamptus mareoticus (Fischer), ♀.

\_\_\_\_\_ Fischer, 1857,

Canthocamptidae - Harpacticoida

Canthocamptus maximus Delachaux, ♀.

— — Delachaux, 1918, p. 322: text-f. 4, 1-6.  
Attheyella — Chappuis, 1929, p. 489.

- SEE ATTHEYELLA

Habitat. Huaron Lake, Peru; New Zealand

Canthocamptidae - Harpacticoida.

Canthocamptus megalops Lilljeborg, ♀.

— Lilljeborg, 1902, p. 30: pl. 2, f. 14-19,

—, Pesta, 1932, p. 83

A synonym of Canthocamptus hirticornis.  
(T. Scott, 1906, b, p. 329).

Canthocamptidae - Harpacticoida

Canthocamptus menzeli Delachaux, ♀.

— — Delachaux, 1924, p. 7: fig. 4, 1-6.

— —, *hans.*, 1948, p. 935.

-- MENZEL 1924b: 300.

Habitat. Surinam.

Canthocamptus microstaphylinus Wolf, ♀

— — Lauterborn & Wolf, 1909, p. 130 : 1 text-fig.

— — Borutzky, 1925, p. 40.

— — Gurney, 1932, p. 106 : figs. 551 — 557,

— — Pesta, 1924, p. 546.

— —, Lang, 1948, p. 930.

Habitat. Germany: Russia.

— —, Herbst, 1954-55 p. 116

— —, Donner, 1927: 232 ~~fig~~

— —, Fryer & Smyly 1954: 70, 71.

- , Roen, 1957, p. 96
- , Pesta, 1932, p. 96-7, fig. 25,26
- , Kiefer, 1958, p. 54
- , SHEU + TAI, 1973: 366
- , ACADEMIA SINICA, 1979: 212-214; FIG. 112
- , COLE 1968: 469.
- , CHAMPEAU 1971: 158.

Canthocamptus microstaphylinus Wolf

card 2

--, Sarvala, 1977, p. 145, fig. 6

--, Sarvala, 1977, p. 118

-- DUSSART 1984: 26, 42, 60, 65 - cf. MICROSTAPHYLINUS

-- DINEEN 1953: 361

— Kiefer, 1978: 218

— Sarvala, 1986: 105-111, 126

-- WILLIAMS, D. D. & HYNES 1976: 770

-- GAGERN 1924: 335, GERMANY

-- VAN DOUWÉ 1909b: 42, FIGS. 161-162, GERMANY

Canthocamptus microstaphylinus Wolf

card 3

C. microstaphylinus, Hensen 1952:632

C. m. s. str., CHAPPUIS 1929c: 475

-- , SHEN + SUNG 1965 c: 391-, NW CHINA

-- FLÖSSNER 1986: 6, MONGOLIA

-- BREEMEN 1907: 53

Canthocamptus microstaphylinus monardi Roy, 1927

-- Monardi, Chappuis 1929c: 475

Canthocamptus microstaphylinus Rosei Roy, 1927

-- Rosei, Chappuis 1929c: 475

Canthocamptidae - Harpacticoida

Canthocamptus minusculus Willey, ♂♀.

— — Willey, 1925, p. 157: pl. 3, fig. 31.

— Willey, 1925: 206

Habitat. Northern Seas.

Canthocamptus minnesotensis Herrick, ♂. ♀.

— — Herrick, 1895, p. 135; pl. 22, f. 1-6.

— — Herrick, 1884, p. 173; pl. T, f. 1-6.

C-minutus minnesotensis, Chappuis, 1927, p. 306.

C. MINUTUS MINNESOTENSIS, WECKEL 1914: 200

— Willey, 1925: 206

Habitat. Minnesota.

-- HERRICK 1887: 23

Canthocamptidae-Harpacticoida

Canthocamptus minuticornis (Müller), ♀.

Cyclops — Müller, 1785, p. 117; pl. 19, f. 14-15.

— — Latreille, 1802, vol. 4, p. 267.

— — Bosc, 1802, vol. 2, p. 267.

— — Baird, 1834, a, p. 97.

Habitat, England.

— Tempere, 1898: 166- , pl. 21, fig. 3

*Onchoculus minuticornis* Manuel, 1792, vol. 7, p. 720:  
— Gmelin, 1790, p. 2998, No. 17. [pl. 264, f. 21-22]

*Cyclops inermis* Tilesius, 18, vol. 5, pl. 8, f. 9.

*Canthocarpus minuticornis*, Baird, 1834, b, p. 154.

*Canthocamptus* — Baird, 1850, p. 211; pl. 25, f. 3.  
—, Giesbrecht, 1882, p. 111

CANTHOCAMPTUS —, BRADY 1872: 424

Canthocamptidae - Harpacticoida

Canthocamptus minutus (O.F. Müller)

Cyclops — O.F. Müller, 1776, p. 198, no. 2409

— — Müller, 1785, p. 101; pl. 17, figs. 1-7,

Monoculus staphylinus Jurine, 1820, p. 74; pl. 7, fig. 1-19

Cyclops — Desmarest, 1825, p. 363; pl. 53, fig. 6

Habitat, Lakes, ponds and ditches, England

Colorado:

*Cyclops minutus* Ramdohr, 1805, p. 13: pl. 3, fig. 1-9.

— — Latreille, 1802, vol. 4, p. 265.

— — Bosc, 1802, vol. 2, p. 257.

— — Lamarck, 1816, vol. 5, p. 189.

— — Baird, 1834, a, p. 97: pl. 2, fig. 1, 19, 20.

— — Baird, 1834, b, p. 154: 1837, p. 326: pl. 9, fig. 1-14.

*Monoculus minutus* Gmelin, 1790, p. 2997, No. 11.

— — Fabricius, 1794, vol. 2, p. 499, No. 45.

— — Manuel, 1792, vol. 7, p. 719: pl. 267, fig. 2-6.

*Cyclops staphylinus* Baird, 1834, a, p. 97: pl. 2, fig. 1, 19, 20.

Small *Cyclops* or *vautter* Pritchard, *Micr. Cab.*, pl. 9, fig. 5.

— — Eichhorn, p. 53: pl. 5, fig. K, L (adult): pl. 3, fig. p (yng)

*Canth. minutus* Herrick, 1895, p. 131: pl. 47, fig. 7-21:

— — Brewer, 1898, p. 136.

pl. 50, fig. 7-8

- Amymone satyra, baccha, etc Müller, 1785, p. 42: pl.
- Cyclopsina staphylinus M-Edwards, 1840, p. 428.
- Canthocarpus — Baird, 1843, p. 154.
- Nauplius minutus Philippi, 1843, p. 69.
- Doris minuta Koch, 1841, heft 35, pl. 3. | pl. 30. §.
- Canthocamptus minutus Baird, 1850, p. 204: pl. 25, §, 4-8.
- — Brady, 1880, vol. 2, p. 48: pl. 44, figs. 1-17.
- — Norman & Brady, 1909, p. 135.
- — Cockerell, 1912, p. 47.
- — Richard, 1891, p. 245.

- — T. Scott, 1906, b, p. 328
- — Der Satyr Kohlers, Naturforscher, vol. 10, p. 103; pl. 2, f. 10.
- — Pritchard, Micros. Cabinet, pl. 8, f. 2.
- — Anthocamptus minutus Willjeborg, 1853, pl. 14, f. 7-12; pl. 15, f. 13-17; pl. 16, f. 1-5.
- — Ujanin, 1875, p. 26; pl. 7, f. 1-2.
- — staphylinus Fric, 1871, p. 224, f. 21, text.
- — Claus, 1863, p. 121; pl. 12, f. 4-14; pl. 13, f. 1, 3-4.
- — minutus Herrick, 1884, p. 170.
- — Marsh, 1918, p. 782; text-fig. 1235.
- — Heller, 1871, p. 75.
- — Scourfield, 1903, p. 536.
- — Turner, 1910, p. 159.

Canthocamptus minutus (O. F. MULLER)

card 3

- , Chiba, 1956, p. 13
- , Pesta, 1932, p. 100
- , Giesbrecht, 1882, p. 118
- , FOREL 1885: 117.
- Haberbosch, 1917: ~~598~~ <sup>passim</sup>, fig. 9.
- —, Chappuis, 1927: 47
- Mihailova-Neikova, 1966: 206
- Stromsten, 1920b: 270
- Do ET AL. 1984: 26.
- BAJKOV 1929: 346, 361 - CANADIAN LAKES
- Willey, 1925: 206

-Mozley, 1932:244

Canthocamptus minutus (O. F. MÜLLER, 1776)

card 4

- Bigelow 1923: 59, Lake Nipigon, Canada
- CLEMENS ET AL 1938: 92, SHUSWAP LAKE, CANADA.
- Kiefer, 1925: 339-343
- CLAUS 1893e: 334-335
- WECKEL 1914: 200, SYN. C. MINNESOTENSIS
- VAN DOWWF 1909b: 50-51, FIGS. 201-205, GERMANY
- SOWINSKY 1888: 268, ? UKRAINE
- SARS 1898: 343, KOTELNYI & GREAT LJACHOW ISLANDS, SIBERIA

CANTHOCAMPTUS MINUTUS (O. F. MÜLLER, 1776)

CARD 5

-- STEUER 1897: 529

-- HERRICK 1887: 22, ALABAMA, USA

Canthocamptus minutus Claus, 1863 - see Bryocamptus

Canthocamptus mirabilis n. sp.

--, Sterba, 1968, p. 52-54, fig. 12-16

-- IMAMURA & KIKUCHI 1986: 318, 329-330, FIG. 2D  
JAPAN

-- DUDLEY, P. 1986: 16-, FIGS. 4k-m

-- Ishida, 1987, 77, 79 pl. 3 Hokkaido, N. Japan

-- Kikuchi & Ishida, 1988: 401-406 figs 1A, B, 4A, 5  
Japan

-- DIBBERN & ARLT 1989: 280-

-- ISHIDA ET AL. 1991: 63-, LAKE KUSSHARO, JAPAN

Canthocamptus mirabilis Sterba, 1968

card 2

-- Ishida 1991:391-396, fig. 2, northern Japan

-- ISHIDA + ITO 1991: 77-, FIGS. 1-3, SOUTH PRIMORYE,  
SIBERIA

-- ITÔ, TAT. 1985: 153, 156, 157, FIG. 1B, C

-- ISHIDA 1989: 2, HONSHU, JAPAN

-- ISHIDA 1989: 25, 27, HOKKAIDO, JAPAN

-- ISHIDA + KOBAYASHI 1992: 207, TAB. 1, SAKHALIN PENINSULA

-- ISHIDA 1995: 299, TAB. 1, HOKKAIDO, JAPAN

Canthocamptus (Canthocamptus) mirabilis Štěrba

---, Štěrba, 1967, pp. 265-6, figs. 17-26

- MIRABILIA, SHEN & TAI, 1973: 366

--, ACADEMIA SINICA, 1979: 212, 216-217; FIG. 115

--, Ito, T., and T. Takashio, 1981, p279, figs. 1-17

--, Ito, T., & T. Takashio, 1980, p. 210-219, figs. 1-5

Canthocamptidae - Harpacticoida

Canthocamptus mirus Minkiewicz, ♀

— — Minkiewicz, 1915, p. 64: pl. 6, fig. 8: pl. 7, figs. 11-12.

Habitat. Hungary.

Canthocamptidae - Harpacticoida

Canthocamptus misogynus Brehm, ♂

— — Brehm, 1928, p. 784: figs. 26-31.

Habitat. New Zealand.

CANTHOCAMPTUS MOBILENSIS HERRICK, 1887

-- HERRICK 1887: 22-23, PL. VI FIG. 6, ALABAMA,  
USA (MOBILE BAY)

Canthocamptus monticola - see Moraria

Canthocamptus morimotoi Miura

- -- Miura, 1969, pp. 243-246, figs. 1-15
- , Ito, T., & T. Takashio, 1980, p. 218
- Rouch 1986 b: 332
- ISHIDA, T. 1990: 40-, Pl. 2, SW JAPAN
- ISHIDA 1991: 391-, NORTHERN JAPAN
- ISHIDA & ITO 1991: 81

CANTHOCAMPTUS MORTONI HAMOND, 1988

-- HAMOND 1988: 1061-1062, FIGS. 33-36, 97D-F,  
N.SP., AUSTRALIA

Canthocamptidae - Harpacticoida

Canthocamptus mrázeki Mienkiewicz ♀

— — Mienkiewicz, 1914, p. 129: 1916, p.

— — Chappuis, 1928, p. 127 (Key).

— — Mienkiewicz, 1915, p. 60: pl. 6, fig. 7: pl. 7, figs. 9-10.

Habitat. Hungary.

Canthocamptidae - Harpacticoida

Canthocamptus musicola Chappuis ♂♀.

— — Chappuis, 1928, p. 281: figs. 27-34.

Habitat, Moss, 2000 meters high, Java.

Canthocamptidae - Harpacticoida

Canthocamptus nakaii Brehm, ♀

— — Brehm, 1927, p. 138: figs. 1-13

— —, Borutzky, 1952, p. 260, F. 77, 3, 4 78 5-6. USSR.

Habitat, Japan,

Canthocamptus newyorkensis Chappuis - see Bryocamptus

Canthocamptidae - Harpacticoida

Canthocamptus niloticus. Chappuis, ♀

— — Chappuis, 1922, p. 173<sup>175</sup>: figs. 3-7.

Habitat. Upper Nile.

Canthocamptidae - Harpacticoida

Canthocamptus nordenskiöldii Lilljeborg, ♂♀.

— — Lilljeborg, 1902, p. 8: pl. 1, fig. 7: pl. 2, figs. 1-7.

Habitat. Siberia.

CANTHOCAMPTUS NORTHUMBRICUS - SEE

ATTHEYELLA NORTHUMBRICA

*Canthocamptus northumbricus* var. *americanus* - see

*Attheyella americana*

Canthocamptus obatogamensis Willey - see Attheyella

Canthocamptidae - Harpacticoida

*Canthocamptus occultus* Kiefer

— — Kiefer, 1926, p. 223 : Figs. 10 - 15.

Habitat Africa

Canthocamptidae - Harpacticoida.

Canthocamptus ophiocamptoides Lapeschkin ♂

—— Lapeschkin, 1900, p. 8: pl. 3, figs. 2-16, 18, 20

Habitat. Russia.

<sup>M.S.</sup>  
Canthocamptus Oregonensis Wilson

- M.S.  
-- -- Wilson, 1956 PP. 290-307, Figs. 1-20, Oregon, Calif.  
-- , Anderson, 1974, p. 859, TAB. I, WESTERN CANADIAN ROCKIES  
-- M.S. WILSON 1975: 130, CALIFORNIA

Canthocamptus ornatus

-- Forró 1986: 559

Canthocamptidae - Harpacticoida.

Canthocamptus palustris Brady, ♀.

— — Brady, 1880, vol. 2, p. 53: pl. 39, f. 13-23.

not — var. elongatus T. & A. Scott, 1895, p. 459: pl. 16, f. 7-1

— — T. Scott, 1906. b, p. 329: 1903, c, p. 188.

A synonym of Nitocera typica.  
(Sars, 1907, p. 212).

— Scott & Scott, 1901: 344

(over)

— Herick, 1895, p. 134: pl. 50, f. 5.

— Scourfield, 1903, p. 537.

— Van Douwe, 1905, p. 519.

--, Pesta, 1932, p. 77, 82

-- PESCE 1983c: 66, a syn. of NITOCRA  
SPINIPES BOECK 1864.

. A. SCOTT 1896: 140-141, UNITED KINGDOM

Canthocamptus palustris

var. elongatus T. & A. Scott, ♀.

— — T. & A. Scott, 1895, p. 459; pl. 16, fig. 7-17.

A synonym of Nitocra spinipes.  
(Sars, 1907, p. 214).

—, Dolzonolskaya, 1970, p. 89, a syn. of Nitocra spinipes

CANTHOCAMPTUS PAPUANUS - SEE

EPACTOPHANES RICHARDI

<sup>Canthocamptidae</sup> <sup>Harpacticoida</sup>  
Canthocamptus parvulus Claus, ♂.♀.

— — Claus, 1866, p. 30: pl. 5, fig. 1-6.

— — Claus, 1885, p. 320.

— — Pesta, 1921, p. 612.

--, Pesta, 1932, p. 72

--, Vervoort, 1964, p. 261

Habitat. Nizza:

— Krichagin, 1877: 36.

○ Mediterranean

--, BRIAN 1926: p. 248 - a syn. of Ameira parvula.

-, Dolzonolskaya, 1970, p. 86, a syn. of Ameira p.

-, Klie, 1950, p. 88, a syn. of Ameira p.

Canthocamptidae-Harpacticoida.

Canthocamptus parvus T. & A. Scott, ♀.

— — T. & A. Scott, 1896, p. 6: pl. 2, f. 14-22,

— — T. Scott, 1906, b, p. 329; 1903, p. 14

— — T. Scott, 1899<sup>e</sup>, p. 100

Habitat. British Seas; Franz Josef Land;  
Finland.

Canthocamptidae - Harpacticoid

Canthocamptus pectinatus. Delachaux, ♀.

— — Delachaux, 1924, p. 6: fig. 3, 1-9.

-- MENZEL 1924b: 301

Habitat. Surinam.

CANTHOCAMPTUS PHREATICUS - JEE

ELAPHOIDEA PHREATICA

Canthocamptus pilosus - see Echinocamptus

Canthocamptidae - Harpacticoida

Canthocamptus praeegeri, Scourfield ♂♀.

— — Scourfield, 1912, p. 46: figs.

— — Gurney, 1933, p. 172: figs. 729-744.

— — Chappuis, 1928, p. 127 (Key).

— —, Borutzky, 1952, p. 243, U.S.S.R.

Habitat. England

Canthocamptus prominulus Kikuchi, 1994

-- Ishida 1994b: 125-, Tokyo, Japan

-- ISHIDA 1995: 299, TAB.1, HOKKAIDO, JAPAN

Canthocamptidae - Harpacticoida

Canthocamptus pseudophreaticus Chappuis ♀.

- SEE ALSO ELAPHOIDELLA PSEUDOPHREATICA -

— — Chappuis, 1928, p. 126 (key).

— — Chappuis, 1928, p. 24

— — , BORUTSKY, 1952. P. 302 - USSR.

--, Petkovski, 1972, p. 30

Habitat, Caves, Italy.

CANTHOCAMATUS

PUTRIFALIS - SEE ELAMHOIDEA

Canthocamptus pygmaeus G. O. Sars, 1863 - see

Bryocamptus

Canthocamptus pyrenaicus Chappuis - see Bryocamptus

Canthocamptus retrogressus

-- Brasciani & Dahms 1994: 138

Canthocampylus rhaeticus Schmeil, ♀.

— Schmeil, 1893, p. 23, pl. 2.

— T. & A. Scott, 1895, p.

Attheyella MacAndrewae T. & A. Scott, 1895, p.

C- MacAndrewae, Scourfield, 1895, p.

— Haberbosch, 1917; passim.

Habitat. British Isles,

--, BRIAN 1927: p. 30.

Attheyella rhaetica (Schmeil), T. Scott, 1903, c. p. 192.

--, Pesta, 1932, p. 110

A synonym of Attheyella rhaetica.

(T. Scott, 1903, c. p. 192).

anthocamptus rhaeticus - Gurney, 1932, p. 160: figs. 695-711

-- Pesta, 1924, p. 546.

-- Chappuis, 1928, p. 127 (key)

--, BORUTZKY, 1952, P. 220. F. 69. 1-3. USSR.

Canthocamptidae - Harpacticoida

Canthocamptus richardi Towndes, ♂♀.

— — Towndes, 1934, p. 129: fig. 17, a-f.

Habitat. Brazil.

Canthocamptus robertcokeri M.S. Wilson, 1958

①

1958---Wilson, M.S., pp. 43-44.

- , Robertson & Gannon, 1981, p. 389, IN CHECKLIST
- GANNON ET AL. 1982: 1-23, 70, GREEN BAY, LAKE MICHIGAN
- BRICKER ET AL. 1976: 267, LAKE ST. CLAIR, MICHIGAN
- GANNON 1974: 33-49, LAKE MICHIGAN
- GANNON 1975: 81, 82, 86.
- SAGE ET AL 1976: 85, TAB. 1- POTOMAC RIVER
- Nalepa, 1985: 59-66, S.E. LAKE MICHIGAN.

Canthocamptus robertcokeri M.S. Wilson, 1958 card 2

-- Czaika 1978: 19-, Lake Erie

-- CZAIIKA 1974: 587-588, 1D TIPS

-- CZAIIKA 1978b: 7-, LAKE ONTARIO

-- CZAIIKA 1974b: 9-, TAB. 1, LAKE ONTARIO

-- KING, SIMOVICH & BRUSCA 1996: 96-116, TABS., NORTHERN CALIFORNIA, USA

-- PROPHET ET AL. 1959: 190, KANSAS, USA

Canthocamptidae - Harpacticoida

Canthocamptus robustus Richters, ♂♀.

— — Richters, 1907, p. 274: pl. 17, figs. 14-21.

- SEE ALSO ANTARCTOBIOTUS ROBUSTUS.

Habitat. Southern Islands.

Canthocamptidae - Harpacticoida

Canthocamptus roseus Dana, ♀.

— — Dana, 1852, p. 1189; pl. 83, f. 10.

Harpacticus roseus Dana, 1847, p. 152.

— — (= Microsetella rosea) Giesbrecht, 1892, p. 550

— —, MORI, 1931, P. 116, JAPAN SEAS

Habitat. Sulu Sea.

Canthocamptus rostratus Claus, ♂.

— — Claus, 1863, p. 122: pl. 13, figs. 5-8.

— — Carus, 1885, p. 320.

— —, LANG, 1948, p. 757.

A synonym of Amphiascus imus.

(Brady, 1880, vol. 2, p. 35).

HABITAT: S. ITALY, MESSINA.

--, Giesbrecht, 1882, ? a syn. of Stenhelia ima

CANTHOCAMPTUS ROTORUENSIS - SEE ATTIYELLA

Attheyella (Chappuisiella) rotoruensis Lewis, 1972

--- <sup>M.H.</sup> Lewis 1984: 306, 307 - New Zealand

CANTHOCAMPTUS -, N. COMB., HAMOND 1988: 1078

Canthocamptus rubellus Lilljeborg, 1902 - see

Bryocamptus vej dovskyi

Canthocamptus - Harpacticoida

Canthocamptus salinus Labbé

— — — Labbé, 1927, p. 159 : figs. 39 - 53.  
-16A

-- LABBÉ 1929: 585

Habitat French Coast

Canthocamptus schmeili and subspecies - see Paracamptus

Canthocamptidae-Harpacticoida

Canthocamptus schröderi Douwe. ♀ ♂.

— — Douwe, 1915, p. 263: 7 text-figs.

— — Menzel, 1916, p. 479: figs. 1-9.

Habitat, East Africa.

Canthocamptus sculptus Delachaux, ♀.

— — Delachaux, 1918, p. 326; text-f. 6, 1-4,  
incerte sedis. Chappuis, 1929, p. 495.

-- , DEL RÍO + VALDIVIA 1989: 73, INCERTA SEDIS

Habitat. Huaron Lake, Peru.

Harpacticidae

Canthocamptus setosus Claus, ♀

— — Claus, 1866, p. 30: pl. 5, fig. 7-12.

— — Carus, 1885, p. 320

— — Kritchagin, 1873: 382

--, Dolzonolskaya, 1970, p. 92, a syn. of Mesochra  
pygmaea

Habitat. Nizza

Mediterranean.

--, Klie, 1950, p. 102

CANTHOCAMPTUS SEWELLI - SEE ELAPHOIDELLA

Canthocamptus signatus Daday. ♂ ♀.

— — Daday, 1901, p. 32: fig. 13, a-k

-- FORRÓ 1986: 559

-- CHAPUIS 1924: 96, NEW GUINEA; SYN. OF C.

GRANDIERI.

Habitat. Dutch New Guinea,

Canthocamptidae - Harpacticoida

Canthocamptus similis Lilljeborg, ♂♀.

— — Lilljeborg, 1902, p. 14; pl. 3, figs. 1-11.

Habitat, Siberia.

CANTHOCAMPTUS SINUUS - SEE

CANTHOCAMPTUS STAPHYLINOIDES SINUUS

CANTHOCAMPTUS SPELAEUS - SEE

SPELAEOCAMPTUS

Canthocampus staphylinoides Tearse. ♀

--- Tearse, 1905, p. 151: pl. 15, f. 14-21.

--- Marsh, 1918, p. 781: text-fig. 1231.

--- F. Kiefer, 1931, p. 596: figs. 32-39.

--- Wilson, 1932, p. 231: fig. 155.

---, hans, 1948, p. 928.

Habitat. Nantucket, Cape Cod, Nebraska

---, Donner, 1927: 226 figs 1-6

--, BARDACH, 1954: 50

--, ELGMORR, 1958: 782

--, Davies & Jensen, 1974, p. 18

C. staphylinus, Forbes, 1876, p. 15

--, Wilson, 1960, p. 163

-, DAVIS, 1954: TAB. 3

-, Fryer & Smyly 1954: 71.

Canthocamptus staphylinoides Pearse 1905 card 2

--, Spindler, 1971, p. 149

--, Robertson & Gannon, 1981, p. 390.

- Smirchek, 1973: 191

-- GANNON ET AL. 1982: 1-23, 70

-- SMITH & FERNANDO 1980a: 5, FIG. 1E

- CHANDLER, D. 1940: 325, L. ERIE

-- COLE 1953c: 253-9, DOUGLAS LAKE, MICHIGAN

-- DINEEN 1953: 360-361, MINNESOTA

- Nalepa, 1985: 59-66

- YEATMAN 1986: 87, RECORD - NORTH CAROLINA

- THOMSON, J. M. + DUNSTAN 1968: 85

- TASH 1971: 95-, CAPE THOMPSON, ALASKA

TASH + ARMITAGE 1967: 132-, CAPE THOMPSON, ALASKA

CANTHOCANTUS (C.) STAPHYLINOIDES PEARSE 3

-- Willey, 1925: 206.

--- BORUTZKY 1960: 114, FIG. 47(6)

C. -, BALGER ET AL. 1984: 116

C. -, WILLIAMS, D. D. 1983: 248-, ONTARIO

C. -, WECKEL 1914: 201

C. -, SMITH & FERNANDO 1978b: 4, FIG. 5

C. -, REED 1990a: 24, ROCKY MOUNTAIN NATIONAL PARK

— Willey, 1925: 206.

C. -, STRAYER 1988(89) b: 200-, SE NEW YORK

— Ward, 1940: 646, passim, Table 1

Canthocamptus staphylinoides Pearse

card 4

- Shiozawa 1991:292-, Minnesota, USA
- CHAPPAIS 1929c: 475
- ISHIDA & KOBAYASHI 1993: 112
- CZAIIKA 1974: 587-588, 10 TIPS
- CZAIIKA 1978b: 3-, LAKE ONTARIO, CANADA/USA
- DEEVEY, E. S. 1942: 7-, CYSTS, WALDEN, MASSACHUSETTS, USA
- CZAIIKA 1974b: 9-, TAB. 1, LAKE ONTARIO

Canthocampus staphylinoides Pearse.

sinuus, n. subsp. Coker. ♂♀.

— — Coker, 1934, p. 88: pl. 1. figs. 1-9: pl. 2. figs. 1-6,

-- Cole, 1953, p. 208

NORTH CAROLINA

-- Tash, 1971, p. 116.

---: Coker, 1938: 132. White Lake, NC "(very numerous)".

Habitat. Chapel Hill, N.C.

C. sinuus, McKEE & COKER 1940: 179, 185, NORTH CAROLINA

Canthocamptus staphylinoides vagus Coker & Morgan -

.....  
see Canthocamptus vagus

Canthocamptus staphylinus Jurine,

Monoculus — Jurine, 1820, p. 74: pl. 7, figs. 1-19.

Canth. Gruber, 1879, p. 420: pl. 25, figs. 12-15.

— Häcker, 1891, p. 212: pl. 19, figs. 1-19a.

— Krüger, 1910, p. 177: pls. 7-9, figs. 1-21, 29-33.

— Panyi, 1962, p. 141

Habitat. Volga River; British Islands; West

Europe; Nova Zembla; Turkestan;

China; North America.

Branchial chamber of crabs Chappuis 1927

- Matscheck, 1910, p. 39: pl. 5, figs. 47-53.
- Richard, 1891, p. 244: pl. 5, fig. 10: pl. 6, figs. 4, 10, 13, 14, 21, 23: pl. 7, figs. 17, 18, 21.
- Sars, 1907, p. 195: pls. 126 & 127.
- minutus Baird (not Claus), 1850, p. 204: pl. 25, fig. 4-5: pl. 30, fig. 1232.
- staphylinus Marsh, 1918, p. 781: text-fig. 1232.
- Scourfield, 1898, p. 327.
- Meissner, 1905, p. 178.
- Westwood, 1836, p. 115.
- Claus, 1863, p. 121: pl. 12, figs. 4-14: pl. 13, figs. 2-4.
- Frič, 1872, p. 224: text-fig. 21.
- Паюта, 1968 pp. 206-208

(2)

Canthocamptus staphylinus Jurine-2

-- --, Ponyi, 1967, pp. 180-181

— —, Dussart, 1967:93

— —, Willey, 1923:316

Canthocamptus staphylinus, Chiba, 1956, p. 13

C. staphylinus, Kieffer, 1957, p. 71

--, Herbst, 1955, p. 265

--, Banarescu, 1971, p. 147

--, Kiefer, & Muckle, 1959, p. 28

--, Kiefer, 1959, p. 42, 44

--, Roen, 1957, p. 78-81, 5, 16, 22, 25

--, Sterba, 1967, p. 330

--, Pesta, 1932, p. 94-5, fig. 22, 23, p. 101

--, Dolzonolskaya, 1970, p. 92, pl. XXVI, figg. 3, syn.:  
Monoculus s.

--, Sterba, 1964, p. 194, 198

--, Sterba, 1965, p. 207

--, Fahrenbach, 1962, p. 361

, Litynski, 1922, p. 34

--, Kiefer, 1957, p. 56, 59, 60, 62, 67

--, Kiefer, 1958, p. 53-4

--, Kiefer, 1958, p. 147-8

Canthocamptus staphylinus

card 3

- , Kiefer, 1923, p. 123
- , Wilson, 1960, p. 163
- , Aguesse, & Dussart, 1957, p. 483.
- , SHEN & TAI, 1962: 393, 395-396, 408, 410
- , SHEN & TAI, 1973: 366
- , ACADEMIA SINICA, 1979: 212
- , DUMONT & DEERBAEMER, 1977: 259
- , BRIAN 1927: p. 29.
- , DODDS 1926: 26.
- , Fryer & Smyly 1954: 65, 68-71.

- , CHAMPEAU 1971: 158.

- , FOREL 1885: 117.

- Herbst, 1952: 16

- Armengol, 1978: 90., fig 79

- Ruen, 1954: 13, 16

- Rouch, 1979: 269

- Kiefer, 1925: 339-343

- Pesce, et al, 1982: 62

- Pesce, 1980: 566-567

- Alonso & Comelles, 1984: 1700

- , BORUTZKY 1960: 163, FIG. 75(10); see also p. 111, 165, FIG. 77(1);

Canthom<sup>a</sup>ptus staphylinus (JURINE)

card 4

--, Sterba, 1969, p. 165

--, Sarvala, 1977, p. 142-145, fig. 2

--, Kiefer, 1963, p. 31

--, Scheffer, 1933, p. 25, 29

--, Mashiro, 1951b, p. 154, figs. 7 l-m

--, Sarvala, 1979b: passim

— Sarvala, 1979c: passim.

— Haberbosch, 1917: 595 - passim, fig. 2.

— Chappuis, 1927: 46

- Michailova - Neikova, 1968: 204
- Michailova - Neikova, 1966: 205-206
- Marcus, 1976: 214, pl. 1
- , ACLOQUE, 1899: 194-195
- PESCE 1983c: 63, 74-76, 80
- REY + DUPIN 1973a: 124-133, PYRENEES
- REY + DUPIN 1973b: 264-267, 270, FIGS. 3-6,  
PYRENEES.
- BIGELOW 1923: 59, L. NIPIGON, CANADA
- KOOPA 1984b: 102, 206, FIG. 61 (33) - NAUPLIUS
- MÄRMETS + VELDRE 1956a: 11, 16, 22, 40, FIG. 16 -  
ESTONIA
- BREHM 1955c: 260

CANTHOCAMPTUS STAPHYLINUS (JURINE)

CARD 5

-- CHAPUIS 1916: 536, 554-556

-- CLAUS 1893 e: 334-335

— KIEFER, 1978: 218

-- LABRÉ 1979: 602

-- ITÔ, TATSUNORI 1970b: 486

— LUCKS, 1927: 152, fig. 60

— SARVALA, 1986: 105-111, 126

— STERBA, 1968: 221

-- ROUCH 1961: 4063, CAVE, MOULIS, FRANCE

Canthocamptus staphylinus (Jurine)

card 6

-- Rouch 1967: 300-, egg nos.

-- Rouch 1968a: 101-

-- Rouch 1987: 71 - WELL, ALGERIA

-- RADWAN ET AL. 1984: 992 -, POLAND

- STAPHYLINUS, STELLA + MARGARITORA 1975/76: 4-,  
SARDINIA

-- RONNEBERGER 1975: 375-, GERMANY

-- FLÖSSNER 1985: 516, GERMANY

-- RICHARD 1887a: 161, FRENCH RECORDS

-- REED 1970: 229-, TYROL

Canthocamptus staphylinus (Jurine, 1820)

card 7

-- Lilljeborg 1902a: 5-10, Pl. I, fig. 1-6, Sweden

-- LEWIS, M. 1986: 117-

-- FRYER 1986: 152

-- FORRÓ 1986: 559

-- RYLOU 1932: 267, E. SIBERIA

-- WILLIAMS, D. D. + HUNES 1976: 770

-- KIEFFER 1981b: 276, N. ITALY

-- Ishida, 1987: 77, 79 pl. 2 (syn. Monoculus staphylinus)

Hokkaido, N. Japan

Canthocamptus staphylinus (Jurine, 1820)

card 8

-- Einsle 1975: 77-

-- DIBBERN & ARLT 1989: 280-

-- TIMM 1903: 293, 298-299, ELBE RIVER

-- VAN DOUWFF 1909b: 39, 40-41, FIGS. 150-160, GERMANY

-- LÖFFLER 1959b: 14, AUSTRIA (SEEWINKEL)

-- LÖFFLER 1959c: 340-, " "

-- LÖFFLER 1961c: 393

-- ISHIDA, T. 1990: 40-, KYUSHU

-- BRANCELS 1986: 19-, SLOVENIA

Canthocamptus staphylinus (Jurine, 1820) card 9

-- Brancelj 1988: 3-, Slovenia

— Willey, 1925: 206

- STAPHILINUS, HEMSEN 1952: 587, 630-633, FIGS.  
56-59, CASPIAN SEA

-- REID 1990g: 183

-- CHOGSTON 1965: 7-

— Ward, 1940: 646, passim, table 1.

— Willey, 1925: 206

- STAPHILINUS, STELLA ET AL. 1973: 13-, ITALY

-- CHAPPUIS 1929c: 474, 475, LISTS SSPP.

Canthocamptus staphylinus (Jurine, 1820) card 10

-- Alekseev 1990b: 25-, diapause

-- NAIDENOV & PANDOURSKI 1992a: 11, CAVE, BULGARIA

-- KIEFER 1978c: 6-, FIGS, EUROPE

-- ISHIDA & KOBAYASHI 1993: 110, KAMCHATKA

-- ISHIDA 1993a: 166, LAKE BIWA, JAPAN; 167, HOKKAID.

-- KIEFER 1968b: 159, CAVES, N. ITALY

-- LÖFFLER & NEUHUBER 1970: 1, AUSTRIA; = C.

MICROSTAPHYLINUS

-- NOODT 1952c: 333, 335, N. GERMANY

Canthocamptus staphylinus (Jurine, 1820)

card 11

-- Pesce 1985e: 465-467, wells, Abruzzo, Italy

-- PESCE 1984b: 306-, ITALY

-- MARTÍNEZ ARBIZU + MOURA 1994: 62-, FIG. 6a

-- PESCE + GALASSI 1987d: 222-, ITALY

-- CHAMPEAU + FRANCEZON 1991: 391-

-- PANDOURSKI 1994b: 98-, BULGARIA

-- WESTWOOD 1836: 228, TYPE OF CANTHOCAMPTUS  
N.G. (NEW COMB.)

-- STEUER 1897: 529, AUSTRO-HUNGARY; POSSIBLE SYN-  
C. CYCLOPSINE...

CANTHOCAMPTUS STAPHYLINUS (JURINE, 1820)

12

- LEECH + WYNGAARD 1996: 499
- KIEFFER 1938: 124, 125, MOROCCO
- REID 1994: 21
- KIEFFER 1927: 155, CRAYFISH HOLES, GERMANY
- ISHIDA 1984: 53, HOKKAIDO, JAPAN
- PETKOVSKI + BRANCELJ 1985: 5, SLOVENIA
- PESCE 1986: 31, GREECE
- ISHIDA 1989: 2, 8, HONSHU, JAPAN
- ISHIDA 1989: 25-27, HOKKAIDO, JAPAN

CANTHOCAMPTUS STAPHYLINUS (JURINE, 1820)

13

- PESCE + GALASSI 1989: 592, ITALY
- ISHIDA 1995: 299, TAB. 1, HOKKAIDO, JAPAN
- PESCE + DE LAURENTIIS 1996: 296, ITALY
- BREEMEN 1907: 3, 52-54, PL. II, FIGS. 13-16, 30,  
NETHERLANDS
- GALASSI 1991: 276, ITALY
- JANETZKY ET AL. 1996: 5-18, FIGS. 2-4
- JÄRKKÄ ET AL. 1997: 143, TAB. 2, FINLAND
- VEKHOV 1997: 25-26, TAB. 1, E. BARENTS SEA ISLANDS

Cantlocamptus staphylinus staphylinus (Jurine)

--- Veldre & Mäemets 1956: 94-95, Pl. XVI figs. 6-8,

Estonia

— Damian-Georgescu, 1970: 90-94, figs 33-34

--- CHAPUIS 1929c: 475

CANTHOCAMPTUS (C.) STAPHYLINUS STAPHYLINUS  
(JURINE)

-----, BORUTZKY 1960: III, FIG. 47(1, 3); 163, FIG. 75(10)

Canthocamptus staphylinus microstaphylinus (Wolf)

— —, Herbst, 1954.55 Canthocamptus microstaphylinus p. 116

-- -- Kiefer, 1955, pp. 123, Figs. 26-32.. 33-43

— —, NOODT, 1956, P. 54,

-- --, 1964, Dussart, B. H., pp. 123;

-- — MÄEMETS & VELDRE 1956a: 22, ESTONIA

-- — VELDRE & MÄEMETS 1956: 95, PL. XVI FIG. 9,

ESTONIA.

--- KIEFFER 1955d: 123, FIG. 26-43, TURKEY

--- JANETZKY ET AL. 1996: 11

Canthocamptus staphylinus monardi Roy, 19

- Damian-Georgesu, 1970: 95 —, fig. 36

CANTHOCAMPTUS (CANTHOCAMPTUS) STAPHYLINUS  
MONARDI Roy

---, Borutzky 1960: 111, FIG. 47 (2)

Canthocamptus staphylinus neocomensis Monard, 1918

--- Chappuis 1929c:475

Canthocamptus staphylinus thallwitzi Kessler, 1913

---, Pesta, 1932, p. 95-6, fig. 24

---, Fryer & Smyly 1954: 70.

--I. CHAPPAIS 1929c: 475

Canthocamptus (Elaphoidella) striblingi Reid - see

Elaphoidella ATTHEVELLA (CANTHOJELLA)

Canthocamptidae - Harpacticoida

Canthocamptus stromii Lilljeborg,

— — Lilljeborg,

not — — Baird, 1850, p. 208; pl. 27, fig. 3.

A synonym of Mesochra lilljeborgii.

(Sars, 1907, p. 208).

--, Giesbrecht, 1881, p. 256, " " "  
--, Giesbrecht, 1882, p. 111, " " "

Thalestridae - Harpacticoida

Canthocamptus stromii Baird, ♀. ♂.

— Baird, 1850, p. 208: pl. 27, fig. 3. 3a.  
not — — Lilljeborg,

A synonym of Leaophonte stromii.  
(Sars, 1908, p. 251).

--, Dolzonolskaya, 1970, p. 93, a syn. of Mesochra  
lilljeborgi Boeck

-- BRADY 1872: 424

~~B~~.C.

subarticus

Willey

See

Bryocampus

Canthocamptus      subdolus      BRIAN, 1927d

--, BRIAN 1927d: p. 2; figs. 11-17.

Canthocamptus subgracilis Willey - see Elaphoidella

CANTHOCAMPTUS SUBLAEVIS HAMOND, 1988

-- HAMOND 1988: 1089-1090, N. SP., AUSTRALIA

Canthocamptus subsalus Brady, 1895

--, Pesta, 1932, p. 83

Canthocamptidae - Harpacticoid

Canthocamptus subterraneus Carl. ♀.

— — Carl, 1904<sup>5</sup>, p. 323: figs. 1-8.<sup>6</sup>

- SEE UNDER MORARIA SUBTERRANEA

Habitat. Crimean Peninsula.

Canthocamptus surinamensis Delachaux - see Elaphoidella

CANTHOCAMPTUS TASMANIAE - SEE ATTHEYELLA

CANTHOCAMPTUS

TENTACULATUS

DADAY

— —, LANG, 1948, P. 935.

HAB: BALATON SEE.

Canthocamptus tenuicaudis Herrick,

- - Herrick, 1895, p. 129: pl. 29, f. 15-16.
- - Herrick, 1884, p. 169: pl. 0, f. 15-16.

-- HERRICK 1887: 27, ALABAMA, USA; ALSO AS  
"TENUICAUDATUS"

Habitat. Alabama.

CANTHOCAMPTUS TIMMSI HAMOND, 1988

-- HAMOND 1988: 1062-1064, FIGS. 37-41, 42A-H,  
43A-D, 44, 45, N. SP., AUSTRALIA

Canthocamptus treforti Daday, 1884

--, Pesta, 1932, p. 76

-- FORRO' 1986: 559

CANTHOCAMPTUS TRIGONURUS - SEE ATTHEYELLA

CANTHOCANATUS TRISPINOSUS - SEE ATTHEYELLA

TRISPINOSA

Canthocamptus typhlops - see Bryocamptus typhlops

CANTHOCAMPTUS UNIDENS - SEE ELAPHOIDELLA

Canthocamptidae - Harpacticoida

Canthocamptus unisetiger Graeter, ♀

— — Graeter, 1899, p. 365: pl. 10, figs. 1-3.

— — Chappuis, 1928, p. 127 (key)

— —, Borutzky, 1952. p. 225 (F. 68, -17:19) USSR.

Habitat. Switzerland.

Canthocamptus vagus (Coker & Morgan, 1940) ①

Canthocamptus staphylinoides vagus, Coker & Morgan 1940:

395-398, Fig. 1, n. ssp. female only, pond, Craven Co.  
North Carolina; also

C. s. v., McKee & Coker 1940:179, 185, North Carolina

C. v., M.S. Wilson 1956:291-292, raised to species rank

C. v., M.S. Wilson & Yeatman 1959:844, Fig. 29.195,  
Washington State

C. v., Whittaker & Fairbanks 1958:60, Washington State

C. v., DAGGETT & DAVIS 1975: 51, NEWFOUNDLAND

Canthocamptus vagus (Coker & Morgan, 1940) card 2

-- Ward, J.V. et al. 1992: 357, Table 4-, South Platte  
River, Colorado, USA

-- REID 1996: 9, DC, USA

Canthocamptidae - Harpacticoida

Canthocamptus van douwei Kessler ♀, ♂

— — Kessler, 1914<sup>a</sup>, p. 626: figs. 1-2, text.

— — Chappuis, 1928, p. 127 (Key).

— — Kreis, 1920, p. 266: pl. 9, figs. 20-25.

— —, Borutzky, 1952, p. 220, F. 68, 2521, U.S.S.R.

— —, Pesta, 1932, p. 106

Habitat. Bohemia

— Haberbosch, 1917: passim.

Caithocamptus varicus E. Graeter, 1910

--, Pesta, 1932, p. 121

— Haberbosch, 1917: passim.

Canthocamptus vej dovskyi Mrazek,

— — Mrazek,

— — Borutzky, 1925<sup>b</sup> p. 59: pl. 2, figs. 6-10 (larva)

— — Borutzky, 1925<sup>a</sup> p. 39

— Kiefer, 1925: 339-343

Habitat. Bohemia: Germany: Switzerland:  
Manchuria: Russia

— Willey, 1925: 206

— — Pesta, 1924, p. 547.  
— — Chappuis, 1928, p. 126 (key)

—, Pesta, 1932, p. 101

— VAN DOUWE 1909b: 45-46, FIGS. 180-184, GERMANY

CANTHOCAMPTUS VERESTSCHAGINI (BORUTZKY)

—, LANG, 1948, p. 933.

HAB: LAKE BAIKAL - U.S.S.R.

Canthocamptus virescens Dana, ♀.

— — Dana, 1852, p. 1186: pl. 83, f. 6, a-i.  
Harpacticus virescens Dana, 1847, p. 151.

Habitat. Island of Madeira.

Canthocamptidae - Harpacticoida

Canthocamptus weberi Kessler - ♀

— — Kessler, 1914, p. 474: Figs. 1-7.

— — Thallwitz, 1917, p. 159.

— — Gurney, 1921, p. 648.

— — Gurney, 1932, p. 136. : figs. 624 - 639.

— — Donner 1927: 253 fig 22-24

Habitat. Saxony - England -

— Kiefer, 1925: 339-345, fig #5

— — weberi Chappuis, 1928, p. 120 (1107)  
—, Pesta, 1932, p. 104

CANTHOCAMPTUS (BAIKALOCAMPTUS) WERESTSCHAGINI

BORUTZKY

See Verestschagin

--- BORUTZKY 1960: III, FIG. 46 (1/2)

Canthocamptidae - Harpacticoida

Canthocamptus weigoldi Brehm, ♀.

— — Brehm, 1923, p. 336: figs. 4-5.

— —, Borutsky, 1950, p. 272. F. 79, 15-16. USSR.

Habitat. China.

Canthocamptidae - Harpacticoida

Canthocamptus wierzejskii Mrazek ♀

— — Pesta, 1924, p. 547.

— — Chappuis, 1928, p. 126 (key).

Transferred to Attheyella w.

— — Mrázek, 1894, p. 121: pl. 7, figs. 90-106.

— — Thallwitz, 1914, p. 494: fig. 2.

--, Pesta, 1932, p. 124

Habitat. Alpine Lakes

— Willey, 1925: 206

Canthocamptidae - Harpacticoida

Canthocamptus winkleri Chappuis ♀♂

- SEE ALSO ELAPHOIDELLA WINKLERI -

— — Chappuis, 1928, p. 126 (Key)

— — Chappuis 1928, p. 24: text-figs. 12-16.

— —, BORUTZKY, 1952, p. 313, F. 84, 45-49. USSR.

Habitat, Caves, Roumania.

Canthocamptus wolmeri Kerhervé ♂♀.

— — Kerhervé, 1914, p. 100: figs. 1-4.

Attheyella — Towndes, 1928, p. 1: figs.

— — Chappuis, 1929, p. 488.

— — Gurney, 1932, p. 200: figs. 804-817.

Habitat. England, France

- (Attheyella) -, Fryer & Smyly 1954: 71.

Canthocamptus yahiaii Blanchard & Richard  
♂. ♀.

— — B. & R., 1891, p. 516: pl. 6, fig. 42-54.

Habitat. Algeria.

Canthocamptus zschokkei Schmeil, ♀.

*Attheyella propinqua* T. Scott, 1893, p.

A — *zschokkei* T. Scott, 1895, p. : 1897, p.

C — — Scourfield, 1898, p. 327; 1903, p. 53;

— — Schmeil, 1893, a. p. 31; pl. 3.

— — , Donner 1927; 250 figs 18-24

Habitat. British Isles.

— Haber bosch, 1917, 598 — passim, fig 13.

— Chappuis, 1927: 47

— Scourfield, 1939: 117

— — Schmeil, 1893, p. 10: pl. 1, f. 17-18.  
pl. 5, f. 16-20: pl. 6, f. 17-22.

— — Thallwitz, 1917, p. 159.

— — Gurney, 1932, p. 144: figs. 653-671.

— — Pesta, 1924, p. 547.

— — Chappuis, 1928, p. 127 (key)

--, Pesta, 1932, p. 103

— Mihailova-Neikova, 1966: 206

— Kiefer, 1925: 339-343

-- CHAPPUIS 1916: 558

— Smirnov, 1929: 163

Canthocamptidae-Harpacticoid

Canthocamptus zschokkei himalayensis Chappuis ♂♀

— — — Chappuis, 1928, p. 378.

Habitat. Moss, Java.

Canthocamptidae - Harpacticoida

Canthocamptus zschokkei orientalis Chappuis ♂♀

——— Chappuis, 1928, p. 377:

Habitat. Moss, Java.

Canthocamptus s.l. a of Reid, 1993 (1994) - see

Canthocamptus s. l. campaneri

CANTHOCAMPTUS sp.1 HAMOND, 1988

--- HAMOND 1988: 1068-1079, FIGS. 57-58, N.SP.,  
♂ ONLY, TASMANIA

Canthocamptus species

CARD 1

- , Juday & Muttkowski, 1915, p. 31
- , Giesbrecht, 1881, p. 256
- , Giesbrecht, 1882, p. 122
- , Eddy, 1934, p. 27, 35
- , Lang, 1934, p. 3
- ✓ -- COLE 1955: 220, MICHIGAN
- REDDELL 1981: 82
- DUDLEY, P. 1986: 9, FIG. 1e
- OSORIO TAFALL 1943: 51-, CAVE, MEXICO
- Ishida, 1987: 77, 80 pl. 4 C. sp II Hokkaido, JAPAN
- CANTHOCAMPUS sp., LAWLER & WATSON 1958: 211-,  
MANITOBA

Canthocamptus sp.

card 2

- Penn 1947:193, New Orleans, LA
- KOCHSIK ET AL. 1971:1123, OKLAHOMA
- REID 1992a: 252
- FRANK 1983:126, *monohid records*
- sp. A, KING ET AL. 1996: 96-116, TABS., N. CALIFORNIA, <sup>US.</sup>
- S. A. FORBES 1890: 707, LAKES SUPERIOR + MICHIGAN, USA.
- ISHIDA 1984: 53, HOKKAIDO, JAPAN
- C. sp. 2, 3, 4, 5, 7, ISHIDA 1989: 2-27, PLS-2-5, JAPAN

CANTHOCAMPTUS SP.

③

- HUNT + STANLEY 1997: 140, OKLAHOMA, USA
- JANETZKY 1997: 9

Canthocamptus spp.

-- Evans 1984: 490, 492

-- FREY 1964: 58

- C. sp. 2, kikuchi & Ishida, 1988: 403-406, figs 1C, D,  
2B, D, 4B, 5 Japan

- C. sp. 3, kikuchi & Ishida, 1988: 404, 406, figs 1E, F  
2A, C, 4C, 5 Japan

- C. sp. 7, kikuchi & Ishida, 1988: 405, 406, figs 1G, H  
3, 4D, 5 Japan

C. spp. 3, 5, ISHIDA 1990: 40-, KYUSHU, JAPAN

Canthocamptus spp.

card 2

C. spp. 2-5, Ishida 1991:391-, northern Japan

C. sp. 2, 3<sup>5</sup><sub>11</sub> ISHIDA 1993a: 166, HOKKAIDO; 167, KOHOKU