

Chondracanthidae - Bernaeopodidae
POECILOSTOMATOIDA

Ceratochondria

(M)

S.C. Yü. 1935.

C. brevicollis (Krøyer)

Syn. Ceratochondria Yu. 1935, p. 1.

- Ho 1970: 144-145, DIAGNOSIS
- Ho 1994: 516
- HOGANS + BENZ 1990: 2484-

Chondracanthidae - Hernaeopodoidea
= CERATOCHONDRIA

Chondracanthus brevicollis Kollar. ♂ ♀.

Krøyer

①

- — Kollar, mss. labels, Vienna Museum.
- — Krøyer, 1863, p. 246: pl. 13, figs. 3, a-d.
- — Bassett Smith, 1899, p. 493.
- — Yu & Wu, 1932, 60: pl. 3, figs. 1-7 ♂.

Host. Gills, Pseudorhombus oligodon (Blkr) and
P. arsius (Ham. Buch). Amoy, China.
? Indian Ocean.

Made type of new genus Ceratochondria by Yu, 1935
| p. 2

Ceratochondria brevicollis (Krøyer) ♀♂.

②

Chondracanthus — Krøyer, 1863, p. 246: pl. 13; figs. 3, a-d.

Ceratochondria — Yu, 1935, p. 1.

CERATOCHONDRIA -, Ho 1970: 144-147, FIGS. 94-98,

MOLUCCAS

- Ho 1991: 55, TAB. 1

Host. Gills, Pseudorhombus spp.

CERATOCYNDRIA HOI PILLAI - SEE BACTROCHONDRIA

Ceratochondria sp. (Pillai 1964)

Pseudochondracanthus sp., Pillai 1964:81-82, fig.
149-150

Ceratochondria sp., transferred, Ho 1970:195

Pseudochondracanthus sp., Ho 1975:318