

Cervinia valid Harpacticoida-Cerviniidae  
Brady(Norman), 1878... C. Bradyi (M.)

Syn., Cervinia Norman, mss. p. 85. <sup>Brady, 1878</sup>  
Cervinia G.O.Sars, 1903, p. 19.

73 body cylindrical: head small, united with  
1° segt.: abdomen 5-jointed as long as anterior  
body - 1° antennae short, 7-jointed - 2° antennae  
with 3-jointed exopod and 4-jointed endopod  
Endopod of 3 posterior pairs of legs 2-jointed  
5° legs very small - 2-jointed

Cervinia Norman

- , Noodt, 1971, p. 99
- BRODSKAYA 1963: 1786-1787, 1802; KEY TO SPECIES.
- MONTAGNA 1979: 77, 84-86, KEY TO SPECIES.
- MONTAGNA 1981: 1204, 1205, 1212-1213, KEY TO SPECIES;  
1217, 1218, IN KEY TO GENERA OF CERVINIIDAE;  
1209-1212, PSEUDOCERVINIA A SYNONYM OF CERVINIA.

Cervinia "bradyi-group"

--- Montagna 1979: 84.

--- MONTAGNA 1981: 1212.

Cervinia "Synarthra-group"

--- Montagna 1979: 84.

--- MONTAGNA 1981: 1212.

Cervinidae - Harpacticoida,

Cervinia bradyi Norman, ms., ♀,

- — Brady, 1878, p. 86; pl. 24A, fig. 3-13.  
not — Sars, 1904, p. 20; pl. II.  
— — Sars, 1911, p. 351; suppl. pl. I.  
— — T. Scott, 1903, p. 14.  
— — Lang, 1948, p. 180, pl. 108:1

Habitat. English Seas; Norway Coast,  
Finmark (Arctic).

— — Thompson, 1893, p. 185: pl. 26, fig. 1, a-e.

— —, Por, 1964, pp. 63-65, pl. 4 figs. 27-29

— —, Por, 1967, pp. 122-123, f. 62-65

— , Jakobi, 1959, p. 139, 279

— BRODSKAYA 1963: 1787

— MONTAGNA 1979: 85.

— MONTAGNA 1981: 1212, 1213.

— POR 1962: 12, 18, 22, 44, FIGS. 27-29, MEDITERRANEAN  
COAST OF ISRAEL + see

Cervinia brevipes Brodskaya, 1963

-- Brodskaya 1963: 1787, 1788, n. sp., ♀: fig. 1

-- MONTAGNA 1979: 86.

-- MONTAGNA 1981: 1213, 1212.

Cervinia langi Montagna, 1979

-- Montagna 1979: 77-85, figs. 2-4, n. sp. ♀, Beaufort Sea.

-- Montagna 1982: 37, fig. 1.

-- Ito 1983: 158-166, figs. 5-9.

-- MONTAGNA 1981: 1204, 1212.

Cervinia sp. aff. langi Montagna

--, Ito, 1983, p. 167-171, figs. 10-12

Cervinia magna(Smirnov, 1946)

card 1

-- Smirnov 1946: 231-233, fig. 1, n. sp. ♀♂, Arctic Ocean.

Pseudocervinia magna, Brodskaya 1963: 1801, type species  
of Pseucervinia gen. nov.

P. -, Coull 1973c: Tab. 1

P. -, Montagna & Carey 1978: 119

P. -, Montagna 1979: 77-79, 83-84, 86-87, figs. 5-6;  
reassign to Cervinia?

C. -, Montagna 1981: 1204, 1209-1212, figs. 3-4; trans-  
ferred to Cervinia from Pseudocervinia

Cervinia magna Smirnov, 1946

card 2

C. - , Montagna 1982: 37, fig. 1

- Huys, 1988: 59

Cerviniidae-Harpacticoida

*Cervinia pilosa* n. sp. Lang

— — — Lang 1948, p. 182, Schweden: Westlich der Väderö-  
Inseln, Koster

—, Jakobi, 1959, p. 279

-- BRODSKAYA 1963: 1787

-- MONTAGNA 1979: 85.

-- MONTAGNA 1981: 1212.

Cervinia plumosa Ito, 1983

--, Ito, 1983, p. 151-158, figs. 1-4.

Cerviniidae - Harpacticoida.

Cervinia Synarthra G.O. Sars.

Cervinia bradyi Sars, 1904, p. 20; pl. 11.

C — synarthra Sars, 1911, p. 351.

— — Lang, 1936, p. 6, figs. 5-7.

— — , HAN, 1948, p. 180. Pl. (108:2)

— — , Jespersen, 1940, p. 72. Iceland.

Habitat. Norway Coast.

C. synarthra, Wells, 1965. p. 2

-- --, Por, 1967, p. 122, f. 56-61

--, Jakobi, 1959, p. 139, 279

--, Klie, 1941, p. 2, 4-5

Cervina synarthra Sars

card 2

--, Guille & Soyer, 1974, p. 309

-- BRODSKAYA 1963: 1787

-- MONTAGNA 1979: 77-78, 83-87.

-- MONTAGNA 1981: 1212, 1213.

-- SMIRNOV 1946: 23R - 232

-- POR 1962: 20

Cervinia synarthra var reducta

---, Klie, 1941, p. 5

Cervinia tenuicauda Brodskaya 1963

-- Brodskaya 1963: 1787, 1789-1790, fig. 2, n. sp. ♀

-- MONTAGNA 1979: 86.

-- MONTAGNA 1981: 1204, 1208, 1213.

Cervinia tenuiseta Brodskaya, 1963

-- Brodskaya 1963: 1787, 1790-1791, fig. 3, n. sp. ♀

-- MONTAGNA 1979:86.

-- MONTAGNA 1981: 1212, 1213.

Cervinia sp. aff. tenuiseta BrotzKrajc

--, Ito, 1983, p. 171-177, figs. 13-16

Cervinia unisetosa Montagna 1981

- Montagna 1981:1204-1209, 1213, figs. 1-2, n.sp. ♀,  
Beaufort Sea.
- Montagna 1982:37, fig. 1.

Cervinia sp.

--, Montagna & Carey, 1978, p. 119

-- FLEEGER, TANG & HIGGINS 1983: 940-941, TABS. 1, 2,  
CHINA — CHANGJIANG ESTUARY