

Canthocamptidae - Harpacticoida.

Ceylonia = synonym. OF LOURINIA (M)
Thompson & Scott, 1903. C. aculeata.

Syn. Ceylonia, Thompson & Scott, 1903, p. 265.
Changed to Ceyloniella Wilson.
Not Ceylonia - Buckton - Insects - 1891.

Ceylonia, the island of Ceylon.

Cephalothorax and abdomen each 5-jointed.
1st. antennae 7-jointed; endopod of 2nd. antennae
1-jointed. Mandible palp with 1 small branch.
2nd. mxpd. non-prehensile. Endopods of first
4 pairs of legs all 2-jointed, Exopods 3-jointed
5th. legs foliaceous.

Closely related to Mesochra.

Canthocamptidae - Harpacticoida.

Ceylonia aculeata Thompson & Scott, ♂. ♀.
= Ceyloniella armata (Claus) ^{M.S.W.}

— Thompson & Scott, 1903, p. 265: pl. 7, fig. 11-23.

Changed to Ceyloniella aculeata.
(Wilson, 1924, p. 19)

Jurinia armata Claus 1866 (see A. Scott 1909, p. 22)

C. armata — A. Scott 1909, p. 228

Habitat. Pearl oyster washings, Ceylon.

Ceyloniellidae Sewell, 1940

- Krishnaswamy 1957d:79, = Louriniidae