

in

Choniostomatidae - Monstrilloidea.

Choniostoma.

~~Ternaeopodoida~~

Hansen, 1886.

C. mirabile (M)

Syn. Choniostoma Hansen, 1886, p. 271.
Choniostoma Hansen, 1897, p. 170.

Χώνη = a funnel — στόμα = a mouth.

Choniostoma

HANSEN, 1886

CARD 2

- GOTTO 1993: 196, DIAGNOSIS

Choniostoma enaulis (Boxshall & Lincoln, 1983)

-- Humes 1987a: 648

Choniostomatidae - Monstrilloidea.

Choniostoma hanseni Giard & Bonnier, f

- — Giard & Bonnier, 1889, p. 366; 1895, p. 479.
- — H. J. Hansen, 1897, p. 174; pl. 10, f. 6; pl. 11,
- — Stephensen, 1913, p. 349.
- — Vanhöffen, 1897, p.

f. 2.

Host, Gills of Spirontocaris gaimardii
& S. polaris,

Kara Sea: Greenland.

— — Wilson, 1920, p. 96.

— — Hansen, 1923, p. 78

--, Stephensen, 1940, p. 14

-- BOXSHALL & DEFAYE 1995: 293, TAB. 2

Choniostoma mirabile, Hansen, ♀ ♂.
Choniostomatidae

- —, Hansen, 1886, p. 271 = pl. XXIV, ^{fig. 7, a-h} ^
— —, Giard & Bonnier, 1889, p. 364.
— —, Giard & Bonnier, 1895, p. 479 —
— —, Hansen, 1897, p. 171: pl. X. figs. 5a-c:
pl. XI, figs. 1a-k.

Host Hippolyte gaimardi. M Edwards.

Kara Sea

noted by Krøyer, 1842, p. 264, and Max Weber,
1884, p. 35, neither of whom recognized its true
affinity.

— — Wilson, 1920, p. 96.

— — Hansen, 1923, p. 77.

--, Stephensen, 1940, p. 14

-- BOXSHALL & DEFAYE 1995: 293, TAB. 2

CHONIOSTOMA PARADOXUM (NIERSTRASZ + BRENDAR
à BRANDIS, 1930)

-- BOXSHALL + DEFAYE 1995: 293, TAB. 2

Choniostoma rotundatum Stock, 1958

-- 1958---pp. 12-14, figs. 2 & 3.

-- GOTTO 1993: 196, FIG. 50 A-D

-- BOXSHALL & DEFAYE 1995: 293, TAB. 2