

Dactylopusia valid
Norman, 1903.

D. minutus ♂

Syn. *Nauplius*, Philippi (not Müller)
Dactylopus Claus (not Gill).

Dactylopusia Norman, 1903, p. 368.

Dactylopusia G.O. Sars, 1905, p. 125,

Δάκτυλος = a finger, πόδις = a foot.

Dactylopus Brady, 1880, vol. 2, p. 105.

Dactylopusia Pesta, 1921, p. 594.

Dactylopusia Brian, 1921, p. 80

Body stout, tapering behind : head large.
1^o antennae short, with varying joints.
Exopod of 2^o antennae 3-jointed.
Exopod of 1^o legs shorter and stouter than
endopod, which is 3-jointed : endopod of
2^o legs in ♂ transformed, 2-jointed.
5^o legs broad and lamellar in ♀.

Lang 1936

Nicholls 1939 b & 1940, p. 255-257. Key

Dactylopsia Norman 1903

-, key, Pesta, 1932, p. 49-52

-- Lang 1944 syn. of Amphiascus

Dactylopusia abyssal Boeck, ♀.
Harpacticidae - Harpacticoida

Dactylopus Boeck, 1873, p. 56.

Habitat. Norway.

Thalestridae - Harpacticoida.

Dactylopusia aemula Thompson & Scott, ♀.

-- Thompson & Scott, 1903, p. 271: pl. II, fig. 9-12.

Referred to Idomene aemula.
(Sars, 1906, p. 134).

Habitat. Pearl oyster washings, Ceylon.

Thalestridae - Harpacticoida

Dactylopusia antarctica Giesbrecht, ♂. ♀.

-us -us Giesbrecht, 1902, p. 34: pl. 10, figs. 1-13

-usia -a Brady, 1910, p. 537: pl. 52, fig. 2: text-fig. 28.

Idomene -a, Tang, 1936, p. 26.

Habitat. Antarctic Ocean.

Dactylopusia bahamensis (Edwards),
Malesiidae - Harpacticoida.

- US — C.L. Edwards, 1891, p. 77; pl. 3, figs. 1-15.
- USA — Lang, 1936, p. 33

Habitat. Bahama Islands.

Dactylopusia brevicornis (Claus), ♀ ♂
Harpacticidae

Dactylopus — Claus, 1866, p. 29: pl. 3, figs. 20-25.
— — Brady, 1880, p. 118: pl. 57, figs. 10-12: pl. 58,
— — Carus, 1885, p. 322. [fig. 14]

Dactylopusia — A.M. Norman, 1903, p.

Habitat. English Seas: Mediterranean.

T. Scott, 1906^b, p. 276 : pl. 14, fig. 10-10.

not T. Scott, 1906, a, p. 319.

G. O. Sars, 1905, p. 130 : pl. 80.

T. Scott, 1903, p. 22.

Brian, 1921, p. 82 : pl. 1, fig. 2.

Brady, 1918, p. 29.

Thompson, 1893, p. 202 : pl. 22, fig. 4, e-g.

Sewell, 1924, p. 819 : pl. 53, fig. 1.

Monard, 1928, p. 350 : fig. 19.

Wilson, 1932, p. 206 : fig. 137.

Lang, 1936, p. 31.

Monard 1935a, p. 40

Roscoff, France

Dactylopusia brevicornis-2

— — Sewell 1940, p. 227, Maldive Arch. ♂

— —, HANG, 1948, P. 557, PL. 227.7 - 226:2.

--, BRIAN 1923 b : 870.

-- KRISHNASWAMY 1957d: 38-39, PORITES BAY, INDIA

DACTYLOPODIA -, RINGUELET, AMOR ET AL. 1962: 52, ARGENTINA

Thalestridae-Harpacticoida

Dactylopusia brevicornis var. hirticornis Monard

Monard 1935a, p. 40, fig. 71-73, ♀ Roscoff
Atlantic coast, France

Ihalestridae - Harpacticoida

Daetypusia brevicornis insolita nov. Willey, ♀.

— — — Willey, 1935, p. 72: figs. 86-91.

Habitat, Bermuda.

Inaestridae - Harpacticoidea

Dactylopusia brucei (T. & A. Scott). ♀

Dactylopus — A. & T. Scott, 1901, p. 349; pl. 4, figs. 1-6.

Dactylopusia — Norman, 1903, p. 368.

Amphiascus — Lang, 1936, p. 29.

PARAMPHIASCELLA — , LANG, 1938, P. 228.

Habitat. Arctic Seas.

Inaestridae. — Harpacticoida.
Dactylopusia ceylonica Thompson & Scott, 8.9

— Thompson & Scott, 1903, p. 269: pl. 9, fig. 25-32.
Amphiascus — Lang, 1936, p. 29.
—, Klie, 1942, = Amphiascus cinctus, p. 45
—, Vervoort, 1964, p. 212

Habitat. Pearl-oyster washings, Ceylon.

Thalestridae - Harpacticoida-

Dactylopusia cinctus. Claus ♀.

Dus — Claus, 1866, p. 27; pl. 3, fig. 8-12.

— — Brady & Robertson — 1873, p. 136.

A synonym of Dactylopusia stromii.
(Brady, 1880, vol. 2, p. 111).

Transferred to Amphiascus, Lang, 1936, p. 29.

Habitat. Mediterranean.

Thalestridae - Harpacticoida.

Dactylopusia coronata (T. Scott), ♀.

Dactylopus — T. Scott, 1894, p. 255: pl. 9, fig. 12-20.

— — T. Scott, 1902, b, p. 468: 1899^a, p. 105.

Idomene — Lang, 1936, p. 26.

Habitat. British Seas.

Thalestridae - Harpacticoida

Dactylopusia crassa Giesbrecht, ♂♀.

vs vs Giesbrecht, 1902, p. 33: pl. 10, figs. 14-23.
Amphiascus — Lang, 1936, p. 29.

Habitat. Antarctic Ocean.

Thalestroidae - Harpacticoida

Dactylopusia crassicornis Brady, ♀.

— — Brady, 1910, p. 537: text-fig. 29.

— — Lang, 1936, p. 32

— — Lang, 1948, p. 554, Pl. 225: 1

Habitat. Antarctic Ocean.

Inaestridae - Harpacticoida.

Dactylopusia debilis (Giesbrecht), ♀.

D-pus - Giesbrecht, 1882, p. 122: pl. 1, fig. 7, 19,

— — T. Scott, 1903, p. 128: pl. 5, fig. 20-31.

D-pusia - T. Scott, 1906, b., p. 318.

-pus - Timm, 1894, p. 382.

Habitat. British Seas; Indian Ocean.

Giesbrecht, 1884, p. 122: pls. 1, 3-12.
Amphiascus — Lang, 1936, p. 29

Ihalesiidae - Harpacticoida.

Dactylopusia dentata Thompson & Scott, 1903.

D-phusia Thompson & Scott, 1903, p. 268; pl. 9, fig. 1-10.

Amphiascus - (Thompson & Scott). Lang, 1936, p. 29

Amphiascopsis ____ Nicholls 1941b, p. 75
____, HANG, 1948, P. 620.

Habitat. Pearl oyster washings, Ceylon.

Ialectriidae - Harpacticoida

Dactylopusia distans Willey, ♀.

— — Willey, 1931, p. 84. nomen nudum.

— sp., PŘEFONTAINE & BRUNEL 1962: 259, ST. LAWRENCE,
= NOMEN NUDUM ACCORDING TO LANG, 1948

-- SHIH ET AL. 1971: 53

Habitat. St Lawrence.

Thalestriaidae-Harpacticoida

Dactylogusia euryhalina Monard

Monard 1935a, p. 40, figs. 74-81, Roscoff,
France

— —, HANG, 1948, P. 552, PL. 224:6

HABITAT: FRANKREICH

Halestriaidae - Harpacticoida

Dactylopsia falcifera Willey. ♂♀.

— — Willey, 1935, p. 73; figs. 92-97.

— — forma violacea, Sewell 1940, p. 223, fig. 41, ♀
Nicobar Ids.; forma pallida, p. 226, fig. 42, ♀

—, HANG, 1948, P. 554, Pl. 225:2

— (?) : ~~WIL~~ Candauian, 1959, p. 90-92, f. 8. Angola.

Habitat. Bermuda.

-- COULL 1968: 71-, BERMUDA

-- REID 1990g: 202

Dactylopusia falcifera f. pallida Sewell, 1940

--- Sewell 1940:226, fig. 42, ♀

Dactylopusia falcifera f. violacea Sewell, 1940

--- Sewell 1940:223, fig. 41, ♀, Nicobar Islands

--- Krishnaswamy 1957d:38, Porites Bay, Madras, India

Dactylopusia ferrieri T. Scott, ♀
Thalestridae - Harpacticoida

— — T. Scott, 1912, p. 557: pl. 12, figs. 14-22
Idomene — Lang, 1936, p. 26
--, Vervoort, 1964, p. 168

Habitat. South Orkneys.

Dactylopusia finmarchica T. Scott, ♀.

D-pus longirostris, var. finmarchicus T. Scott, 1903, a,
p. 21 : pl. 2, fig. 4-8.

D-pus mixtus T. Scott, 1903, b, p. 126 : pl. 3, fig. 9-16.

D-pusia finmarchica T. Scott, 1906, b, p. 318.

Habitat. British Seas.

^{Harpacticidae - Harpacticoidea}
Dactylopusia glava (Claus), ♂. ♀.

Dactylopus flavus Claus, 1866, p. 28: pl. 3, figs. 13-16.

— — Brady, 1880, p. 116: pl. 56, figs. I-11.

— — Claus, 1885, p. 322.

D-pusia — Norman, 1903, p.

Habitat: British Seas: Mediterranean.

A synonym of Dactylopodella flava.
(Sars, 1905, p. 132).

-pus flavus, Thompson 1893, p. 202. *Platynotus*

Thalestridae - Harpacticoida

Dactylopusia fragilis Monard ♀

— — Monard, 1928, p. 352 : figs. 19, 20.

— — Lang, 1936; p. 33.

Habitat. Banyuls

Malesiidae - Harpacticoida

Dactylopusia frigida T. Scott. ♀.

- — T. Scott, 1912, p. 556: pl. 2. figs. 19-25.
— — Lang, 1936, p. 32
— — , HANG, 1948, P. 552, PL. 224:3 —

Habitat. South Orkneys. Scotia Bay.

Dactylopusia glacialis Sars - see Dactylopodia

Dactylopsia hamiltoni Thompson & Scott, ♀.
Haploestridae - Harpacticoida.

— Thompson & Scott, 1903, p. 270: pl. 10, fig. 1-7.

Amphiascus —, Lang, 1936, p. 29.

Amphiascopsis —, Nicholls 1941b, p. 75

Diosaccus —, Sewell 1940, p. 241, fig. 48

—. LANG - 1948, P. 621.

Habitat. Pearl-oyster washings, Ceylon.

Dactylopusia hansenii (Brady) ♂, ♀.

— vs — Brady, 1899, p. 41: pl. II, f. 11-18

Amphiascus — Lang, 1936, p. 29.

Amphiascopsis — Nicholls 1941 b, p. 75

Habitat New Zealand.

Inaeolidiidae - Harpacticoida.

Dactylopusia havelocki Thompson & Scott, ♀.

-- Thompson & Scott, 1903, p. 269; pl. 9, fig. 11-18
Amphiascus — Lang, 1936, p. 29.

--, Vervoort, 1968, p. 212

Habitat, Pearl oyster washings, Ceylon.

Dactylopusia hirsuta Thompson & Scott - see
Metamphiascopsis

Thalessridae - Harpacticoidea.

Dactylopusia jugurtha (Blanchard & Richard) ♂. ♀

— — B. & P., 1891, p. 529: pl. 6, f. 26-41.
Amphiascus — us, Lang, 1936, p. 29.

Habitat. Algeria.

Dactylopusia laticaudata Thompson & Scott,
Inaeolididae - Harpacticidae
f.

-- Thompson & Scott, 1903, p. 271: pl. II, figs. 1-8.

Referred to Idomene laticaudata.

(G. O. Sars, 1906, p. 134). Lang, 1936, p. 26.

Habitat. Pearl oyster washings, Ceylon.

Xouthous ___, Sewell 1940, p. 197

Dactylophusia -, Vervoort, 1964, p. 168

Thalestridae - Harpacticoida.

Dactylopusia latipes (Boeck). ♀

D-pus T. Scott, 1894, p. 99: pl. 10, fig. 38-43.

D-phusia Thompson & Scott, 1903, p 268.

D-pus Boeck, 1865, p. 270

D-pusia — Sars, 1911, p. 370 : pl. II, fig. 2, suppl.

--, Pesta, 1932, p. 52, fig. 55

Habitat. Accra: Ceylon Pearl Banks.

D-pusia — T. Scott, 1906^b, p. 276; pl. 14, figs. 10-18.

D-pus brevicornis T. Scott, 1906, b, p. 319.

D-pusia — Klie, 1927, p. 11;

Dactylopusia — Lang, 1936, p. 30

— —, Lang, 1948, p. 556, Pl. 222:6-226:1-

Dactylophusia —, Vervoort, 1964, p. 154

= EUDACTYLOPOS ANDREWII (Ito, 1974: 580)

Thalestridae - Harpacticoida,

Dactylopusia littoralis (T. Scott), ♀.

D-pus — T. Scott, 1903, p. 124; pl. 3, fig. 2-8.

D-pusia — T. Scott, 1906, b, p. 318

Amphiascus — Lang, 1936, p. 29.

Habitat. British Seas.

Dactylopusia longipes Boeck, ♀
Harpacticoidae - Harpacticoida

— — Boeck, 1873, p. 56.

Habitat. Norway fiords.

Thalestridae - Harpacticoida.

Dactylopusia longirostris (Claus), ♀.

Dactylopus Claus, 1863, p. 127: pl. 17, figs. 4-6,

— — Brady, 1899, p. 434: pl. 13, figs. 9-12.

D-sia — Norman & Brady, 1909, p. 129.

D-pus — Claus, 1866, p. 30: pl. 5. fig. 17-19.

Habitat. English Seas.

-pus — Boeck, 1865, p. 270.

— — T. Scott, 1903, p. 21.

— — T. Scott, 1899^c, p. 105; pl. 3, f. 5-8.

Amphiascus — Lang, 1936, p. 29

Thalestridae - Harpacticoidea

Dactylopus longirostris Claus, var. finmarchicus T. Scott, ♀

— — — T. Scott, 1903, p. 21 = pl. 2, figs. 4-8

Amphiascus f — Lang, 1936, p. 29.

Habitat. Scotland.

Dactylopusia macrolabris (Claus), ♀.

Dactylopus — Claus, 1866, p. 29 : pl. 3, fig. 26-29
— — Carus, 1885, p. 322.

Habitat. Mediterranean.

Thalestridae - Harpacticoida

Dactylopusia maldivensis (Wolfenden), ♀

Dactylopus Wolfenden, 1906, p. 1031; pl. 99, figs. 34-41

Dactylopusia — Norman, 1903, p. 368.

Amphiascus — Lang, 1936, p. 29.

Amphiascopsis Nicholls 1941 b, p. 75

Habitat. Maldive Archipelago.

Thalestridae - Harpacticoida

Dactylopusia mediterranea Lang ♂♀.

- — Lang, 1934, p. 3: figs. 7-12
— — Lang, 1936, p. 33.

Habitat. Mediterranean.

Thalestridae - Harpacticoida.
Dactylopusia micronyx G.O. Sars, ♂.♀.

— — Sars, 1905, p. 129; pl. 79, fig. 2,

D - valida, Sars, 1911, p. 370,

— micronyx, Klie, 1929, p. 346:

— — Lang, 1936, p. 32.

— — Monard 1935a, p. 39, Roscoff, France

Habitat. Norway Fjords.

--, Pesta, 1932, p. 50, fig. 51

— —, LANG, 1948, p. 549, Pl. 222:3.

Dactylopusia minuta (Claus), ♀
Harpacticidae

Dactylopus minutus Claus, 1863, p. 126: pl. 16, figs. 14, 15.
— — Brady, 1880, p. 119: pl. 67, figs. 12-14.
— — Carus, 1885, p. 322.
— — Brady & Robertson, 1873, p. 136.

A synonym of Amphiascus minutus,
(T. Scott, 1906, b, p. 321).

Amphiascus — Lang, 1936, p. 29.

'I'halestridae-Harpacticoida.

Dactylopusia neglecta Sars, ♂.♀.

— — Sars, 1905, p. 127: pl. 78, fig. 2.

— — Norman & Brady, 1909, p. 129.

Dactylopus tisböides Brady 1880, vol. 2, p. 108;
pl. 54, fig. 14-16 (brackish water variety).

Habitat. Brackish pools England, Norway.

D - neglecta T. Scott, 1906, b, p. 317.
— — Lang, 1936, p. 32.

Monard 1935a, p. 40, Roscoff, France

— — , Lang, 1948, P. 548, Pl. 222: 2.

Dactylopusia nicaensis (Claus), ♀.
Trachelidae — Harpacticoida

Dactylopus — Claus.

— — , Claus, 1885, p. 321.

Dactylopusia , Norman, 1903, p.

— — Tang, 1936, p. 31.

— — , Tang, 1948, p. 353,

Habitat. Nizza -

Mediterranean .

Thalestridae - Harpacticoida

Dactylopus normani Brady, ♀.

— — Brady, 1872, p. 441: pl. 20, figs. 13-17.

A synonym of Dactylopusia tisböides.

Thalestridae - Harpacticoidea

Dactylopusia oculata Gurney ♀♂.

— — Gurney, 1927f, p. 503: fig. 132, A-L.

— — Tang, 1936, p. 32.

— —, HANG, 1948, P. 559, Pl. 226: 4.

^{Paradactylopedia}
Para- — —, Yeatman, 1962. pp. 263-264, fig. 41-45

Habitat. Suez Canal.

Dactylopusia ornata Norman & Scott, J.Z.

— — Norman & Scott, 1905, p. 294
Dactylopodella — Lang, 1936, p. 30.

--, Vervoort, 1968, p. 175

Habitat. British Seas.

Thalestridae - Harpacticoida

Dactylopusia pectinata (T. & A. Scott), ♀

Dactylopus — T. & A. Scott, p. 187, 1898; pl. 10, figs. 9-16.

Habitat. Clyde estuary.

Dactylopsia perplexa T. Scott.

— — T. Scott, 1912, p. 558: pl. 2. figs. 26-30:
pl. 6. figs. 1-2.

Parathalestris — Lang, 1936, p. 30

Habitat. South Orkneys.

'Thalestridae - Harpacticoida -

Dactylopusia platycheles (Brady) ♀.

Dactylopus — Brady, 1902, p. 61; pl. 3, figs. 1-10,

D-sia — Norman & Brady, 1909, p. 129.

Parathalestris — Lang, 1936, p. 30.

Habitat. English Seas.

Dactylopusia platysoma Thompson & A. Scott - see

Paramenophia

Dactylopusia porrecta (Claus), ♀

Dactylopus porrectus Claus, 1863, p. 110; pl. 14, f. 1-13
— — Claus, 1885, p. 322.

sia — a Pesta, 1921, p. 594; text-fig. —
us — us, Möbius, 1875, p. 270

— —, HANG, 1918, p. 553, PL. NONE —

Habitat: German Ocean: Mediterranean

Dactylopusia porrecta, Lang, 1936, p. 31.

--, Pesta, 1932, p. 50-1, fig. 52

Thalestridae - Harpacticoida.
Dactylopusia propingua (T. Scott), ♀,

D-pus — T. Scott, 1894, p. 99: pl. 10, fig. 44-52:
pl. 11, fig. 1-3.

Robertsonia — Gurney, 1927f, p. 530
Amphiascos scotti; Sewell, 1924, p. 819: pl. 54, fig. 1.

Habitat. Accra; Chilka Lake.

Amphiascus — Lang, 1936, p. 29.

Dactylopusia purpurocincta, Norman & Scott, ♀
Harpacticoida

— — Norman & Scott, 1905, p. 295.
Idomene — Lang, 1936, p. 30.

--, Vervoort, 1964, p. 168, 170

Habitat. British Seas.

Thalestridae - Harpacticoida

Dactylopusia robinsonii (A. Scott), ♀

Dactylopus — A. Scott, 1902, p. 415: pl. 3, figs. 1-5.

Amphiascus — Lang, 1936, p. 29.

Habitat. Indian Ocean.

Dactylopusia robusta Thompson & Scott, ♀.
Thalestridae - Harpacticoida

— — Thompson & Scott, 1903, p. 270; pl. 10, fig. 19-24
Amphiascus — Lang, 1936, p. 30

Amphiascopsis robustus, Nicholls 1941b, p. 75

— —, Lang, 1948, p. 621.

Habitat. Pearl-oyster washings, Ceylon.

Dactylopusia signata Willey - see Dactylopodia

Dactylopusia *simillima* Brady. ♀.
Thalestridae - Harpacticoida

- — Brady, 1910, p. 538: text-fig. 30.
— — Lang, 1936, p. 32
— — Lang, 1948, p. 559, Pl. 226:3

Habitat. Antarctic Ocean.

Diosaccidae - Harpacticoida.

Dactylopus similis Claus, ♀,

— — Claus, 1866, p. 25; pl. 2, fig. 29-30.

A synonym of Amphiascus similis.

(T. Scott, 1906, 3, p. 321),

Amphiascus — Lang, 1936, p. 30.

Dactylopusia spinipes Brady, ♀.
Harpactidae - Harpacticoida

- — Brady, 1910, p. 540: text-fig. 31
— — Lang, 1936, p. 32.
— — Lang, 1948, p. 551, Pl. 224.2.

Habitat. Antarctic Ocean - OBSERVATORY Bay

Dactylopusia stromii (Baird), ♂. ♀.

Canthocamptus — Baird, 1850, p. 208; pl. 27, fig. 3.
(not Lilljeborg)

Cyclops — Baird, 1837, p. 330; pl. 9, figs. 23-25.

Nauplius — Philippi, 1843, p. 69.

Dactylopus cinctus Claus, 1866, p. 27; pl. 3, figs. 8-12.

Habitat. German Ocean: British Seas: Mediterannean: Pontus Euxinus.

- *stromii* Brady, 1880, p. 111; pl. 60, fig. 1
— *cinctus* Carus, 1885, p. 321.
Cyclops brevicornis Baird, 1835, p. 97.
Canthocarpus stromii Baird, 1845, p. 154.
Dactylopus stromii Stephensen, 1913, p. 329.
— — Brady & Robertson, 1873, p. 136.
— — Thompson, 1893, p. 201: pl. 22, f. 9, a-b.

Dactylopusia strömii (Baird)
var. arcticus (T. Scott). ♂. ♀.

— — T. Scott, 1903, p. 23: pl. 4, f. 1-7.

— — T. Scott, 1899^c, p. 106: pl. 5, f. 11-17.

Amphiascus — Lang, 1936, p. 30

Habitat. Franz-Josef Land.

Thalestridae - Harpacticoida
Dactylopus stromii Brady, ♀.

-- Brady, 1880, vol. 2, p. 111: pl. 55, figs. 1-13.

A synonym of Dactylopusia vulgaris.
Norman & Brady, 1909, p. 130.

Thalestridae-Harpacticoida.
Dactylopusia stromii Williams, ♀

— Williams, 1907, p. 73; 1906, p. 653.

A synonym of Dactylopusia vulgaris,
Dactylopus stroemi (Sars, 1905, p. 128).
Pesta, 1932, p. 49

Diosaccidae - Harpacticoida

Dactylopusia tenuicornis Claus, ♀.

— — Claus, 1863, p. 127; pl. 16, fig. 17-23.

— — Claus, 1866, p. 28; pl. 3, fig. 17-19.

— , Pesta, 1932, p. 58

A synonym of Diosaccus tenuicornis,
(Brady, 1880, vol. 2, p 68),

Diosaccidae - Harpacticoida

Dactylopusia tenuiremis Brady & Robertson ♀.

- — Brady & Robertson, 1875, p. 197.
- — Brady, 1880, vol. 2, p. 115: pl. 56, figs. 12-18.
- — T. Scott, 1903, p. 22.
- — T. Scott, 1899^c, p. 105: pl. 3, fig. 1-4.

A synonym of Amphiascus tenuiremis.
(Sars, 1906, p. 166).

Arctic Seas.

— — Thompson, 1893, p. 202: pl. 22, f. 4, c-d.

— —, 1948, p. 651.

Dactylopusia tisboides (Claus) - see Dactylopodia

Dactylopusia tropica Sewell, 1940

— — Sewell 1940, p. 227, fig. 43, ♀, Maldive Arch.

-- KRISHNASWAMY 1957d: 37-38, FIG. 6, PORITES BAY, INDIA

Dactylopusia Thalestridae - Harpacticoida.
valida Norman & Scott, ♀.

- — Norman & Scott, 1905, p. 293
— micronyx, Tang, 1936, p. 30.

Habitat. British Seas.

Dactylopusia vulgaris Sars - see Dactylopodia

Dactylopsia vulgaris, Thalestridae - Harpacticoida,
var. dissimilis Brian, ♂, ♀

- — Brian, 1921, p. 81: pl. 10, fig. 1.
— — Tang, 1936, p. 32.

Habitat. Helgoland.