

12) Tachidiidae - Harpacticoida.

Danielssenia, valid

Boeck, 1873, 1872

D. typica ^(M)

Syn. Danielssenia Boeck, 1873, p. 54.

Danielssenia Sars, 1910, p. 336.

Jonesiella Brady, 1880, vol. 2, p. 38.

Zosime (pars), Brady & Robertson, 1875, p. 190.

Body fusiform, with no demarkation between the two divisions. Caudal rami short. First antennae very short, strongly hinged in ♂. Exopod of posterior antennae 3-jointed. Endopod of first legs 2-jointed, of 2nd. legs modified in ♂. Last legs with distal joint well defined.

Paranannopidae: Harpacticoida

Danielssenia

(7)

--, Soyer, 1970, p. 262

- GEE 1988a: 52-53, KEY TO SPP.

- GEE 1988b: 186-187; 193, IN KEY

- HUYS & GEE 1992: 32, RESTRICTED GENUS TO
EXCLUDE D. PEREZI, PARAPERTEZI & EASTWARDI
(NOW IN SENTIRENIA N.G.)

- GEE & HUYS 1990: 1549, - REMOVED D. INTERMEDIA
TO FLADENIA N.G.

- GEE & HUYS 1991: 1135-

DANIELSSENIA

(3)

- GEE + HUYS 1994: 1008 -

DANIELSSENIA TYPICA - & SIBIRICA - GROUPS
LANG, 1944

--- HUYS & GEE 1992: 32, THESE GROUPS
INVALID

--- GEE & HUYS 1990: 1565-

Danielssenia eastwardi Coull - see Sentirenia

Danielssenia fusiformis - see D. typica

Danielssenia intermedia Wells - see Fladenia

DANIELSSENIA MINUTA - SEE SENTIOPSIS

Danielssenia paraperezi Soyer - see Sentirenia perezi

Danielssenia perezi Monard - see Sentirenia

Danielssenia quadriseta Gee 1988

-- Gee 1988a: 43-47, figs. 4-7, n. sp. ♀♂, Oslofjord

-- HUYS & GEE 1992: 53-

-- GEE & HUYS 1990: 1566-

-- GEE & HUYS 1994: 1037, SASSENFJORD, SPITZBERGEN,
NORWAY

-- Huys 1990: 46

Danielssenia reducta Gee 1988a: 47-52

-- Gee 1988a: 47-52, figs. 8-11, n. sp. ♀♂, Auke Bay,
Alaska

-- HUYS + GEE 1992: 53 -

-- GEE + HUYS 1990: 1566 -

DANIELSSENIA ROBUSTA

SARS, 1921

-- --, LANG, 1949, P. 300, PL. 146:3. - DENMARK, SWEDEN WATERS.

-- --, Por, 1964, p. 77, pl. 9 figs. 73-74

-- --, Soyer, 1970, p. 263

-- --, Jakobi, 1959, p. 279

-- GEE 1988 a: 52, 53

-- HUYS & GEE 1992: 53

-- GEE & HUYS 1990: 1565-

-- POR 1962: 19, 51-52, PL. 9 FIGS. 73, 74, MEDIT. COAST, ISRAEL

DANIELSSENIA SIBIRICA - SEE ARCHISENIA

Danielssenia similis Chislenko, 1978

-- Chislenko 1978: 161-165, Figs. 1-3, n. sp. female +
male, Poss'yet Bay, Sea of Japan

-- Huys & Gee 1992: 53-

-- GEE & HUYS 1990: 1566 -

DANIELSSENIA SPINIPES WELLS - SEE

AFROSENIA

Danielssenia spitsbergensis Gee & Huys, 1994

-- Gee & Huys 1994: 1037-, figs. 21-26, n. sp. male
only, Sassanfjord, Spitsbergen, Norway;

INCERTA SEDIS IN DANIELSSENIA

Danielssenia stefanssoni Willey.

— — Willey, 1920, p. 39K: f. 60-67, text.

— —, LANG, 1948, P. 301, PL. 146: 6 - GREENLAND. - CANADA.

— —, Wilson, pp. 437-439, figs. 1-3 1966, ALASKA

— — Tash, 1971, p. 117, 95, CAPE THOMPSON, ALASKA

— —, COULL, 1971: 203, 207, 198

Habitat. Arctic Ocean.

— —, Wilson, 1973, p. 661

— —, Sutherland, 1982, p. 478

— Mohr, et al 1961: fol. 3

Danielssenia stefanssoni Willey, 1920

card 2

-- Gee 1988a: 52, 53

-- SHIH ET AL. 1971: 212, CANADA-ARCTIC

-- TASH + ARMITAGE 1967: 132, CAPE THOMPSON, ALASKA

-- HUYS + GEE 1992: 41-

-- GEE + HUYS 1990: 1566-

Tachidiidae - Harpacticoida

Danielssenia typica Boeck, ♂, ♀,

-- Boeck, 1872, p. 55.

-- Norman + Brady, 1909, p. 138.

-- Sars, 190, p. 336: pl. 223 [14-18: pl. 49, fig. 14.

Jonesiella spinulosa Brady, 1880, vol. 2, p. 41: pl. 48, fig.

--, Scheibel and Noodt, 1975, p. 177.

Habitat, English Seas; Norway Coast.

--, DRZYCIMSKI, 1975: TAB. 1

--, ANGER + SCHIEBEL 1976: pp 4-6; Tab. 1.

- Zosime spinulosa* Brady & Robertson, 1876, p. 196,
Danielssenia typica T. Scott, 1906. 7, p. 333.
— — Sars, 1910, p. 336: pl. 223.
— — Klie, 1929, p. 341:
— — Nicholls 1939 b and 1940, p. 252, fig. 4, ST.
LAWRENCE RIVER (MARINE)
— —, LANG, 1948, P. 299, PL. 145-146: 1 -
— —, Shen & Bai, 1956, pp. 210-211, pl. 11, fig. 81-89.
Off Chefoo, China, p. 230-1
-- --, Wells, 1965. p. 3
-- --, Pesta, 1932, p. 26-7, fig. 21
-- --, Jakobi, 1959, p. 142
-- --, Lang, 1944, p. 9

Danielssenia typica Boeck

card 2

--, Becker, Von K., 1970, p. 58

--, Soyer, 1970, p. 262

--, Coffin, 1978-79, p. 593

-- MÄEMETS + VELDRE 1956a: 22, ESTONIA

-- VELDRE + MÄEMETS 1956: 79, PL. XIII FIGS. 11-15,

ESTONIA

-- GEE 1988a: 39-43, FIGS. 2-3, NORWAY, ALASKA;

D. FUSIFORMIS (BRADY) SENSU SARS (1911) =

D. TYPICA.

Danielssenia typica Boeck

card 3

-- Drzycimski 1986: 552-, Baltic

-- SHIH ET AL. 1971: 212, CANADA-ARCTIC

-- KASK ET AL. 1982: 33, BRITISH COLUMBIA

-- FEDER & PAUL 1980: 31-, PORT VALDEZ, ALASKA

-- CHISLENKO 1977b: 239, FIG. 1 (6, 7), FRANZ

JOSEF LAND

-- HUYS & GEE 1992: 31-

-- GEE & HUYS 1990: 1565-

-- CHISLENKO 1978: 165

Danielssenia typica Boeck

card 4

-- Sars 1898: 343-

-- GEE & HUYS 1994: 1007 - (syn. JONESIELLA
SPINULOSA BRADY & ROBERTSON; + D. FUSIFORMIS OF
LANG, 1936)

-- WILSON, C. B. 1936: 372, CANADIAN ARCTIC, GREENLAND

- D. TYPICA Tachidiidae - Harpacticoida.
Danielssenia fusiformis (Brady & Robertson) ♀

Zosime — Brady & Robertson, 1875, p. 196.

Danielssenia Sars, 1916, p. 7.

Jonesiella Brady, 1880, vol. 2, p. 39; pl. 48, f. 1-13.

Danielssenia Sars, 1910, p. 338; pl. 224.

-- DRZCINSKI, 1975: 43; TAB. 1

Habitat. Norway: European Seas.

-- GEF 1988a: 52-53

— — Willey, 1919, p.

— — Lang, 1936, p. 13,

— —, LANG, 1948, p. 300, Pl. 146:2, -

— —, Jespersen, 1940, p. ⁷⁴~~40~~. Iceland.

-- --, Wells, 1970, p. 256

--, Shen & Bai, 1956, p. 230, not = Jonesiella f.,

an invalid species bec. a syn. of J. spinulosa

--, Jakobi, 1959, p. 142

--, Klie, 1941, p. 7

= D. TYPICA

Danielssenia fusiformis (Brady & Robertson) card 2

--, Montagna & Carey, 1978, p. 119, BEAUFORT SEA

-- GEE 1988a: 39-40, D. FUSIFORMIS (BRADY)
SENSU SARS (1911) SYN. OF D. TYPICA.

-- SHIH ET AL. 1971: 211, CANADA-ARCTIC

-- CRANDELL 1967: 37-, YAQUINA BAY, OREGON

-- HUYS + GEE 1992: 41-, SYN. OF TYPICA

-- GEE + HUYS 1990: 1565

D.F., WILSON, C.B. 1936: 371-372, GREENLAND

DANIELSSENIA sp.

- N. SP., COULL 1968: 59-, BERMUDA

CF. DANIELSSENIA, FICKMAN + THISTLE 1991: 1405-,
OFF CALIFORNIA