

ⁱⁿ
Diphyllogaster, valid,
Brian, 1899b

Caligocida.
Caligidae.

D. Thompsoni ^(M)

Syn. Diphyllogaster Brian, 1899, p. 7.
Diphyllogaster Wilson, 1905, p. 533.

— Dojiri, 1983: 367-368

Δύο = two : φύλλον = lamina : γαστήρ = belly

— PRABHA 1983: 55 —

— PILLAI & PADMANABHAN 1963: 91-93

Body rounded, without dorsal plates: no
lumules: First antennae 2-jointed.

Second + third pairs of legs biramous; first
and fourth pairs uniramous; first 3 pairs with
plumose setae, fourth pair with short spines.

Fourth thorax seg't free, small, and almost
orbicular. - Gen. seg't elongate, $\frac{1}{4}$ longer
than the carapace, bilobed posteriorly for
nearly $\frac{2}{3}$ its entire length. Abdomen entirely
covered by v gen. seg't; 4 times as long as wide,
slender, anal laminae minute.

(Brian. 1898^b p. 7)

Diphylllogaster aliuncus Rangnekar

1955---Rangnekar, M.P. pp. 48-51, figs. 16-28.

--, Pillai & Padmanabhan, 1963?, p. 94, = Paralebion sp.

-- PRABHA 1983: 55

Diphylllogaster thompsoni, Brian, ♀.

—, Brian, 1899 a, p. 7: pl. III, figs. 1-12.

—, Wilson, 1905, p. 533 (in key).

—, Pillai & Padmanabhan, 1963?, p. 91; POSSIBLE SYN.

OF PUPALINA BREVICAUDA

Host, Gills of Dicerobates giornæ, Gunther.

Genoa.

Diphylllogaster thompsoni Brian

(2)

--, Laubier, 1968, p. 159

-- CARLI + BRUZZONE 1973b: 131

-- PRABHA 1983: 55 -