

Pandoridae: Siphonostomatoida Catigoida
Gangliopus, valid,
Gerstaecker, 1854, G. pyriformis
Gangidae.

Has no synonyms.

Γάγχλιον = a swelling or tumour, ὄπυς = footed
Swollen - footed.

Carapace broader in front than behind, not
deeply notched at center. First antennae free,
2-jointed: 1st exopds unciiform.
Three free thorax seg'ts with large dorsal plates,
v 1st. with v inner margins widely separated,
those v 2nd + 3rd. pairs with v inner margins
approximated - All four pairs of thorax
limbs biramous, the first pair with a 1-jointed
exopod + 2-jointed endopod; v 2nd + 3rd pairs with
both rami 2-jointed, while v 4th pair has both
rami 1-jointed.

Gangliopus japonicus Shiino ---- Pannosius

--- ---, Shiino 1960. pp. 493-498, fig. 9-10

Caligidae. Caligoida.

Gaegliopus pyniformis, Gerstaecker. ♂.

— —, Gerstaecker, 1854, p. 192: pl. VII, figs. 9-10.
— —, B. Smith, 1899, p. 465.

Nogagus angustulus (♂), Gerstaecker, 1854,
p. 193: pl. VII, figs. 17 & 18.

— —, B. Smith, 1899, p. 460.
— —, Cressey, 1967, p. 28.

Host. "Shark", Atlantic & West Coast
of Africa.

Nozagus angustulus. Stp. & Ltk. 1861, p. 390
(footnote).

Gangliopus pyriformis Wilson, 1907, p. 350.

Cressey, 1967, p. 3, 18

Cressey, 1968, p. 3

Cressey & Lachner, 1970, p. 312

--, Kazachenko, 1975, p. ~~415~~ 215

- BENZ 1986: 214, 219, SHORT FIN MAKO

Gangliopus pyriiformis

card 2

- Benz & Dupre, 1987: 1275,1276,1278 New York

Host : Prionace glauca (blue shark)

-- PRABHA 1983:55

Gangliopus tetrapturi Yamaguti & Yamasu, 1960

n. sp. Yamaguti & Yamasu, 1960, p. 142-144, pl. 10:
figs. 1-16