

Homoeoscelis

Hansen, 1897.

H. minuta ^①.

Syn. Homoeoscelis Hansen, 1897, p. 93.

ὁμοιος = similar or like.

Nicothoidae - Siphonostomatoida

Homoeoscelis Hansen, 1897

- Gotto 1993: 184-, diagnosis, key

HOMOROSCELIS ELONGATA BOXSHALL & DEFAYE, 1995

-- BOXSHALL & DEFAYE 1995: 283-287, FIG. 1, TAB. 1,

N.S.P., NORTH ATLANTIC, HOST PARALAMPROPS

SEMIORNATUS

Nicothoidae: Siphonostoma-^{toidea} Chontostomatidae - Monstrellidae:
Homoeoscelis frigida Hansen, ♀.

— — Hansen, 1923, p. 65: pl. 5, fig. 1, a-g.

— Humes 1987a: 648

-- Boxshall & Defaye 1995: 287, TAB. 1

Habitat Branchial chamber of Diastylis polaris.

Arctic Ocean

Choniostomatidae-Monstrilloida

Homoescelis longipes Hansen, 1923 ♂. ♀.

— Hansen, 1923, p. 66: pl. —

--, Stephensen, 1940, p. 13

-- BOXSHALL & DEFAYE 1995: 287, TAB. 1

Habitat. Branchial Chamber of Leptostylis
villosa.

Arctic Ocean

Homoeoscelis mediterranea Hansen, ♂ & ♀.

— Hansen, 1897, p. 96: pl. 13, fig. 1, a-h.

-- GOTTO 1993: 184, FIG. 45 I-K

-- BOXSHALL + DEFAYE 1995: 287, TAB. 1

Habitat. Branchial cavity of Iphinoë tri-
spinosa

Mediterranean.

Chonistomatidae - Monstrilloida,

Homoeoscelis minuta Hansen, ♂. ♀.

— — Hansen, 1897, p. 94: pl. 1, fig. 3, a-b: pl. 2,
fig. 1, a-b.

--- GOTTO 1993: 184-, FIG. 45 L-N

-- BOXSHALL & DEFAYE 1995: 287, TAB. 1

Host. Branchial cavity of Diastylis lucifera

Denmark.

HOMEOSCELIS SEDENTARIA (BONNIER, 1898)

SAHAERONELLA SEDENTARIA, BONNIER 1896:

BRITISH SEAS; EX CUMACEA SP, CYCLASPIS

LONGICAUDATA

H. -, BOXSHALL & DEPAYE 1995: 287, TAB. 1