

Paramesochndal: Harpacticoida  
Kliopsyllus KUNZ, 1962

- Kunz, 1962. 251; Tafel 1+2
- Huys 1987:203 - 206
- Huys, 1988: 3-
- Kunz 1981a: 6-, 11-14, REVIEW, KEY

Kleioopsyllus abyssalis n.sp.

--, Becker, 1979, p. 3-4, figs. 2, 3

Kliopsyllus abyssalis - see Scottopsyllus

Kliopsyllus acutifurcatus Mielke

— Mielke, 1985: 102–105, fig. 4–5

-- Mielke 1987b: 350, Chile

Kliopsyllus arenicolus (Krishnaswamy, 1957)

Paramesochra arenicola, Krishnaswamy 1957d: 108-110, fig.  
25, n. sp. female + male, Krudasai Island, Madras;  
unpublished thesis.

Paramesochra -us, n. comb., Lang 1965:

P. -us, Kunz 1981a: 11-

Kliopsyllus atlanticus Kunz, 1983

-- Kunz 1983: 120, 179-183, Figs. 34,35, n. sp. female  
+ male, Azores

-- Kunz 1981a: 11-

KLOPSYLLUS CALIFORNICUS KUNZ, 1981

-- KUNZ 1981a:11, 14, 24, FIG. 14-16, N.S.P. ♀, SAN FRANCISCO, CA  
-- Hays 1987: 206

Kliopsyllus capensis (Krishnaswamy, 1957)

Emertonia -, Krishnaswamy 1957d: 115, 120-122, fig. 30,  
n. sp. male + female, Cape Comorin, Madras; in  
unpublished thesis

Kliopsyllus -, n/ comb., Lang 1965:

K. -, Kunz 1981a: 11-

Kliopsyllus chilensis Mielke

→ Mielke, 1985: 97-102 fig. 1-3

= Kliopsyllus

Canthocamptidae-Harpacticoida

Paramesochra coelebs (Monard)

Emertonia coelebs

Leptopsyllus \_\_\_, Monard 1935 a, p. 61, fig. 155-163, ♂  
Biol. Sta. Roscoff, Atlantic-France

Paramesochra \_\_\_, Nicholls, 1939a, p. 333

Paramesochra \_\_\_, Kunz 1938, p. 229

Emertonia coelebs, Nicholls 1945c, p. 103

--, Hana, 1948, p. 875.

--, Wells, 1963, p. 15

P. coelebs - Božić, 1953-54

Synonym of Kliopsyllus holsatica (Klie) - Kunz, 1962, p. 251

Synonym of Kliopsyllus coelebs (Monard) (<sup>P. coelebs</sup> Lang 1948) - Kunz 1962 p. 251

--, Jakobi, 1959, p. 145

--, Bozic, 1953, p. 18-20, fig. 1

--, Bodin 1968: p. 281.

--, Bozic 1954: 10.

= *KLIOPSYLLUS*

Paramesochra coelebs (Monard)

card 2

P., Scheibel, 1975, p. 238

T., Kunz 1981 a: 11-

P., Pesta 1959: 145-, Figs. 123a-f, OFF NAPLES, ITALY

Kliopsyllus coeleps (Monard)

Paramesochra c. Lang, 1948; Chappuis 1954.

Emertonia c., Nicholls, 1945.

Leptopsyllus c., Monard 1935.

Kliopsyllus coeleps, Kunz, 1962. p. 251

EMERTONIA COELEBS, KRISHNASWAMY 1957d:115

Kliopsyllus constricta (Nicholls)

Leptopsyllus constrictus Nicholls 1935.

Emertonia constrictus

Paramesochra constricta

Kliopsyllus constricta, Kunz, 1962. p. 251

-- --, Wells, 1970, p. 264

-- Coull and Vernberg, 1975, p. 290.

- constrictus, Wells, et al, 1975: 184

-- K. constrictus: Kunz, 1974, p. 266

Kliopsyllus constrictus (nicholls, 1935)

--, Moore, C.G., 1976, p. 451

--, Scheibel, 1975, p. 238

-- CONSTRICRUS, Hays 1987:193, SCO DUTCH COAST.

EMERTONIA CONSTRICRITA, KRISHNASWAMY 1957d:115

K. c. S-STR., KUNZ 1981a: 11-

KLIOPSYLLUS CONSTRICTUS OROTAUAE (NOODT, 1958) ♂  
PARAMESOCHRA OROTAUAE, NOODT 1958: 78-81, FIGS.  
94-104, N.S.P.

KLIOPSYLLUS CONSTRICTA OROTAUAE, N.COMB., KUNZ  
1962: 252

PARAMESOCHRA CONSTRICTA o., RAO & GANPATI 1969:

KLIOPSYLLUS CONSTRICTA o., MASRY 1970: 242-249,  
FIG. 8, REDESCRIPTION ♀♂

K.-us o., SCHEIBEL 1975: 238

K.-us o., KUNZ 1981: 11-

KHOIOPSYLLUS CONSTRICTUS OROTAVAE (NOORDT, 1958) 2  
--- BODIN 1979: 105

Kliopsyllus constrictus Pacificus Mielke

- Mielke, 1984: 239-243, fig. 18-20

--- Mielke 1987b: 351-352, fig. 22, Chile

--- Hays 1992: 69-70, SPECIES RANK

Kliopsyllus debilis Kunz, 1981

-- Kunz 1981: 12, 14, 20, Fig. 10, 11, n. sp. female only,  
Hawaii (Oahu)

Kliopsyllus enalius (Krishnaswamy, 1957)

Paramesochra enalia, Krishnaswamy 1957d: 61-62, fig. 12,  
n. sp. female only, Madras, India; also p. 108; in  
unpublished thesis.

Kliopsyllus -, n. comb., Lang 1965:

K. -us, Kunz 1981a: 12-

Kliopsyllus furcavaricatus (Kunz, 1974)

Krishnapsyllus -, Kunz 1974: 144-151, fig. 2-19, n. sp.  
female + male,

Krishnapsyllus -, Wells et al. 1975: 187, 188, fig. 25-27

Kliopsyllus -, n. comb., Kunz 1981a: 12-

Kliopsyllus gigas - see Scottopsyllus (Wellsopsyllus)

~~Stenocampitidae~~ Remaneidae Nicholls 1945  
Emertonia gracilis n.gen.:n.sp. ♂, ♀.

— — Wilson, 1931,

— — Wilson, 1932, p. 256: pl. II.

— — Nicholls 1945, p. 103, review of genus, key

— —, HANG, 1948, p. 879.

Habitat. Beach sand, Buzzards Bay.

— — Kunz, 1962. p. 252

— — KRISHNASWAMY 1957d: 115

— — KUNZ 1981a: 14, INCERTA SEDIS IN KLIOPSYLLUS

Kliopsyllus Holsatica (Klie) <sup>45</sup>

(1)

Paramesochra h., Klie 1929, 1950  
Lang 1948  
Kunz 1951  
Noodt 1952, 1956, 1957  
Jakobi 1959

Emertonia H., Nicholls, 1939.

Paramesochra coeleps, Božić, 1953, 54

P. pygmaea Nicholls, 1939.

E. pygmaea, Nicholls, 1945.

Kliopsyllus holstaica, Kunz, 1962. p. 251, fig. 8

— Scheibel, 1975: 235, 238.

— Mielke, 1975: 83, fig. 54

KLIOPSYLLUS HOLSATICUS (Klie, 1929)

CARD 2

-- HOLSATICUS, Hays 1987: 193, SW DUTCH COAST.

EMERTONIA HOLASTICA, Krishnaswamy 1957d: 115  
K. -us, Kunz 1981a: 12 - (S-STR.) ; 13, K. PYGMAEUS

NOT A SYNONYM.

Kliopsyllus holsaticus coenosis

--, Scheibel and Noodt, 1975, pp. 173,176.

Kliopsyllus holsaticus longicaudatus Galhano, 1970

--- Kunz 1981a: 12-

Kliopsyllus holsatica varians (Kunz) 1951

Paramesochra h. v., Kunz 1951.

K. h. v., Kunz, 1962. p. 251, fig. 9

---, Wells, et al., 1975: 184

---, Scheibel, 1975, p. 238

--- Hays 1987: 206

K. holsaticus-, Kunz 1983: 185, 188

K.-us-, Kunz 1981a: 12-

Kliopsyllus idiotes Wells 1967

- Wells, 1967: 303-305, Fig. 5b, n.sp.

-- Hayss 1987: 206

-- Kunz 1981a: 6-, 12-

Kliopsyllus insularis Kunz, 1981

-- Kunz 1981a: 2, 12, 14, 20, Abb. 6-9, n. sp. female + male, Hawaii (Oahu)

~~Paramesochra~~ ~~LAURENTICUS~~

Canthocamptidae-Harpacticoida  
*Paramesochra laurentica* Nicholls

- R. - Nicholls 1939 a, p. 339, fig. 7, St. Lawrence ♀  
P. - Nicholls 1939 b, p. 302  
P. - Nicholls 1940, p. 302  
P. - Nicholls 1945c, p. 104, position uncertain  
P. - Kunz, 1962. p. 252  
P. - Wells, 1963. p. 17

KHLOPSYLLUS -as, Kunz 1981a: 14

Kliopsyllus longifurcatus n.sp.

--, Scheibel, 1975, p. 235-240, figs. 1-14

-- Kunz 1981a: 12 -

Kliopsyllus longisetosus (Krishnaswamy, 1951)

Paramesochra longisetosa, Krishnaswamy 1951: 278-280,  
figs. 21-29, n. sp. female only

P. -a, Krishnaswamy 1957d: 60-61, fig. 11, described male,  
Madras; also p. 109; in unpublished thesis

Kliopsyllus -us, n. comb., Lang 1965:

K. -us, Wells et al. 1975: 187-188

K. -us, Kunz 1981a: 12-

Canthocamptidae-Harpacticoida  
Paramesochra major Nicholls /

Nicholls 1939 a, p. 336, fig. 6, St. Lawrence, ♀ ♂

Nicholls 1939 b, p. 302

Nicholls 1940, p. 302

Nicholls 1945c, p. 104, in key and new family

Synonym of Kliopsyllus major - Kunz, 1962 p. 252

Wells, 1963. p. 17

P. -, KRISHNA SWAMY 1957 d: 108

Kliopsyllus major (Nicholls)

Paramesochra m. Nicholls 1939, 1945, ST. LAWRENCE RIVER

K. major, Kunz, 1962. p. 252

PARAMESOCHRA -, KRISHNASWAMY 1957d: 62

K. -, KUNZ 1981a: 12-

P.M., NICHOLLS 1940: 244-.

Kliopsyllus masryi Bodin, 1979

Kliopsyllus minutus, Masry 1970: 240-242, fig. 7, n. sp.

female + male, Mediterranean coast, Israel

K. minutus, COTTARELLI 1971c: 20; FIG. 2, ITALY

K. masryi, nom. nov. Bodin 1979:

K. masryi, Kunz 1981a: 12-14, gives synonymy

Kliopsyllus miguelensis Kunz, 1983

KUNZ 1983:

-- 120, 185-188, Figs. 37, 38, n. sp. male only, Azores

-- KUNZ 1981a: 13, 14

Kliopsyllus minutus (Krishnaswamy, 1957)

Emertonia minuta, Krishnaswamy 1957d: 115, 118-120,  
fig. 29, n. sp. female only, Krudasai Is., Madras;  
in unpublished thesis.

Kliopsyllus -us, n. comb., Lang 1965:

K. -us, Kunz 1981a: 13, 14, gives synonymy

Kliopsyllus minutus Masry - see Kliopsyllus masryi

Kliopsyllus panamensis Mielke

- Mielke, 1984: 235–238, fig. 15–17
- Huys 1987: 204, 206

Kliopsyllus paraholsaticus MielKE, 1975

- MielKE, 1975: 83 - 86, fig. 55-56

-- Kunz 1983: 183

-- Kunz 1981a: 13, 14

Kliopsyllus perharidiensis (Wells, 1963)

Paramesochra -, Wells 1963: 16

P. -, Wells 1963: 93

Kliopsyllus -, n. comb., Kunz 1971: 353, pl. 3 figs. 23-24

K. -, Scheibel 1975: 238 (gives synonymy)

K. -, Kunz 1981a: 13, 14

Kliopsyllus ponticus (Serban, 1959)

Paramesochra pontica, Serban 1959: 274-275, n. sp. female  
only, Agigea, Romanian Black Sea coast

P. -a, Plesa 1963: 805

K. -us, Bodin 1967: (n. comb.)

K. -us, Kunz 1981a: 13, 14, gives synonymy; possible syn.  
of K. holsaticus longicaudatus

Kliopsyllus psammobiontus (Noodt, 1964)

Paramesochra psammobionta, Noodt 1964: 146-147, fig. 133-  
144, n. sp. female + male, Gardaga, Red Sea, Egypt

K. -us, n. comb., Wells 1976:

K. -us, Kunz 1981a: 13, 14, gives synonymy

Kliopsyllus psammophilus (Noodt, 1964)

Paramesochra psammophila, Noodt 1964: 145-146, fig. 120-  
132, n. sp. female + male, Gardaqa, Egypt, Red Sea

Kliopsyllus psammophilus, n. comb., Wells 1976:

K. -us, Kunz 1981a: 13-

Kliopsyllus pseudogracilis (Krishnaswamy, 1957)

Emertonia -, Krishnaswamy 1957: 115, 116-118, fig. 28,  
n. sp. Madras; in unpublished thesis

Kliopsyllus -, n. comb., Lang 1965:

Paramesochra -, n. comb., Rao & Ganapati 1969:

K. -, Kunz 1981a: 13-

K. -, Kunz 1983: 183

Kliopsyllus pygmaeus (Nicholls, 1939a)

Paramesochra pygmaea, Nicholls 1939a: 334, fig. 4, n.sp.

female + male, Firth of Clyde

Emertonia pygmaea, Nicholls 1945c: 103

E. -a, Krishnaswamy 1957d: 115

E. -a, Kunz 1962: 251, syn. of Kliopsyllus holsatica

K. -us, Kunz 1981a: 13, 14, not syn. of K. holsaticus

Kliopsyllus

regul'ex stans

Mielke

- Mielke, 1984: 125 — 130, fig. 40A-B, 41-44
- Mielke, 1984: 230 — 231, fig. 11

Kliopsyllus runtzi - see Scottopsyllus

Kliopsyllus similis Mielke, 1984

- Mielke, 1984: 131 - 135, fig. 40A, 45-47
- Mielke, 1984: 231 - 234, fig. 12-14
- Huys 1987: 206
- Reid 1990g: 201

KLIOPSYLLUS SPINIGER Wells, Kunz, Rao, 1975

- Wells, et al., 1975: 179-184 ♀ ♂, 187, 188; FIG. 1-18
- Mielke, 1984: 119-125, fig. 36-39, 40A
- Hays 1987: 206 (K. s. SPINIGER)
- Kunz 1981a: 6 -, 13, 14, 5. STR.

KLIOPSYLLUS SPINIGER ORNATUS KUNZ, 1981

-- KUNZ 1981a: 13, 11, 20, 24, FIGS. 12, 13, A. SSP. ♂, HAWAII  
--- Hays 1987: 206

Kliopsyllus unguiseta Mielke

- Mielke, 1984: 135-142, fig 40A, 48-51  
-- Hays 1987: 204, 206

Kliopsyllus wilsoni (Krishnaswamy, 1957)

Paramesochra -, Krishnaswamy 1957: 108, 111-112, fig. 26,  
n. sp. female only, Krudasai Is., Madras; unpublished  
thesis.

Kliopsyllus -, n. comb., Lang 1965:

K. -, Kunz 1981a: 13, 14

KLIOPSYLLUS sp.

-- COTTARELLI 1971C: 29, ITALY