

Lamippeidae - Notodetraphyoidae
Poecilostomatoida

Lomanoticola valid

T. & A. Scott, 1895

L. insolens. (M)

Syn., Lomanoticola T. & A. Scott, 1895, p. 360.

- BELCİK 1981: 22

Splanchnotrophidae - Lernaeopodoidae
Splanchnotrophus brevipes Hancock & Norman

- S. — Hancock & Norman, 1863, p. 55: pl. 16, fig. 1-6.
S. — Norman & Brady, 1909, p. 155, [1879, p. 568]
S. — Bergh, 1867, p. 124: 1868, p. 137: 1876, p. 409: n
S. — Hecht, 1896, p. 87: pl. 2, fig. 17.
S. — Ho, 1981: 135

Host, Doto coronata & Eolis rufibranchialis, under the skin.

- S. — Lambier, 1963: 112

British Seas.

5. — Monod & Dollfus, 1932, p. 166.

5. -- --, Bresciani et Lutzen 1962. p. 394

5. - JENSEN 1987: 76-, HOST RECORDS

5. GOTTO 1993: 149-, FIG. 56N

11. 11. 1931. 10. 11. 1931.

LOMANOTICOLA BREVIPIES (HANCOCK + NORMAN, 1863)

-- HUYS 2001: 121, 123-124, N. COMB.; EX

SPLANCHNOTROPHUS

Splanchnotrophidae - Lernaecoida.

Lomanoticola insolens T. Scott, ♀.

-- T. Scott, 1895, p. 360: pl. 17, figs. 1-2.
-- Huxs 2001: 121, 123-124, TAB. 1

Host, Lomanotus genei

British Seas,