

MISOPHRIIDAE BRADY, 1878

- BOXSHALL 1973: 103-, ARCHIMISOPHRIA N.G., MISOPHRIELLA N.G., MISOPHRIOPSIS N.G.
- BOXSHALL & LIFFE, 1987: 223-, ~~N. G.~~ PALPOPHRIA N.G., EXPANSOPHRIA N.G., DIMISOPHRIA N.G.
- BOXSHALL & LIFFE 1986: 55-, SPELEOPHRIA N.G.
- JAUME & BOXSHALL 1997: 40, FOSSHAGENIELLA N.G.
- JAUME & BOXSHALL 1996: 990, SPELEOPHRIOPSIS N.G.

MISOPHRIODA

- FOSSHAGEN & ILLIFFE 1989: 201
- POIR 1984: 2-
- HO 1990b: 528-, PHYLOGENY OF ORDERS
- HO 1994: 32-38, TABS. 1, 3, 4, CLADISTICS

MISOPHRIOIDA SP. JUVENILE, BOXSHALL & ILIFFE, 1986
-- BOXSHALL & ILIFFE 1986: 61-64, FIGS. 5, 6,
JANE'S CAVE, BERMUDA

in

Harpacticoida - Misophriidae

Misophria valid -

Boeck, 1865⁴

M. pallida ^(M)

⁴

Syn. Misophria Boeck, 1865, p. 248.

Misophria G.O. Sars, 1903, p. 5.

Misophria Brady, 1878, p. 79.

Body stout: head fused with 1^o seg't.: wro-
some narrow and subcylindrical. 1^o an-
tennae many-jointed, geniculate in the ♂.
2^o antennae with 3-jointed endopod and
6-jointed exopod. Swimming legs like
those of Cyclops. 5^o pair uniramous and
3-jointed.

MISOPHRIA

—, BOXSHALL, FERRARI + TIEMANN, 1984: 75, 79

MESOPHRIA, CLAUS 1893c: 333

—, NICHOLLS 1933: 48

— BOXSHALL & ILLIFFE, 1987: 223, 225—

— HO 1988: 556—, OUTGROUP IN CLADISTICAL ANALYSIS

— TIEMANN 1984: 54—, FIG. 12, BODY PLAN

MISOPHRIA JAPONICA TANAKA, 1966

-- TANAKA, 1966: 51-55 FIGS. 1-2

--, (= BENTHOMISOPHRIA PALLIATA), BOXSHELLY ROE, 1980: 12

Misophria kororiensis -- see Stygomisophria

MISOPHRIA MACULATA TANAKA, 1966

-- TANAKA, 1966: 55-56 FIG. 3

--, (= BENTHOMISOPHRIA CORNUTA), BOXSHALL & ROE, 1980: 23

Misophriidae-Harpacticoida.

Misophria pallida Boeck, ♀.♂. 1964

-- Boeck, 1865, p. 24 (248). [§. 11-12.

-- Brady, 1878, p. 79: pl. 13, §. 11-16: pl. 18, ^

-- Norman & Brady, 1909, p. 117.

-- T. Scott, 1906, p. 305: 1899^e, p. 92.

-- Hammond, 1973, p. 339.

Habitat, English Coast (Brady): Franz
Josef Land (Scott): Polar Islands north
of Grinnell Land: Suez Canal.

- — G.O. Sars, 1904, p. 6: pls. 1 & 2.
- — Giesbrecht, 1893, p. 56: pl. 5, f. 1-15.
- — Thompson, 1893, p. 185: pl. 21, f. 1, a-c.
- — Gurney, 1927, p. 458.

--, Hammond, 1968, pp. 37-39, fig. 1 ~~W~~

--, Boksaally & Roe, 1980: 32-33 NAUPLIUS, COPEPODID I, 38; FIG. 19

Misophria pallida Boeck, 1864

card 2

- , Boxshall, 1982, p. 125-181, figs. 2, 32,
- , Boxshall, 1983, p. 103, 120.
- , Boxshall & Iliffe, 1987: 230, 250
- SHIH ET AL. 1971: 211, CANADA - ARCTIC
- OHTSUKA ET AL. 1992: 859-, FIG. 10
- BOXSHALL & ILIFFE 1986: 55-
- MARTÍNEZ ARBIZU & SEIFRIED 1996: 295
- BOXSHALL 1989: 523, 524, TAB. I
- BOXSHALL 1990: 515-519

③

MISOPHRIA PALLIDA BOECK, 1864
-- JAUME + BOXSHALL 1996: 989

Misophria sinensis - see Misophriopsis