

in

Chondracanthidae - Lernaeopoda.
Siphonostomatoidea

Nectobrachia

Fraser, 1920.

N. indivisa ^(M)

Syn Nectobrachia Fraser, 1920, p. 66.
family Lernaeopodidae Fraser.

Nectobrachia = joined maxillae.

NECTOBRACHIA FRASER, 1920

-2-

- KABATA 1988: 40, 70

NECTOBRAACHIA ICELI Ho + I.H. Kim, 1996

-- Ho + I.H. Kim 1996: 275, 295-300, FIG. 16, N.SP.,
SEA OF OKHOTSK; HOST ICELUS OKHOTENSIS

Chondracanthidae-Lernaeopodoida:

Nectobrachia indivisa Fraser, ♀.

— Fraser, 1920, p. 66: pl. 8, f. 110-112.

--, Kabata, 1970, pp. 882-5, figs. 74-83.

--, Kabata, 1970, fig. 50

~~---, Kabata, 1970,~~

Host, Gills of Platichthys stellatus.

-- Ho & I. H. Kim 1996: 297

--, Kabata, 1976, p. ~~2524~~, ~~tbl. 1~~
pp. 2507, 2520, 2523, 2524, 2525, figs. 57-69,
tbl. 2

--, Kabata & Cousens, 1972, *passim*

-- KABATA 1988: 70, FIG. 33 F-J; HOST RECORDS.

-- CHANDRAN & BALAKRISHNAN NAIR 1980a: 155 -

Nectobranchia producta (Hasen, 1923)

--, Kabata, 1970, p. 885 = Lernaeopodopsis producta.

-- Ho & I.H. Kim, 1996: 300

Chondracanthidae - Lernaepodoida

Nectobranchia wilsoni Yu & Wu, ♀.

— — Yu & Wu, 1932, p. 71: pl. 8, figs. 1-6.

Host. Gills, Microstomus stelleri Schmidt

Chefoo, China