

EX LAOPHTONTIDAE

~~Cletodidae~~-Harpacticoida

Subfam. NORMANELLINAE, nov.

\_\_\_\_\_ Lang 1948, p. 1436.

-- Huys + Wilhems 1989: 203-, REVISION; ELEVATION  
TO FAMILY RANK (PROVISIONAL)

in) Leaophontidae - Harpacticoida.  
Normanellidae

Normanella valid (M)

Brady, 1880, N. dubia.

Syn. Normanella Brady, 1880, vol. 2, p. 87,

Normanella G.O. Sars, 1909, p. 277.

Leaophonte (pars) Brady & Robertson,  
1875

Not in Leaophontidae Nicholls 1941

To Canon Alfred M. Norman.

Normanellidae, Nicholls 1945a, p. 12

- Lang, 1965: 528-529 Key

Body short and stout; seg'ts. sharply marked;  
genital seg't. in ♀ divided in the middle.  
Caudal rami distant and sublinear. 1st. antennae only 5-jointed, 1st. joint of terminal part fused at base with preceding joint; strongly hinged in ♂. Exopod of 2nd. antennae 1-jointed Mandible palp biramose. Exopod of first legs very small, 3-jointed, abruptly bent at base. Endopod of other legs 2-jointed, not transformed in ♂.

Normanella aberrans Bodin 1968

-- --, Bodin, 1972, p. 857

-- --, BODIN 1968: pp. 101-104; Pls. LXIII - LXII  
(sic.), ♀ & ♂.

-- HAYS + WILLEMS 1989: 224

Isaophontidae-Harpacticoida.

Normanella attenuata A. Scott, ♀.

— — A. Scott, 1896, p. 47: pl. 4, fig. 8-20.

— — T. Scott, 1902, a, p. 464: pl. 23, fig. 2-4.

— — T. Scott, 1906, b, p. 337.

--, Vervoort, 1964, p. 270, 272

Habitat. British Seas.

Normanella bolini Lang

-- --, Bodin, 1972, p. 857

— Lang, 1965: 529-533, fig. 294-295

-- COTTARELLI ET AL. 1983: 277

-- HAYS + WILLEMS 1989: 224

Normanella confluens

Lang

Bodin, 1972, p. 857

→ Lang, 1965: 533-537, fig. 296-298

-- COTTARELLI ET AL. 1983: 277

-- HUYS + WILLEMS 1989: 274

Laophontidae - Harpacticoida.

Normanella dubia (Brady & Robertson), ♀

Laophonte - B. & R., 1876, p. 196.

Normanella - Brady, 1880, vol. 2, p. 87: pl. 78, fig. 12-22.

— — Norman & Brady, 1909, p. 140

— — T. Scott, 1906, b. p. 337.

A synonym of Normanella minuta.  
(Sars, 1909, p. 278).

-- Thompson, 1893. p. 200: pl. 21, f. 6, a-d.

-- --, Wells, 1970, p. 267

Laophontidae - Harpacticoida

Normanella incerta Lang, ♀

— — Lang, 1935, p. 50: figs. 138-143.

--, Vervoort, 1964, p. 376

-- HUYS + WILLEMS 1989: 224

Habitat, Campbell Island.

Leaophontidae - Harpacticoida.

Normanella minuta (Boeck) ♂. ♀. ①

Mesochra m. - Boeck, 1872, p. 50.

Normanella m. - Sars, 1909, p. 278: pl. 193.

Normanella dubia Brady, 1880, vol. 2, p. 87: pl. 78, fig. 12-22.

— minuta Willey, 1932, p. III: figs. 74-75.

Monard 1935a, p. 74, Roscoff, France

Habitat. British Isles (Brady): Norway (Sars).  
Bermuda.

—, Hamond, R., 1969, p. 12, fig. 21

—, Roe, 1958, 233

N. minuta, Wells, 1964. p. 457

-- --, Wells, 1965. p. 6

-- --, Bodin, 1972, p. 857

--, Dolzonolskaya, 1970, p. 112, Pl. XXXVII, fig. 2,

--, Vervoort; <sup>syn. Mesochra m.</sup> 1964, p. 376

--, Jakobi, 1959, p. 135

--, Klie, 1950, p. 126-7, fig. 160

--, ROE, 1960: 287

--, BODIN 1972: p. 673; Tab. 2.

--, Coffin, 1978-79, p. 593

- Pallares, 1975: 224-227, fig. 11.

NORMANELLA MINUTA (BOECK) 1872

(2)

-- BOZIC 1964: 490

-- PALLARES 1975b: 6, 30, TIERRA DEL FUEGO

-- HICKS 1980: 165-, BRITAIN

-- REID 1990g: 200

- BODIN 1960: 152-, GULF OF MARSEILLES

- HUYS + WILLEMS 1989: 224

- POR 1962: 38.

Laophontidae - Harpacticoida.

Normanella mucronata G.O. Sars, ♀.

— — Sars, 1909, p. 280: pl. 194, fig. 2.

— — Monard, 1928, p. 432 i fig. 45.

— — Monard 1935a, p. 75, Roscoff, France

— — Dolzonolskaya, 1970, p. 112, pl. XXXVI, fig. 5

Habitat. Norway Coast.

— —, Vervoort, 1964, p. 376

— —, MARCOTTE & COULL, 1974: 290 i TAB. 1

- , Jakobi, 1959, p. 141
- ROUCH 1962: 238, 240 - PUNTA CANTERAS,  
ARGENTINA
- HAYS + WILLEMS 1989: 224
- POR 1962: 33

NORMANELLA MUCRONATA REDUCTA NOODT, 1955

--- NOODT 1955:

--- POR 1959: 362-363, FIG.

--- UERVOORT 1964: 376

--- BODIN 1979: 153

--- HUYS + WILLEMS 1989: 224

Normanella porosa Noodt

-- -- Noodt, 1964. pp. 152-153, fig. 187-192

-- Huys + WILLEMS 1989: 224

## Normanella quarta Monard

Monard 1935a, p. 75, fig. 212-219, ♀, Roscoff,  
France

-- --, Wells, 1970, p. 267

--, Vervoort, 1964, p. 376

-- REID 1970: 38, NORTH CAROLINA

-- HUYS + WILLEMS 1989: 224

Normanella semitica Monard

1935--- page 65-66, Fig. 82-87

--, Vervoort, 1964, p. 376

-- HAYS + WILLEMS 1989: 224

-- POR 1962: 38, MEDITERRANEAN

Normanella serrata Por 1959

- --, Bozic, 1964, p. 489 - 490, FIGS. 5(1-6)  
-- -- Por, 1964, p. 121

p-- , Dolzonolskaya, 1970, p. 112, pl. XXXVII, fig. 3

- ? , Coffin, 1978-77, p. 593

- Por, 1959: 363-364, fig. 84-88

~~Por~~

- HARTZ BAND 1971: 127, ST. THOMAS

- HUY S + WILLEMS 1989: 224

1971: 333E BLACK SEA

Laophontidae - Harpacticoida

Normanella similis Lang. ♂ ♀.

— — Lang, 1936, p. 42: figs. 125-127.

--, Vervoort, 1964, p. 376

--, Klie, 1950, p. 127

- HAYS + WILLEMS 1989: 224

Habitat, Northwestern Öresund

Laophontidae - Harpacticoida.

Normanella tenuifurca G. O. Sars, ♀.

— — Sars, 1909, p. 280: pl. 194, f. 1.

— — ♂ Monard 1935a, p. 75, fig. 210-211, Roscoff, France

— —, Wells, 1963, p. 25

--, Vervoort, 1964, p. 276

--, Jakobi, 1959, p. 141, 279

Habitat. Norway Coast (Sars),

-- Huls + Willems 1989: 224

NORMANELLA SP.

-- COULL 1968: 92, BERMUDA

-- KASK ET AL. 1982: 38, NANAIMO, BRITISH COLUMBIA

-- ALVAREZ 1987: 5, OFF SÃO PAULO, BRAZIL