

Oithonidae—Cyclopoida

Paroithona

Farran, 1908.

P. parvula ^(M).

Syn. Paroithona Farran, 1908, p. 89.

Paroithona G.O. Sars, 1918, p. 207.

Prefix Para and Oithona.

PAROITHONA FARRAN, 1908

②

- BJÖRNBERG, T. 1986: 63
- OLSEN 1949: 48-, DIAGNOSIS, SYNONYMY

Paroithona flemingeri Ferrari & Bowman

— Ferrari & Bowman, 1980: 22, fig. 14,
N. S. / VENEZUELAN COAST

PARAOITHONA -, LANSAC TÔHA + LIMA 1993: 91, TAB. 1,
S. PAULO, BRAZIL

Paroithona pacifica Nishida 1985

- Nishida, 1985: 109-113, fig. 64-65
- Ferrari & Bottger, 1986: 274-285
fig 1-6
- BÖTTGER-SCHNACK 1988: 313-, RED SEA
- BOTTGER 1985: 123-, RED SEA

Cyclopoida.

Paroithona parvula Farran, ♀.

— — Farran, 1908, p. 89: pl. 10, fig. 1-13.

— — Sars, 1918, p. 208: pl. 114.

— — Kiefer, 1929, p. 11.

Habitat. English Seas; Norway.

Paroithona parvula Farran, 1908

2

- , Razouls, 1968, pp. 153-8, 1 pl.
- Shuvalov, 1980: 191-193, fig. 2j, 27j-r
- Deevy & Brooks, 1977: 265, OFF BERMUDA
- OLSEN 1949: 9, 49; Pl. IV FIG. 1-7, OFF US
W. COAST; SYNONYMY.

Cyclopoida

Paroithona pulla Farran, ♀.

— — Farran, 1913, p. 190: pl. 29, figs. 1-9; pl. 31, ^{Fig. 1}

— — Kiefer, 1929, p. 11:

--, Razouls, 1968, p. 154

--, NISHIDA, ET AL., 1977: 79-80; FIG. 26

--, Shmeleva, 1973, p. 537

Habitat. Indian Ocean.

— Shuvalov, 1980: 193-194, fig. 54a, 64a-i

PAROITHONA SP.

-- NISHIDA 1986b: 385--

-- BÖTTGER-SCHNACK 1988: 312, RED SEA

-- BÖTTGER-SCHNACK 1992: 304, RED SEA

Paroithona spp.

— Nishida, 1985: 137, fig. 88

-- BÖTTGER-SCHNACK 1997: 410-, TAB. 86, E.

MEDITERRANEAN