

in/

Pseudogaptilus

G.O. Sars, 1907

~~Calanidae~~ ~~Calanoida~~

(M)

P. longiremis

Syn. Pseudogaptilus Sars, 1907, p. 24.

— Tanaka, 1964d: 84

— MAUCHLINE 1988: 705

General form like Augaptilus, but abdomen 4-jointed; rostral appendages styliform, like Heterornabdus. 1st. ant. longer than body; 2nd. ant. with elongated equal rami; mandibles with masticatory blade slender, almost styliform, toothed at the end, palp biramose; maxillae with well-defined endopod lobe, 2 submaxillary setiferous lobes, no epipodal lobe. Rami of first 4 pairs of legs 3-jointed; 5th. pair like others 3-jointed.

Pseudaugaptilus longiremis G.O. Sars, ♀♂.

— — Sars, 1907, b., p. 24.

— — Sars, 1925, p. 310: pl. 109, f. 1—17

— —, Vervoort, 1951, p. 144, fig. 82. ANTARCTIC WATERS.

— —, Jespersen, 1940, p. 62-63. S. of Iceland.

Habitat. Temperate Atlantic.

— —; Park, 1970, pp. 478, 541.

— —; Vervoort, 1957, p. 140.

--, Roe, 1972a, pp. 299-

--, Roe, 1972b, p. 1035 (?Syn. P. orientalis)

Pseudaugaptilus longiremis Sars 1907

card 2

-- Soldevilla, et al. 1988: 60 Canary Islands

-- HULSEMAN 1989: 97-99, PROPOSED CONSER-
VATION OF NAME

-- RAZOUK 1994: 12

Pseudaugaptilus orientalis Tanaka, 1964

--, Roe, 1972d, p. 1035 (?Syn. P. longiremis).

--, ITOH, 1970: TAB.1

—Tanaka, 1964d: 85-86, fig. 216a-j.

PSEUDOGAPTILUS POLARIS BRODSKY

— — 1950, P. 391, Fig. 278.

--, Morris, 1970, pp. 2301, 2316-2319, fig. 11.

PSEUDAGAPTILUS SP.

--, MOTODA + MINODA, 1974:233