

in

Harpacticoida-Ectinosomidae

Pseudobradya

Sars, 1904,

P. minor ♂.

Syn. Bradya (pars) T. Scott.

Pseudobradya G.O. Sars, 1904, p. 40

Pseudobradya G.O. Sars, 1920, p. 31.

Pseudo and Bradya.

—Lang, 1965: 67-69 Key.

General body form like Ectuiosoma: 1°
antennae short, proximal joints expanded.
Exopod of 2° antennae sometimes 2-jointed.
5° legs very large and lamellar - distal
joint always well developed.

PSEUDOBRADYIA SARS, 1904

2

- MARCOTTE 1986b:189

Ectinosomidae - Harpacticoida.

Pseudobradya acuta G.O. Sars, ♀.

- Sars, 1904, p. 41 : pl. 23, fig. 1,
- Lang, 1935, p. 334 (key)
- , HANG, 1948, (P. 241, Pl. 125:6 - S:238:-)
- BODOU 1974b: 275

Habitat. Norway Fjords.

- nr. acuta, WILLEY 1920: 29, CAMDEN BAY, ARCTIC ALASKA

Ectinosomidae - Harpacticoida

Pseudobradya ambigua Sars ♀ ♂.

— — Sars, 1920, p. 40; pl. 25: 16 figs.

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, (p. 245, Pl. 127: 10.)

Habitat. Norway Fjord.

Ectinosomidae - Harpacticoida

Pseudobradya attenuata Sars ♀ ♂.

— — Sars, 1920, p. 34: pl. 22, 12 figs.

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, (p. 282, pl. 127:4, 5:284)

— — Jakobi, 1959, p. 280,

Habitat. Norway Coast.

PSEUDOBRADYA BANYULensis SOYER, 1974

-- SOYER, 1974a: 138, 145-149 ♀; pl. IX - X

Pseudobradya beduina Monard, 1935

1935--- page 21-22, Fig. 4-11

---, NOORDT, 1955, P.P. 35. Fig. 1-5.

---, HANG, 1948, P. 246, Pl. 127:13

--- ---, Guille & Soyer, 1966, pp. 347-348, f. 1

--- ---, Bodin, 1972, p. 846

---, Stock & Vos, 1960, p. 208

--, SOYER, 1974a: 1974a: 128

--, BODIN 1970: pp. 398-399, 431; Pl. 8; Tab. 3.

--, BODIN 1968: p. 280.

- , BODIN 1971: pp. 418, 428-Tab.
- , BODIN 1972: p. 659.
- Mielke 1975: 23-26, fig. 10-12.
- ~~- Mielke 1975~~,
- CRANDELL 1967: 37
- KUNZ 1983: 119-, AZORES, 126
- BODIN 1964: 123-, PL. I FIG. 4, GULF OF MARSEILLES
- APOSTOLOV 1977: 9-10, FIG. 1

Pseudobradya beduina faialensis Kunz, 1983

--- Kunz 1983: 119, 122-126, Figs. 1, 2A-D, 3A-B, n. sp.
female only, Azores

PSEUDOBRADYIA BREVICANDIDA Soyer, 1974

-- Soyer, 1974a: 128-134 ♀; Pl. I-IV

PSEUDOBRADYA BREVICORNIS (T. Scott)

- SOYER 1974a: 127, 134
-- REID 1970: 36-, NORTH CAROLINA
-- REID 1978: 45-, NORTH CAROLINA

Pseudobradya cornuta Lang, 1965

--, Coffin, 1978-79, p. 593, GULF OF MAINE, USA
— Lang, 1965: 69-73, fig. 34-36, N.S.P.,
MONTEREY BAY, CALIFORNIA, USA

Pseudobradya crassipes Lang

-Lang, 1965 & 73-77, fig. 37-38

Ectinosomidae - Harpacticoida

Pseudobradya digitata G.O. Sars, ♀

— — Sars, 1920, p. 31; pl. 19.

— — Lang, 1935, p. 334 (key).

— —, Lang, 1948, p. 241, Pl. D7:15:244.

Habitat. Norwegian Coast.

Pseudobradya distinctum Wells

--- --- Wells, 1968, p. 399 - 401, Fig. 2-4
--- --- Wells, 1970, p. 256
---, Moore, C.G., 1976, p. 451

Ectinosomidae - Harpacticoida.

Pseudobradya elegans (T. & A. Scott), ♀.

Bradya T. & A. Scott, 1896, p. 422: pl. 35, fig. 4, 10, 15, 25,

Pseudo- T. Scott, 1906, a, p. 309 [28, 36, 38, 40: pl. 36, fig. 4, 11.]

— — Wars, 1911, p. 359: suppl., pl. 6, fig. 1.

— — Lang, 1935, p. 333 (in key).

Habitat. British Seas: Norway Coast.

--, SOYER, 1974a: 128

Ectinosomidae - Harpacticoida

Pseudobradya exilis Sars, ♀.

— — Sars, 1920, p. 38: pl. 24, fig. 2.

— — Lang, 1935, p. 334 (key).

— —, LANG, 1948, p. 244, Pl. 121: 8.

— —, Wells, 1965. p. 3

— —, Jakobi, 1959, p. 280

Habitat Norway Fjord.

— Reidenauer & Thistle, 1981: Mol. 4

—, THISTLE, 1980 : 389, 391-393; FIGS. 5, 6

— REID 1990: 199

Tictonosomatidae-Harpacticoidae.

Pseudobradya fusca (T. & A. Scott), ♀.

Bradya T. & A. Scott, 1896, p. 424; pl. 35, figs. 6, 12, 18, 20,
Pseudo- T. Scott, 1906, a, p. 310.

— — Sars, 1911, p. 357; Suppl. pl. 4, fig. 2.

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, (p. 240, Fig. 125:4)

Habitat. British Seas: Norway Coast.

-- Bodola 1974 b: 275

--, SOYER, 1974a: 140

Pseudobradya hirsuta (T. & A. Scott), ♀.

Bradya T. & A. Scott, 1896, p. 423: pl. 35, figs. 2, 8, 17,
Pseudo- T. Scott, 1906, a, p. 309,

— — Sars, 1911, p. 356: Suppl. pl. 4, fig. 1.

— — Lang, 1935, p. 333 (key).

— —, HANG, 1948, P. 239, Pl. 125: 3, 126: 2.

Habitat. British Seas: Norway Coast.

— —, Wells, 1970, p. 256

— —, POR, 1964, p. 76, pl. 9 figs. 66-69

— . SOYER, 1974a: 128

--, SODIN 1968. p. 280.
—, Wells, 1967: 235-237, fig 25-26 A-G
—, Moore, C. G. 1971C: 183-, FIG. 1(F), ISLE OF MAN
—cf.—, POR 1962: 18, 50, PL. 9 FIGS. 66-69, MEDITERRANEAN
COAST OF ISRAEL

PSEUDOBRADYA KUSNEZOVI CHISLENKO, 1967

Pseudobradya lanceta  Coull

— Coull, 1986: 122–126, fig 1–3, N.S.P.,
PUGET SOUND, WASHINGTON STATE, USA

Ectinosomidae-Harpacticoidae

Pseudobradya leptognatha G.O.Sars, ♀.

— — Sars, 1920, p. 32: pl. 20.

— — Lang, 1935, p. 334 (key).

— — HANG, 1948, P.242, Pl. 127:2 S.244.

-- , Jakobi, 1959, p. 280

Habitat. Norwegian Coast.

-- ; SOYER, 1974a: 128

=PSEUDOBRADYA

Ectinosomidae - Harpacticidae

Ectinosoma major Olofsson, ♀

①

— — Olofsson, 1918, p. 12: figs.

— —, Borutsky, 1952, p. 90, (fig. 31, 15) USSR

— —, Lang, 1948, p. 220, Pl. 118: 4.

Habitat. Arctic -

(2)

Pseudobradya major (Olofsson, 1917)

--, Wilson, 1973, p. 657-6602, fig. 1-17, syn. =
Ectinosoma major Olofsson, 1917, N. LOMB;
NUWUK LAKE,
ALASKA

-- REED 1990 b: 348

Ectinosomidae - Harpacticoida

Pseudobradya maxima Lang, ♀

— — Lang, 1935, p. 332, fig. 1.

— — , Lang, 1948, (p. 246, Pl. 127: 12)

-- , Jakobi, 1959, p. 280

Habitat. Skagerrak.

Ectinosomidae - Harpacticoida.

Pseudobradya minor (T. & A. Scott), ♀
(1894)

Bradya - T. & A. Scott, 1896, p. 425: pl. 35, fig. 5, 9,
13, 21, 24, 31, 35, 42: pl. 36, fig. 5, 9.

— — Brady, 1907, p. 332: pl. 9, fig. 1-3.

Pseudobradya - Sars, 1904, p. 41: pl. 22, fig. 2.

P. - SOYER, 1974a: 197

Habitat. Salt-water pond, England.

BRADYA - , THOMPSON 1895: 101

P. - ROE, 1960: 278

P. — T. Scott, 1906, a. p. 309.

P. — Willey, 1920, p. 27K: f. 34-38, text.

P. — Monard 1935a, p. 13, Roscoff, France

P. —, NOODT, 1956, P. 45, N. SEA.

BRADYA —, T. SCOTT 1899c : 94

BRADYA —, PESTA 1932: 17

ECTINOSOMA —, KLINE 1927: 4

ECTINOSOMA —, PESTA 1932: 17, FIG. 10

PSEUDOBRADYA MINOR (T. A. Scott) (2)

— —, LANG, 1948, P. 237, Pl. 125:1.

— —, Wells, 1963. p. 11

— —, Wells, 1965. p. 3

— —, Wells, 1970, p. 256

— —, Bodin, 1972, p. 346

— —, Stock & Vos, 1960, p. 208

— —, Pesta, 1932, p. 17

— —, CHSLEJKO, 1977: TAB. I

— —, BODIN 1971: pp. 417-418, 427, 430, 4a&-Tab; Fig. 3.

--, Dolzonolskaya, 1970, p. 62, pl. VIII, fig. 3

--, BODIN 1972: pp. 659, 675; Tabs. 2,3.

- Pseudobradya minor (T & A Scott) card 3
- , Becker, Von R., 1970, p. 56, 58, (et, fig. 2(1-3))
- , Sutherland, 1982, p. 478.
- Horner & Murphy, 1985: 203, passim, ARCTIC.
ALASKA
- SHIH ET AL. 1971: 210, CANADA- ARCTIC
- REED 1990b: 348
- CHISLENKO 1977b: 271, FRANZ JOSEF LAND
- KUNZ 1983: 126
- MOORE, C. G. 1976c: 133, FIG. 1(D), ISLE OF MAN
- APOSTOLOU 1977: 8

PSEUDOBRADYA MINOR (T & A SCOTT, 1896)

4

-- C. B. WILSON 1936 : 373, CANADIAN ARCTIC &
GREENLAND

Pseudobradya oligochaeta (Chislenko) 1967

-- Bodiou 1974b:271-

-- BODIN 1977:321

Ectinosomidae - Harpacticoida

Pseudobradya parvula Sars, ♀.

— — Sars, 1920, p. 36 : pl. 23, fig. 2.

— — Lang, 1935, p. 334 (key)

— — Lang, 1948. (p. 243, p. 243, Pl. 127:6 - 5:244.)

— , Raibaut, 1968, p. 456

— , Jakobi, 1959, p. 280

Habitat. Norway Coast.

— , Sower, 1974a : 145

PSEUDOBRADYA PECUNIFERA Lang

- Lang, 1965: 82 - 85 , fig. 42-43

-- Soyer, 1974a: 128

-- Bodola 1974b: 275

Pseudobradya pelobates

-- --, Jakobi 1954 pp. 20- 232, figs. 4 5 6

Habitat: Bay of Parana, Brazil

Pseudobradya Pelegonos

-- --, Jakobi 1954 pp. 210-232 figs. 4,5,6,

Habitat: Gulf of Parana, Brazil.

Pseudobradya pelotrophes

-- --, Jakobi 1954, pp. 210-232 Figs. 4,5,6,

Habitat: Bay of Parana, Brazil.

PSEUDOBRADYA PERESI JOYER, 1974

-- JOYER, 1974a: 128, 140 - 145 ♀; PL. VII - VIII

--, JOYER, 1974b: 191

Ectinosomidae - Harpacticoida

Pseudobradya proxima Brady - ♀

— Brady, 1910, p 510 : pl. 52, f. 4 : text fig. 5
— Lang, 1935, p. 334 (key)

Habitat Antarctic Ocean

Pseudobradya psammophila Bodiou, 1974

-- Bodiou, 1974b:265, 271-275, Pls. III, IV, n. sp. ♀ only,
Banyuls-sur-Mer, France

Ectinosomidae - Harpacticoida

Pseudobradya pulchella Sars. ♀

— — Sars, 1920, p. 37; pl. 24, fig. 1.

— — Lang, 1935, p. 334 (key).

— —, Lang, 1948 (p. 243, pl. 127:7, s. 244.)

— — —, Wells, 1965. p. 3, 31, fig. 105-107

— Coull and Vernberg, 1975, pp. 290-292, figs. 1-3.

Habitat. Norway Coast.

— , Coull, et al., 1979: 186; Fig. 1; TAB. 2

— , Coull + Dudley, 1976: 39; FIG. 2; TAB. II

- , SOYER, 1974a: 128
--, Montagna et al, 1983: *passim*
-- COULL & FELLER 1988: 479-, S. CAROLINA
-- BODIOU 1974b: 270-
-- FELLER ET AL. 1990: 1915-, SOUTH CAROLINA
.. KUNK 1983: 126

Pseudobradya pulchra (Lang), 1965

--, Coull, 1970, p. 130, table I

--, Coull, 1971, p. 208, 218

-- Lang, 1965: 77-82, fig. 39-41, pl. II, fig c-e
MONTEREY BAY, CALIFORNIA

-- Wells 1986: 133

-- Bodiole 1974b: 270 -

-- BRICKMAN 1972: 132-, NEW JERSEY, SALT MARSH

-- REID 1990g: 199

-- HARTZBAND 1971: 12-, ST. THOMAS

-- MOREIRA, G., JILLETT ET AL. 1982: 90

Ectinosomidae - Harpacticoida

Pseudobradya pygmaea Sars, ♀

— — Sars, 1920, p. 39 : pl. 24, fig. 3.

— — Lang, 1935, p. 334 (key)

— — Lang, 1948, (p. 245, Pl. 127:9)

-- , Jakobi, 1959, p. 280

-- , SOYER, 1974a : 128

Habitat. Norway Coast.

Ectinosomidae - Harpacticoida

Pseudobradya quoddensis Willey, ♀.

— — Willey, 1931, p. 607; pl. 19, figs. 21-22.

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, (p. 246, Pl. 127:11)

-- Kunz 1983: 126

Habitat. Canadian shore.

Pseudobradya rhea Bodin, 1977

-- Bodin 1977:318-321, fig. 4, n. sp. ♀ only; Rivedoux,
île de Ré, France

Ectinosomidae - Harpacticoida.

Pseudobradya robusta G.O.Sars, ♀.

— — Sars, 1911, p. 358 : suppl., pl. 5;

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, (P. 241, Pl. 125: 7 - 5-235)

— — Chappuis 1957 / Puget Sound

— — Chappuis 1958 p 411

Habitat. Norway Coast.

— , SOYER, 1974a : 138, 149

Ectinosomidae-Harpacticoida

Pseudobradya scabrivsula Sars, ♀.

— — Sars, 1920, p. 33: pl. 21, 11 figs.

— — Lang, 1935, p. 334 (key).

— — Lang, 1948, P. 472, Pl. 127: 3 - 5: 244.

-- , Jakobi, 1959, p. 280

-- , SOYER, 1974a: 128

Habitat. Norway Coast.

Pseudobradya similis (T. & A. Scott.), ♀.

Bradya T. & A. Scott, 1896, p. 424: pl. 35, figs. 3, 7, 16, 27.

Pseudo- Sars, 1904, p. 42; pl. 23, fig. 2.

— — T. Scott, 1906, a, p. 309.

— — Lang, 1935, p. 334 (key).

— — Sewell 1940, p. 139, fig. 4, Maldives Arch. ♀

Habitat. British Seas.

— —, Wells, 1970, p. 256

— —, Lang, 1948, p. 239, (pl. 125:2 - 126:1.)

— —, SOYER, 1974a : 107, 128, 140

(See back.)

-- --, Bodin, 1972, p. 846

--, BODIN 1970: p 398, 431; Pl. 7, Tab. 3.

--, BODIN 1968: p. 279.

--, BODIN 1971: pp. 418, 428-Tab.

--, BODIN 1972: pp. 659, 675; Tabs. 2, 6.

-- BODIN 1974b: 275 ..

-- CRANDELL 1967: 37, a "SIMILAR" SP. FROM
YAKIMA BAY, OREGON

-- C.B. WILSON 1936: 373, CANADIAN ARCTIC OCEAN

Pseudobradya soyeri Bodiou, 1974

-- Bodiou, 1974b:265-271, Pls. I, II, n. sp. ♂♂, Banyuls-sur-Mer, France

PSEUDOBRADYA SPINULOSA SOYER, 1974

-- SOYER, 1974a : 128, 134-140 ♀ ; PL. IV - VI

Ectinosomidae - Harpacticoida

Pseudobradya tenella Sars ♀

-- Sars, 1920, p. 35; pl. 23, fig. 1.

-- Lang, 1935, p. 334 (key)

--, Lang, 1948, (P. 243, Pl. 127:5 - 5:244)

--, Jakobi, 1959, p. 280

--, Soyer, 1974a: 128

Habitat. Norway Coast.

PSEUDOBRADYA TRUNCATISEMA JOYER, 1974

-- JOYER, 1974a: 128, 149-153 ♀; PL. XI - XII

--, JOYER, 1974b: 191

Pseudobradya usitata Noodt

-- -- Noodt, 1964. pp. 129-130, fig. 1-5(pl. 1)

Pseudobradya sp.

—, Coull, 1971, p. 208

-- Coull and Vernberg, 1975, p. 290.

--, Coffin, 1978-79, p. 593

--, Wilson, 1973, p. 661

--, Fleeger, et al., 1983, passim.

--, REID + ESTEVEZ, 1984:313, 319-320

-- BELL + McLINTOCK 1982:232

-- GRAINGER + MOHAMMED 1986:304-, ARCTIC

-- DRZYCIMSKI 1986:552-, BALTIC

-- OLAFSSON + ELMGREN 1997:149-162, BALTIC

PSEUDOBRADYA spp.

- spp. 1-3, CRANDELL 1967: 37-, YAQUINA BAY, OREGON
- spp. A, B, ECKMAN & THISTLE 1991: 1405-, OFF CALIFORNIA