

in

Tachidiidae - Harpacticoida.

Diosaccidae

Robertsonia valid.

Brady, 1880.

R. tenuis.

Syn. Robertsonia Brady, 1880, vol. 2, p. 24

Robertsonia Sara, 1909, p. 334.

Ectinosoma (pars) Brady & Robertson, 1875.

Robertsonia Lang 1935: Diosaccidae

To Prof. D. Robertson -

Gurney 1927 Diosaccidae, Nicholls 1941 b, p. 85

Abdomen separated distinctly from cephalothorax  
1st. antennae short, 7- or 8-jointed. Endopod of  
2nd. antennae of medium size, 2-jointed. Mandible  
palp composed of large basal joint and two rami.  
First mx'pd. short and broad; 2nd. mx'pd. 3-jointed  
forming a prehensile hand. First 4 pairs of  
legs alike, each ramus 3-jointed; 5th. legs folia-  
ceous, 2-jointed. Last joint of endopod of 2nd.  
legs of ♂ converted into 2 or 3 strong spine-  
like processes.

ROBERTSONIA

(2)

- FIERS 1996: 128-129, KEY TO SPECIES.

Lictinosomidae - Harpacticoida

Robertsonia aculeifera Klie. ♀, ♂

syn.

— — Klie, 1913, p. 41: figs. 25-31, text

Thompsonula hyaenae, Gurney 1927f, p. 530

"

"

Nicholls 1941 b, p. 88

—, Pesta, 1932, p. 22

Habitat, German coast

ROBERTSONIA ADDUENSIS (SEWELL, 1940)

Teissierella adduensis Sewell

T. — Sewell 1940, p. 291, ♀, fig. 65, Nicobar Ids

Robertsonia -, Krishnaswamy 1957d:51-52, Porites Bay, Madras, India; n. comb, but is unpublished thesis.

ROBERTSONIA -, FIEFS 1996: 127-129, TAB. 1

Robertsonia angolensis (Monard)

Amphiascus \_\_\_\_\_ Monard, 1934

Robertsonia \_\_\_\_\_ Nicholls, 1941 b, p. 88

-- , LANG, 1948, P. 637.

-- NOGUEIRA, M. H. 1961: 6

-- BODIN 1964: 130-, GULF OF MARSEILLES

-- FIERS 1996: 127-129, TAB. 1

-- POR 1962: 26

Robertsonia barnesi sp. nov. (Hammond)

-- Hammond, R., 1972, pp. 422, 430-433, figs. 29-4

--, Hammond, 1973: 472

-- Fiers 1996: 127-129, TAB. 1

Robertsonia celtica (Monard)

- Teissierella \_\_\_\_\_ Monard 1935<sup>a</sup>, p. 24, fig. 21-23, Roscoff
- Robertsonia ? Monard 1935 . p. 27 footnote
- Robertsonia \_\_\_\_\_ N. Cholls 1941b, p. 87-88

—, LANG, 1948, P. 638.

-- Hamond, 1973, pp. 433

--, ROE, 1958: <sup>229,</sup> 1248; FIG. 115-129

-- GEE 1987: 503-, ENGLAND

-- GEE + FLEGER 1990: 296

-- NOGUEIRA, M. H. 1961: 6

ROBERTSONIA CELTICA (MONARD, 1935)

-- FIERS 1996: 127-129, TAB. 1

(2)

ROBERTSONIA CHESAPEAKEENSIS - SEE  
PARAROBERTSONIA

Robertsonia curtisii

Greenwood & Tucker

— Greenwood & Tucker, 1982: 288-293,  
fig 1-2.

-- FIEBS 1996: 127-129, TAB. 1

Ectinosomidae - Harpacticoida  
Diosaccidae

Robertsonia diademata Monard ♀

syn.

— — Monard, 1928, p. 298 : fig. 5.

R. knoxi Gurney 1927 f, p. 530

R. knoxi Nicholls 1941 b, p. 88

— —, LANG, 1948, p. 635.

R.d., NOGUEIRA, M. H. 1961: 6

Habitat. Banyuls

R.d., POR 1973: 96

R.d., FIEBS 1996: 127-129, TAB. 1

~~Zetinosomidae~~ - Harpacticoida  
Diosaccidae

Robertsonia flavidula Willey. ♂♀.

— — Willey, 1931, p. 613: figs. 48-56, 58.

— — Nichols 1941 b, p. 88

— —, LANG, 1948, p. 637.

-- REID 1990g: 198

-- NOGUEIRA, M.H. 1961: 5, 6

Habitat. Rock scrapings, Bermuda.

-- FIERS 1996: 117, 127-129, TAB. 1

ROBERTSONIA GLOMERATA FIERs, 1996

-- FIERs 1996: 117-128, FIGS. 1-7, TAB. 1, N.SP.,  
NORTH CAROLINA, USA

Ectinosomidae - Harpacticoida  
Diosaccidae

Robertsonia hamata Willey, ♀, ♂

— — Willey, 1931, p. 612: figs. 44-48, 57.

— — Nicholls 1941 b, p. 88

— —, LANG, 1948, p. 636.

-- REID 1990 g: 198

-- NOGUEIRA, M. H. 1961: 1-

Habitat, South shore of Bermuda

-- GERLACH 1958: 670-, TAB. 6, CANANÉIA, SÃO PAULO, BRAZIL

-- FIEBS 1996: 117, 127-129, TAB. 1

-- JAKOBI 1956: 167-168, FIG. 6, SÃO PAULO, BRAZIL



Robertsonia

Diosaccidae - Harpacticoida

Stenhelia knoxi (Thompson & Scott) ♀.

— Thompson & Scott, 1903, p. 262: pl. 10, f. 15-18.  
Robertsonia — Gurney, 1927f, p. 532: fig. 147.A-D.

Robertsonia knoxi, Nicholls 1941 b, p. 88

—, NOODT, 1955, p. 65.

—, LANG, 1948, p. 635.

Habitat. Pearl oyster washings, Ceylon.  
Suez Canal.

— Hamond, 1973, p. 434.

—, COULL, 1970: 341

- , COULL, 1973d: TAB. I
- , BOUVÉE & JOYER, 1974: 142
- , MARCOTTE & COULL, 1974: TAB. I

Robertsonia knoxi (THOMPSON & A. SCOTT, 1903) card 2

--, Guille & Soyer, 1974, p. 308

-- YEATMAN 1976: 202, 212, FIGS. 57-61, JAMAICA

— Wells, 1967: 193

— Por e' Marcus, 1972: 263 Suez canal

-- KRISHNASWAMY 1957d: 51, KUNDUGA CHANNEL, MADRAS

-- COULL 1968: 59-, BERMUDA

-- REID 1990g: 198

-- NOGUEIRA, M. H. 1961: 6

-- BODIN 1964: 130-, GULF OF MARSEILLES

Robertsonia knoxi (Thompson & A. Scott, 1903) card 3

-- Por 1973: 91-, Sinai (Mediterranean)

-- POR 1984b: 70

-- FIER5 1996: 117, 127-129, TAB. 1

-- POR 1962: 16, 24, MEDITERRANEAN COAST, ISRAEL

Robertsonia knoxi brasiliensis

-- --, Jakobi 1954 pp. 224, fig. 12.

~~Wells, 19~~

Habitat: Bay of Parana Brazil.

--- NOGUEIRA, M.H. 1961: 1-

--- HAMOND, 1973 e: 434, SYN. OF R. KNOXI S-STR.

Robertsonia monardi (Klie)

①

Varnaia monardi, Klie 1937, p. 31

Robertsonia \_\_\_\_\_ Nicholls 1941 b, p. 87-88

— —, LANG, 1948, P. 637.

— —, Dolzonolskaya, 1970, p. 78, pl. XVII, fig. 5, syn:  
Varnaia monardi

— — Hamond, R., 1973, p. 422.

— Michailova - Neikova, 1968: 214

— Wells, 1967: 193

— Serban, 1959: 270

Romania

Robertsonia monardi (Klie)

card 2

-- Nogueira, M.H. 1961: 5, 6

-- FIER 5 1996: 127-129, TAB. 1

-- POR 1962: 26, 36, 39, BLACK SEA

ROBERTSONIA MOUREI NOGUEIRA 1961

-- NOGUEIRA, M. H. 1961: 1-6, FIG. 1, N. S. P. 25, SANTA CATARINA, BRAZIL

-- ~~WELLS, 1973: 133, 134, 145~~

-- JAKOBI & GOMES DA FONSECA 1984: 117, FIG. 2

-- WELLS & MCKENZIE 1973: 133, 134, 145 - ALDABRA

-- HAMOND 1973b: 434

-- BODIN 1979: 67

-- POR ET AL. 1984: 224-, SÃO PAULO, BRAZIL

-- POR 1984b: 70

-- FIERS 1996: 127-129, TAB. 1

Ectinosomidae - Harpacticoida  
Diosaccidae

Robertsonia normani Brady. ♀.

syn.

— — Brady, 1910, p. 512: text-fig. 7.

An Ectinosomiid, Gurney, 1927 f. p. 530

— —, LANG (P. 260, 1948, Pl. 135.)

Habitat. Antarctic Ocean.

Robertsonia paramonardi Nicholls

\_\_\_\_\_, Nicholls 1945a, p. 5, fig. 4, ♀♂, Port Denison, w. Australia

-- Hamond, 1973, pp. 422.

-- FIER5 1996:128

-- POR 1962:26

Robertsonia propinqua (T. Scott)

Dactylopus propinquus, T. Scott 1894

Amphiascus scotti, Sewell 1924, p. 99 pls. 10-11

Robertsonia propinqua, Gurney 1927 f, p. 530

Robertsonia \_\_\_\_\_ Nicholls 1941 b, p. 86, 88

— —, HANE, 1948, P. 634.

— —, Candeias, 1959, p. 92-95, f. 9. Angola.

R. propinquum, Chappuis, 1957. Puget Sound

— —, Chappuis 1958 p. 411

— — Hammond, 1973, p. 422-434, figs. 1-28.

— —, COLL, ET AL., 1979: 183, 187; FIG. 1; TAB. 2

- , HAMMOND, 1973: 394, 418; TAB. 2
- , ROSENFELD & COULL, 1974: 314
- , HICKS, 1977a: 452; TAB. 3, 4
- , COULL & FLEEGER, 1977: 332
- , WELLS, 1973: 133, 134
- , ROSENFELD 1967: 324.
- Wells, Hicks & Coull, 1982: 164
- KONDALARAO 1984: 82.
- YEATMAN 1976: 212
- Wells, 1967: 192

ROBERTSONIA PROPINQUA (T. SCOTT, 1894) CARD 2

--, WELLS & MCKENZIE 1973: 133, 134 - ALDABRA

-- WELLS 1986: 128 -

- POROÏ MARCUS, 1972: 263 SUEZ CANAL

-- KASK ET AL. 1982: 36, NANAIMO, BRITISH COLUMBIA

-- PALLARES 1970: 275, PL. X, XI, RÍA DESEADO, ARGENTINA

-- IWASAKI 1993: 402, TABS. 3, 4, NEW ZEALAND

-- FIERS 1996: 117, 127-129, TAB. 1

ROBERTSONIA ROBUSTA WELLS + RAO, 1987

-- WELLS + RAO 1987: 100-103, FIGS. 84-87, N.SP.

♂, NICOBAR ISLAND.

-- FIERS 1996: 127-129, TAB. 1

~~Ectinosomidae~~ - Harpacticoida  
Diosaccidae

Robertsonia salsa Gurney, ♀♂. ①  
syn.

— Gurney, 1927<sup>b</sup>, p. 175: figs. 33-40.

R. knoxi Gurney 1927 f, p. 530

R. knoxi Nicholls 1941 b, p. 88

— Por, 1977: 88

Habitat. Brine pools, Kabret.

-- Por 1973: 91, TAB. III-VI, SINAI (MEDITERRANEAN)

- Por, 1979: 14 Gulf of Elat, Red Sea

-- NOGUEIRA, M. H. 1961: 6

-- Por 1984b: 70

- ROBERTSONIA Salsa GURNEY, 1927 (2)
- FIERs 1995: 302, YUCATÁN GULF COAST, MEXICO
  - FIERs 1996: 127-129, TAB. 1

~~Ectinosomidae~~ - Harpacticoida.  
Diosaccidae

Robertsonia tenuis (Brady & Robertson), ♀. ①

Genotype

*Ectinosoma* - Brady & Robertson, 1876, p. 196.

*Robertsonia* - Brady, 1880, vol. 2, p. 25: pl. 41, fig. 1-14,

— — Norman & Brady, 1909, p. 124,

— — T. Scott, 1906, b, p. 325: 1899<sup>e</sup>, p. 96.

-- Hamond, 1973, p. 43A,

Habitat. English Seas (Brady); Norway  
Coast (Sars).

— Scott & Scott, 1901: 342

— — Sars, 1910, p. 334; pl. 222.

— — Stephensen, 1913, p. 332.

— — Thompson, 1893, p. 193; pl. 19, f. 4, a-d.

— — Gurney 1927 f, p. 530

— — Nicholls 1941 b, p. 88

— —, LANG, 1948, P. 632.

--, Jakobi, 1959, p. 141

-- SHIH ET AL. 1971: 210, CANADA-ARCTIC

-- CHISLENKO 1977 b: 246-248, FIG. 6 (5-7),

FRANZ JOSEF LAND

-- C. B. WILSON 1936: 373, CANADIAN ARCTIC

ROBERTSONIA TENNIS (BRADY + ROBERTSON, 1876)

-- FIERS 1996: 127-129, TAB. 1

-- LANG 1935: 4-7, FIGS. 1, 5

Robertsonia tenuis (Brady & Robertson) kieliensis ssp. nov.

--, Becker, Von K., 1970, p. 56, 59, 61, fig. 3 (1-7)

-- NOGUEIRA, M. H. 1961: 6

ROBERTSONIA SP.

- CARMAN ET AL. 1991: 305-, FLORIDA GULF COAST
- CARMAN & DOBBS 1997: 117, 124, FIGS. 3I, 5, 6B,  
TAB. 2, HAWAII