

Paramesochridae; Harpacticoida

SCOTTOPSYLLUS KUNZ, 1962

- , KUNZ 1962
- , LANA 1965: 378, KEY TO SPECIES.
- , THISTLE 1982: 232
- , HUYS 1987: 203 - 207 - S. (SCOTTOPSYLLUS)
- Huys 1988: 4, 16, 17
- KUNZ 1981a: 2-, TRANSFERRED INTERMEDOPSYLLUS +  
WELLOPSYLLUS TO SUBGENERA OF SCOTTOPSYLLUS;  
14-, REVIEW

SCOTTOPSYLLUS (INTERMEDOPSYLLUS) KUNZ, 1962

INTERMEDOPSYLLUS, KUNZ 1962: 247-248, 252-253, n.g.

--, Huys 1987: 203

-- KUNZ 1981a: 2; TRANSFERRED INTERMEDOPSYLLUS  
TO SUBGENUS OF SCOTTOPSYLLUS

SCOTTOPSYLLUS (SCOTTOPSYLLUS) KUNZ, 1962

--, Huys 1987: 203

-- Huys 1988: 17

-- Kunz 1981a: 14-

SCOTTOPSYLLUS (WELLSOPSYLLUS) KUNZ, 1981

--, Hays 1987: 203

-- KUNZ 1981a: 2-, SPECIFIED AS SUBGENUS OF  
SCOTTOPSYLLUS

Scottopsyllus (Wellsopsyllus) abyssalis (Becker, 1979)

Kliopsyllus abyssalis, Becker 1979:

Scottopsyllus (Wellsopsyllus) -, n. comb., Kunz 1981a:

2, 14-15

Scottopsyllus (Wellsopsyllus) gigas (Wells, 1965)

Paramesochra gigas, Wells 1965: 14-17, fig. 29-40, n.sp.

Scottopsyllus (Wellspsyllus) <sup>o</sup>- , n. comb, Kunz 1981a: 2,15

= Scottopsyllus Canthocamptidae - Harpacticoida.

Leptopsyllus herdmani Thompson & Scott, ♀, 1

= Paramesochra herdmani

— — Thompson & Scott, 1900, p. 141: pl. 8, fig. 1-9.

--, Dolzonolskaya, 1970, p. 91, a syn. of Paramesochra h.

Habitat. British Seas.

Synonym of Scottopsyllus herdmani - Kunz, 1962 p. 253

= SCOTTOPSYLLUS Remaneidae, Canthocamptidae--Harpacticoida  
Paramesochra herdmani (Thompson & Scott)

2

~~see~~

Leptopsyllus Herdmani, Thompson & Scott 1900, p. 141. pl.  
8, fig. 1-9

Kunz, 1937 b

P. \_\_\_\_\_ Kunz 1938, p. 229

P. \_\_\_\_\_ Nicholls 1939 a, p. 333, in key

\_\_\_\_\_ Nicholls 1945c, p. 104, in key

— —, Noodt, 1956, p. 54 -

— —, HANG, 1946, p. 872.

P. —, KRISHNASWAMY 1957d: 108

Synonym of Scottopsyllus herdmani - Kunz, 1962. p. 253

--, Dolzonolskaya, 1970, p. 91, pl. XXVI, fig. 2,  
syn.: Leptopsyllus h.

--, Jakobi, 1959, p. 143

P.-, PLESÁ 1963: 805

Scottopsyllus herdmani (Thompson & Scott)

Leptosyllus h. Thompson & Scott 1899

Paramesochra h., Nicholls 1945

Scottopsyllus h., Kunz, 1962. p. 253

-- --, Wells, 1970, p. 264

--, DRZYCIMSKI, 1975: 43; TAB. I

— Mielke, 1975: 88, fig. 59

-- DRZYCIMSKI 1986: 552-, BALTIC

PARAMESOCHRA -, KRISHNASWAMY 1957d: 62, 108

—, KUNZ 1981a: 7-

—, KUNZ 1981b: 34. BLACK SEA

①

Scottopsyllus (Intermedopsyllus) intermedius (T. & A.  
Scott, 1895)

Leptopsyllus intermedius, T. & A. Scott, 1895: 51-,  
pl. 5 f. 1-11, n. sp.; IN CANTHOCAMPTIDAE

L. -, Thompson & Scott 1900: 141

L. -, Th. Scott 1906b: 344

Paramesochra intermedia, n. comb., Klie 1929: 358, fig. 41

Paramesochra intermedia, Kunz 1938: 231, Abb. 1 fig. 3-7,  
Abb. 2 fig. 8-11

PARAMESOCHRA INTERMEDIA, Nicholls 1939a: 333, IN KEY

Scottopsyllus (Intermedopsyllus) intermedius card 2

Paramesochra intermedia, Lang 1944: 26, gives synonymy

Paramesochra intermedia, Nicholls 1945c: 102, in key;

transferred to family

Paramesochra intermedia, Lang 1948: 874

P. -a, Klie 1950: 101

P. -a, Bozic 1953: 18

P. -a, Krishnaswamy 1957d: 62, 108

P. -a, Jakobi 1959: 144

Intermedopsyllus intermedius, n. comb., Kunz 1962: 252;

GIVES SYNONYMY.

Scottopsyllus (Intermedopsyllus) intermedius

card 3

Paramesochra intermedia, Wells 1970: 264

Intermedopsyllus -us, Wells et al. 1975: 184

I. -us, Mielke 1975: 87, fig. 57

I. -us, Huys 1988: 17

Scottopsyllus (Intermedopsyllus) -us, n. comb., Kunz 1981a:

2, 7-

S. (I.) -us, Kunz 1992: 86, Fig. 1A-C, Luderitz Bay,

Namibia

Scottopsyllus langi Mielke

Mielke, 1984: 113 - 118, fig. 32-35

- Huys 1988: 17

-- Huys 1996: 539

Scottopsyllus (Scottopsyllus) langi Mielke, 1984,  
continentalis Kunz, 1992

---- Kunz 1992: 90-93, Fig. 4-5, n. ssp., female + male,  
Jugoslavian Mediterranean, Korcula Island

= *Scottopsyllus*

Canthocamptidae - Harpacticoida

*Leptopsyllus minor*, T. & A. Scott, ♂♀.

1

= *Paramesochra minor*

— — T. & A. Scott, 1895, p. 31: pl. 2, figs. 15-22.

— — T. Scott, 1906, p. 344.

-- , Pesta, 1932, p. 83

Habitat. Scotland,

Eponym of *Scottopsyllus minor* - Kunz, 1962. p. 253

= *Scottopsyllus* Canthocamptidae - Harpacticidae

Paramesochra minor (T. + A. Scott) ♀ ♂

Synonym of Scottopsyllus minor - Kunz, 1962. p. 253

— Klie, 1929, p. 354: figs. 21 — 27

Leptopsyllus — T. & A. Scott, 1895, ORIGINAL DESCRIPTION

P. — Kunz 1938, p. 230

P. — Nicholls 1939 a, p. 334, fig. 3, ST. LAWRENCE RIVER,  
CANADA

P. — Klie 1929, p. 358, fig. 40

L. — Nicholls 1935, p. 387, fig. 3

Habitat. Baltic Sea, Kieler Bay.

Emertonia —, Nicholls 1945c, p. 103

—, Noodt, 1956, p. 54.

—, Harg, 1948, p. 872.

---, Pesta, 1932, p. 83-4, fig. 10; ~~mentions~~ *LEPTOSYLLUS*

--, Jakobi, 1959, p. 143

--, Klie, 1950, p. 101

- Noodt, 1952: 12]

PARAMESOCHRA -, Klie 1929: 357

Scottopsyllus minor (T. & A. Scott)Leptopsyllus minor T. & A. Scott 1895Paramesocnra minorEmertonia minor Nicholls 1945Scottopsyllus minor, Kunz, 1962. p. 253

---, Wells, 1970, p. 264

---, Scheibel and Noodt, 1975, p. 176.

---, ~~DEZYCIWSKI~~, 1975: 43; TABS. 1

---, ANGER + SCHIEBEL 1976: pp. 4-7, TABS. 1 + 2.

— Mielke, 1975: 88, fig. 58

— Mielke, 1976: 51-54

SCOTTOPSYLLUS MINOR (T. & A. SCOTT)

- (Scottopsylus) -, HUYS 1987: 193, SW DUTCH COAST.

-- DRZYCIMSKI 1986: 552, BALTIC

EMERTONIA -, KRISHNASWAMY 1957d: 115

Scottopsyllus (Intermedopsyllus) minutus (Nicholls, 1939)

Paramesochra minuta, Nicholls 1939a: 336, fig. 5, n. sp.

female only, Firth of Clyde

Leptopsyllus minutus, n.comb., Nicholls 1945c: 104

Intermedopsyllus minutus n. comb., Kunz 1962: 252; gives  
synonymy

I. -us, Becker & Kunz 1981: 36

Scottopsyllus (Intermedopsyllus) -us, n. comb., Kunz 1981a:

2, 7-

S.-us, Kunz 1992: 90

- Scotopsyllus pararobertsoni Lang  
- Lang, 1965: 378-382, fig. 208-209  
- (S.)-, Hays 1987: 206  
-- Wells 1986: 133  
-- Coull 1968: 59-, BERMUDA  
-- Reid 1990g: 201  
-- Kunz 1992: 93  
- (S.)-, Kunz 1993: 153  
-- Kunz 1981a: 7 -

SCOTTOPSYLLUS (SCOTTOPSYLLUS) PRAECIPIUS

VEIT-KÖHLER, 2000

-- VEIT-KÖHLER, 2000: 1-17,

N. sp., KING GEORGE ISLAND, ANTARCTICA

= Scottopsyllus Canthocamptidae - Harpacticoida.

Leptopsyllus robertsoni T. & A. Scott. ♀. ♂. Ø

= Paramesochra robertsoni Klie 1929

-- T. & A. Scott, 1895, p. 30: pl. 2, figs. 1-14.

-- T. Scott, 1906, b, p. 344.

--, Lang, 1944, p. 26, a syn. of Paramesochra r.

Habitat. British Seas.

Synonym of Scottopsyllus robertsoni - Kunz, 1962 p. 253

= *Scottopsyllus* Canthocamptidae-Harpacticoida  
*Paramesochra robertsoni* (T. & A. Scott) 2

*Leptopsyllus robertsoni*, T. & A. Scott 1895, p. 30, pl. 2  
figs. 1-4.

L. \_\_\_\_ T. Scott, 1906, b, p. 344

P. \_\_\_\_ Kließ 1929, p. 358, fig. 39

P. \_\_\_\_ Kunz 1938, p. 230

P. \_\_\_\_ Nicholls 1939a, p. 334, in key

— — Nicholls 1945c, p. 104, in key

— —, Lang, 1948, p. 872.

--, Lang, 1944, p. 26, a syn. is *Leptopsyllus r.*

Synonym of *Scottopsyllus robertsoni* - Kunz, 1962 p. 253

3

Scottopsyllus robertsoni (T. & A. Scott)

Leptopsyllus r., T. & A. Scott, 1895

Paramesochra r., Nicholls 1939, 1945, Lang 1948.

Scottopsyllus mobertsoni, Kunz, 1962. p. 253

PARAMESOCHRA -, KRISHNASWAMY 1957 ad: 62, 108

S. -, Huys 1996: 539

Scottopsyllus (Wellsopsyllus) runtzi (Soyer, 1974)

Kliopsyllus runtzi, Soyer 1974f: 1196-1201, fig. 13, 14,  
n. sp.

K. -, Soyer 1976: 147

Scottopsyllus (W.) -, n. comb., Kunz 1981a: 2, 15

Scottopsyllus (? Intermedopsyllus) smirnovi Kunz, 1992

--- Kunz 1992: 86-90, Fig. 1D, 2-3, n. sp. female +  
male, Jugoslavian Mediterranean coast