

Stenhelia

Diosaccidae - Harpacticoida

Boeck, 1864.

S. gibba <sup>(M)</sup>.

Synonym Beatricella Scott, 1905, p. 568.

(pars) Delavalia Brady, 1868, p. 134.

Stenhelia Boeck, 1864, p. 271.

Stenhelia G.O. Sars, 1906, p. 180.

Not Stenhelia Brady, 1880, vol. 2, p. 32.

Stenhelia Pesta, 1921, p. 609.

Nicholls 1939 b & 1940 p. 267 Key  
1941 b, p. 91

Body pyriform; head very large; rostrum immobile  
caudal rami produced; eye well developed.  
Anterior antennae short, 8-jointed, proximal seg-  
ments diminishing in size; posterior antennae  
with large terminal joint and 3-jointed exopod.  
Mandibles strong, palp large; maxillae and first  
mxpds. normal, 2nd. mxpds. small sometimes not pre-  
hensile. Exopod of 1st. legs 3-jointed, endopod  
2- or 3-jointed, prehensile. Both rami of 2nd.  
3rd. & 4th. legs 3-jointed, endopod of 2nd. pair  
in ♂ transformed.

Stenhelia Boeck 1864

-, key, Pesta, p. 65-6

--, THISTLE & COULL, 1979: 71-72 KEY TO SPECIES

--, COULL, 1976b: 361-363 - KEY TO SPECIES

--, Montagna & Carey, 1978, p. 119

- Lang, 1965: 228-231, Key

STENHELIA (DELAVALIA) ACUTIROSTRIS (WILLEY, 1935)

--, COULL, 1976b: 363; TAB. 1

--- REID 1990g: 198

STENHELIA (D.) ADRIATICA MARINOV + APOSTOLOV, 1981

Diosaccidae - Harpacticoida

Stenhelia aemula (T. Scott),

Delavalia - T. Scott, 1893, p. 204: pl. 4, fig. 36-47.

Stenhelia - Sars, 1906, p. 184: pl. 121.

— — Norman & Brady, 1909, p. 134.

Beatricella - T. Scott, 1905, p. 569: 1906. b. p. 327.

Nicholls 1939 & 1940, p. 267 in key

Habitat. English Seas.

Monard 1935a, p. 36, ♀♂, Roscoff, France

— —, LANG, 1948, p. 601

-- --, Wells, 1970, p. 261

--, S. (STENHELIA) A., THISTLE & COLL, 1979: 72; TAB. 1

-(St.)-BODIN 1970: pp. 406-408; Pl. 16; Tab. B.

-(St.)-BODIN 1971: pp. 421, 428-Tab.

-(St.)-, BODIN 1972: pp. 664, 673; Tabs. 2, 3.

Stenhelium aemula (T. SCOTT, 1893)

card 2

- Hicks, 1988: 446

(ST.)  
-1- GRANDALL 1967: 38

2. (ST.) -, MOORE, C.G. 1976c: 140

ST. -, C.B. WILSON 1936: 373, GREENLAND

Diosaccidae - Harpacticoida

Stenhelia aemula (T. Scott).

var bifida Lang ♀

— — — Lang, 1936, p. 28-29: fig. 36.

— — —, LANG, 1948, P. 601.

S. (S.) — —, MOORE, C. G. 1976c: 140

Habitat. Spitzbergen

STENHELIA (DELAVALIA) ARCTICA T. SCOTT

--, COULL, 1976b: 363; TAB. 1

S.A., CHISLENKO 1977b: 272, FRANZ JOSEF LAND

Diosaccidae - Harpacticoida

Stenohelia arenicola, n. sp. Wilson 1931

— — Wilson, 1931,

— — Wilson, 1932, p. 229: fig. — pl. 6.

— — Nicholls 1941b, p. 268, in key

— —, LANG, 1948, p. 611,

Habitat. Beach sand, Buzzards Bay.

— D. —, COOKE, 1976b: 362; TAB. 1

STENHELIA (STENHELIA) ASETOSA THISTLE +  
COULL, 1979

- THISTLE + COULL, 1979: 68-71 ♀♂, 71; FIGS. 3-4; TAB. 1.  
-- KASK ET AL. 1982: 36, NANAIMO, BRITISH COLUMBIA

Stenhelium (Delavalia) bermudensis Coull, 1969

- - Coull B. 1969 p. 564

- , COULL, 1970: 341, 352; FIG. 3; TAB. 8
- , COULL & HERMAN, 1970: 394, 397
- , COULL, 1976b: 361, 362; TAB. 1
- REID 1990g: 198

STENHELIA (DELAVALIA) BIFIDIA COULL, 1976

-- COULL, 1976 b: 353-361 ♀♂, 362; FIG. 1-4;

TAB. 1

--, COULL & FLEEGER, 1977: 332

--, COULL, ET AL., 1979: 183, 186; FIG. 1; TAB. 2

--, COULL & BELL, 1979: 219

--, FLEEGER, 1980: 25

-- FLEEGER, 1985: 327

S. PALUSTRIS BIFIDIA, ARLT 1988: 305

--- COULL & FELLER 1988: 478; SOUTH CAROLINA

Stenhelium (Delavalia) bifidum Coull, 1976

card 2

--- Feller et al. 1990:1913-, South Carolina

Stenhelia (Delavalia) bocqueti n. sp.

--, Soyer, 1971, p. 269-273, figs. 4, 5, FRANCE (MEDIT.)

--, Coull, 1976b, pg. 361, 363; tbl. 1

S.B., MONTAGNA + CAREY, 1978: 119, BEAUFORT SEA -

HAVE AS "AFF.", DATE 1972.

Stenhelia (Delavalia) coineauae n. sp.

--, Soyer, 1971, p. 264-269, figs. 1-3

STENHELIA (DELAVALIA) COINEAUAE SOYER, 1971

-- COUL, 1976b: 361; TAB. 1

Diosaccidae--Harpacticoida

Stenhelia (Delavalia) confluens n. sp.

\_\_\_\_\_  
Lang 1948, p. 614

--, Jakobi, 1959, p. 280

--, COLL, 1976 b: 362; TAB. 1

Diosaccidae — Harpacticoida.

Stenkelia confusa T. Scott, ♀.

syn.

— — T. Scott, 1902. b, p. 458: pl. 22, fig. 17-25.

— — T. Scott, 1906, b, p. 323.

Mesamphiascus confusus, Nicholls 1941 b

TYPHAMPHIASCUS —, LANG, 1948, P. 708.

T-----, Wells, 1965. p. 4

Habitat. British Seas.

--, Dolzonolskaya, 1970, p. 81, a syn. of Typhlamphiascus  
c.

Diosaccidae - Harpacticoida

*Stenhelia* (*Delavalia*) *cornuta* Lang ♀, ♂,

— — Lang, 1936, p. 30-31 : figs. 41-44.

— — Nicholls 1939 & 1940, p. 267, in key

— —, LANG, 1948, p. 612.

--, COLL, 1976 b : 362; TAB. 1

---, Ito, 1979, p. 67

Habitat. Spitzbergen

Diosaccidae - Harpacticoida

Stenhelia curviseta Lang ♀

Lang, 1936, p. 27-28: figs. 32-35.

Nicholls 1939 & 1940, p. 267 in key

---, LANG, 1948, P. 603.

--, Jakobi, 1959, p. 280

S. (STENHELIA) c., THISTLE & COULL, 1979: 71, 72; TAB. 1

Habitat. Spitzbergen

STENHELIA (STENHELIA) DIEGENSIS THISTLE +  
COULL, 1979

-- THISTLE + COULL, 1979: 64-68 ♀, 71; FIGS. 1-2; TAB. 1.

*Stenhelia divergens* Nicholls

Nicholls 1939 b, p. 268, fig. 8, St. Lawrence ♀

Nicholls 1940, p. 268, fig. 8.

S. (STENHELIA) d., THISTLE & COULL, 1979: 72; TAB. 1

--, Coffin, 1978-79, p. 593

Stenhelia (Delavalia) elisabethae Por 1960

-- -- Por, 1964, pp. 82, 83, pl. 11 figs. 97-100

--, Dolzonolskaya, 1970, p. 77, pl. XVII, fig. 1

--, COLL, 1976: 363; TAB. 1

--, Ito, T., 1981, p. 448

-- CECCHERELLI + ROSSIN 1979: 105, 120

Stenhelia elisabethae Por

-- --, 1960, pg. 116, tables 7&8, figs. 43-45 & 47-54

Diosaccidae - Harpacticoida

Stenhelia gibba Boeck, ♂.♀.

— — Boeck, 1865, p. 271.

Delavalia mimica T. Scott,

Beatricella mimica T. Scott,

Stenhelia gibba G. O. Sars, 1907, p. 181, pl. 119; pl. 120, f. 1.

--, Sheibel and Noodt, 1975, p. 177.

Habitat. British Isles: Norway Coast;  
Polar Islands (2nd. Fram Exp.).

— Willey, 1923: 329, 330, fig. 23

— — Klie, 1929, p. 350:

— — Nicholls 1939 & 1940, p. 267, in key

— —, LANG, 1948, p. 600.

— —, Bresciani et Lutken 1962. p. 368

— —, Wells, 1970, p. 261

— —, Pesta, 1932, p. 65-6, fig. 70

— —, Giesbrecht, 1882, p. 122

— —, Jakobi, 1959, p. 142

5. (STENHELIA) G., THISTLE & COULL, 1979: 71; TAB. 1

— (DELAVALIA) G., ACADEMIA SINICA, 1979: 184

Stenhelia gibba BOECK

2

--, Becker, Von K., 1970, p. 58

-- DRZYCINSKI 1986: 552, BALTIC

← Humes, 1986: 982, 1017

-- SHIH ET AL. 1971: 210, CANADA-ARCTIC

-- CHISLENKO 1977b: 246, FIG. 6 (3, 4), FRANZ JOSEF LAND

S. (5.) -, CHISLENKO 1978: 177

S. (5.) -, MOORE, C. G. 1976c: 140, FIG. 5 (A), ISLE OF MAN

Stenhelia giesbrechti (T. Scott), ♀♂.

Delavalia - T. Scott, 1896, p. 225; pl. 4, fig. 1-10

Stenhelia - Sars, 1907, p. 188; pl. 124, fig. 1.

— — Monard, 1928, p. 400: fig. 35.

Nicholls 1939 & 1940, p. 268, in key

Monard 1935a, p. 36, ♀♂, Roscoff, France figs 68-70

Habitat. Scottish Coast: Norway.

--, Jakobi, 1959, p. 280

— —, LANG, 1948, P. 606.

--, COULL, 1976b: 361; TAB. 1

Stenhelia (Delavalia) golikovi Chislenko, 1978

--- Chislenko 1978: 169-173, Figs. 6-8, n. sp. female  
only, Poss'yet Bay, Sea of Japan

Diosaccidae-Harpacticoida

Stenhelia (Delavalia) Hanströmi n. sp.

\_\_\_\_\_ Lang 1948, p. 613

-- --, Wells, 1965. p. 4

--, COULL, 1976b : 362 ; TAB. 1

--, JAKOBI, 1959 : 139, 290

Stenhelium incerta Por

-- -- Por, 1964, p. 83, pl. 11 figs. 105-109

--, COULL, 1976 b: 360, 363; TAB. 1

STENHELIA (DELAVALIA) INDICA KRISHNASWAMY, 1957  
-- KRISHNASWAMY 1957d: 53-55, FIG. 8, N.SP. ♀ ONLY;  
MADRAS, ON ASCIDIAN; UNPUBLISHED THESIS.  
--, COULL, 1976 b: 362; TAB. 1

(7) Diosaccidae - Harpacticoida  
Stenhelia inopinata (A. Scott), ♀, ♂.

Delavalia — A. Scott, 1902, p. 411: pl. 3, figs. 19-22

Stenhelia — Sewell, 1924, p. 823: pl. 53, fig. 2.

— — — — — Nicholls 1941 b, p. 91

— — — — — Lang, 1948, p. 607

Habitat, Red Sea: Chilka Lake.

— Por, 1977: 88

--, Coull, 1976 b: 363; TAB. 1

-- RADHA KRISHNA & RANGA REDDY 1978: 157

— Wells, 1967: 192

Stenhelia inopinata

- Por and Marcus, 1972: 262 Suez Canal

Stenhelia (Delavalia) islandica Schriever 1982

--- Schriever 1982b: 30, fig. 3, n. sp. ♀ only; N. Atlanti

STENHELIA (D.) KRISHNENSIS <sup>RANGA</sup> RADHAKRISHNA & REDDY,  
1978

-- <sup>RANGA</sup> RADHAKRISHNA & REDDY, 1978: 152-158, FIGS. 1-20, NSP ♀♂  
-- WELLS, 1979: 3

Stenhelium (Delavalia) latioperculata n. sp.

--, Ito, T., 1981, p. 440, figs. 12-16

STENHELIA (DELAVALIA) LATIPES LANG, 1965

CALIFORNIA

— Lang, 1965: 236-241, fig. 130-132, N. SP. 1

— Cook, 1976b: 360, 361; TAB. 1

*Stenhelia latisetosa* Sewell

\_\_\_\_\_ Sewell 1940, p. 297, fig. 68, ♀, Maldives Arch.

--, COULL, 1976b: 362 & TAB. 1

-- KRISHNASWAMY 1957d: 54

Stenhelia (Delavalia) lima n.sp.

--, Becker, & Schriever, 1979, p. 48, figs. 11, 12

Diosaccidae - Harpacticoida.

Stenhelia longicaudata Boeck, ♂, ♀.

— — Boeck, 1873, p. 49.

— — Nicholls 1940<sup>0</sup>, p. 268, in key

A synonym of Delavalia longicaudata,  
(Norman & Brady, 1909, p. 132).

— — Lang, 1936, p. 29: figs. 37-38.

— —, LANG, 1948, p. 605.

--, Giesbrecht, 1881, p. 256, belongs in Delavalia.

--, COLL, 1976b: 361; TAB. 1

--, Jakobi, 1959, p. 139

Stenhelia longicaudata BOECK, 1872

2

--, Becker, Von K., 1970, p. 58

S. (DELAVALIA) -, KRISHNASWAMY 1957d: 52-53, MADRAS

S. (D.) L. L., KASK ET AL. 1982: 36, NANAIMO, BRITISH COL.

S. L., CHISLENKO 1977b: 272, FRANZ JOSEF LAND

STENHELIA (DELAVALIA) LONGICAUDATA FINMARCHICA  
BOECK

--, COLL, 1976 d: 36(1) TAB. 1

Stenhelia longifurca Sewell, ♀

①

— Sewell, 1934, p. 94: fig. 8, a-j

— Nicholls ~~1939 & 1940~~, p. 267, ~~in key~~ 1941b, p. 91

— —, LANG, 1948, p. 611.

--, SHEN & TAI, 1965: 131, 139

--, ACADEMIA SINICA, 1979: 186

Habitat, Salt Lake, Calcutta.

— POSE, 1977: 88

--, COOM, 19766: 362; TAB 11

--, WELLS, 1971: 510

Stenhelia (Delavalia) longifurca Sewell

card 2

--- Radhakrishna & Ranga Reddy 1978: 158

--- Ranga Reddy & Radhakrishna 1980a: 87-93, figs. 1-21.

--- Kondal Rao 1984: 81, 82.

-- ARUNACHALAM + BALAKRISHNAN NAIR 1988: 517-, INDIA

STENHELIA (DELAVALIA) LONGIPILOSA LANG

CALIFORNIA

- Lang, 1965: 241-244, fig. 133-134, N.S.P., 1  
—, Cook, 1976b: 360, 361

STENHEWIA (DELAVALLIA) MADRASENSIS WELLS, 1971

-- WELLS, 1971: 507, 508-510 ♀ ; FIG. 1-10

-- KONDALARAO 1984: 82

-- ARUNACHALAM + BALAKRISHNAN NAIR 1988: 517; INDIA

STENHELIA MADRENSIS

- WELLS, 1979: 3

-- COUL, 1976b: 361, 362, TAB. 1

Diosaccidae — Harpacticoida

Stenhelia (Delavalia) magnacaudata Monard ♀

— — Monard, 1928, p. 398: figs. 34, 35.

— — Nicholls 1939 & 1940, p. 268 in key

— —, LANG, 1948, p. 610.

--, COUL, 1976b: 363; TAB. 1

Habitat. Banyuls

Stenhelium (Delavalium) mastigochaeta Wells

-- -- -- Wells, 1965. pp. 12-14, fig. 17-28

--, COLL, 1976b: 361; TAB. 1

Stenhelia (Delavalia) noodti Schriever 1982

--- Schriever 1982b: 27-30, figs. 1,2, n. sp. ♀♂, North  
Atlantic

Diosaeidae - Harpacticoida.

Stenhelia normani (T. Scott), ♂. ♀.

De lavalia — T. Scott, 1905, g. p. 569.

Stenhelia — Sars, 1907, p. 189: pl. 124, g. 2.

— — Pesta, 1921, p. 610: text-fig. N 51.

— — Gurney, 1927f, p. 534: fig. 148, A-C.

Habitat. Scotland; Norway; Adriatic;  
Suez Canal; Bermuda

--, COOK, 1976 b: 363; TAB. 1

--, ROE 1958: 228

— — Monard, 1928, p. 401: figs. 35, 36.

— — Willey, 1935, p. 95: figs. 174-179.

— — Nicholls 1939 & 1940, p. 268, in key

— —, LANG, 1948, p. 609.

--, Dolzonolskaya, 1970, p. 77, pl. XVI, fig. 4

--, MARCOTTE & COULL, 1974: TAB. 1

Stenhelia normani (T. Scott)

card 2

--Ito, T., 1981, p. 448

- Por  $\frac{1}{2}$  Marcus, 1972: 262 Suez canal

-- KRISHNASWAMY 1957 d: 54

(THESIS)

- (DEL.) -, CRANDELL 1967: 38-, YAQUINA BAY, OREGON <sup>^</sup>

- (DEL.) -, BODIN 1964: 130-, Pl. III FIG. 19, GULF OF  
MARSEILLES

- (D.) -, PESTA 1959: 129-, FIG. 70-72, OFF NAPLES, ITALY

Stenhelia normani acutirostris  
Willey, 1935

—

STENHELIA (DELAVALIA) NORMANI POLLUTA MONARD, 1928 ①

S. (D.) POLLUTA, MONARD 1928: 399, FIG. 35, BANYULS,  
FRANCE

S. (D.) P., NICHOLLS 1939 + 1940: 268, IN KEY

S. (D.) P., SEWELL 1940: 293, ♀, NICOBAR IS.

S. (D.) P., SYNONYM OF S. (D.) NORMANI, S. STR., NEW  
SYNONYMY, LANG 1948: 609, 610.

S. (D.) N. P., POR 1964: 82-83, PL. II FIGS. 101-104

S. (D.) N. P., WELLS 1967: 192

S. (D.) N. P., DINET 1971: 750, 788, MARSAILLES

STENHELIA (DELAVALIA) NORMANI POLLUTA MONARD, 1928 (2)

S.(D.)N.P., COULL 1972:49, SPECIES DIVERSITY

S.(D.)N.P., COULL 1976b:363, TAB.1

S.(D.)N.P., ITÔ, T. 1981:448

Stenhelia nuwukensis M.S. Wilson, 1965

CARD 2

(Delavalia)

--, Montagna & Carey, 1978, p. 119, BEAUFORT SEA

--, Coull, 1976b, p. 361-362, TAB. 1.

--, Wilson, 1973, p. 661

-- SHIH ET AL. 1971: 210, CANADA-ARCTIC

Stenhelia nuwukensis Wilson

-- -- Wilson, 1965, pp. 179-188, figs. a-n

STENHELIA (DELAVALIA) OBLONGA LANG, 1965

-- LANG 1965: 244-249, FIGS. 135-137, N. SP.,

CALIFORNIA

S. (D.) OBLONGATA, COULL 1976: 357, 363, TAB. 1

--- ITÔ, T. 1981: 448

STENHELIA (DELAVALIA) ORNAMENTALIA SHEN-TAI,  
1965

- SHEN-TAI, 1965: 128, 130-131, 138-139; FIGS. 16-23
- , ACADEMIA SINICA, 1979: 184-185; FIG. 96
- , COLL., 1976: 361; TAB. 1: 363

Diosaccidae - Harpacticoida.

Stenhelia palustris (Brady), ♂, ♀.  
1868

— — Sara, 1906, p. 185: pl. 122.

— — Gurney, 1933, p. 40, : figs. 429 - 447.

— — Nicholls 1939 b & 1940 p. 268, fig. 6, <sup>ST. LAWRENCE</sup>  
<sub>RIVER,</sub>

A synonym of Delavalia palustris  
(Norman & Brady, 1909, p. 132).

— — — — Monard 1935a, p. 39, ~~figs. 68-70~~, Roscoff, France

— —, LANG, 1948, P. 603.

--, CHISLENKO, 1977: TAB. 1

--, DRZYCIMSKA, 1975: TAB. 1

- — Klie, 1929, p. 349:
- —, NOODT, 1956, p. 50, N. SEA AREA.
- —, Bresciani, 1960. Larval development
- --, Wells, 1963. p. 15
- --, Lorenzen, 1969, pp. 221-222, fig. 4 table 2
- --, Wells, 1970, p. 261
- , Stock & Vos, 1960, p. 208
- S. (Delavalia) p., Pesta, 1932, p. 66, fig. 71
- , Dolzonolskaya, 1970, p. 77, pl. XVII, fig. 4  
syn.: Delavalia p.
- , Jakobi, 1959, p. 142
- , ANGER & SCHIEBEL 1976: Tab. 2.
- (Del.) -, BODIN 1968: p. 280.

Stenhelia palustris (Brady) 1868

- CHANDLER & FLEGER 1984: 15, 18.
- MÄEMETS & VELDRE 1956a: 22, ESTONIA
- VELDRE & MÄEMETS 1956: 82-83, PL. XIV FIGS.  
8-12, ESTONIA
- GEE 1987: 503-, ENGLAND
- DRZYCINSKI 1986: BALTIC, PUCK BAY
- ARLT 1988: 302-, SOUTH WEST BALTIC
- (D.) -, DAHMS 1988b: 16-, FIGS., DANGAST, JADE  
(NORTH SEA)
- SHIH ET AL. 1971: 210, CANADA-ARCTIC

Stenhelia palustris (Brady)

card 3

-- Muus 1967:56

-- GOMOIU 1971: 158, BLACK SEA

- (D.) -, REID 1990g: 198

-- GEE & FLEEGER 1990: 296

-- DAHMS & BRESCIANI 1993: 101-116, FIGS. 1-9, GERMAN  
BIGHT OF NORTH SEA, NAUPLIAR DEVELOPMENT

S. (D.) -, POR 1960: 116, TAB. 7, FIGS. 40-42, BLACK SEA

S. (D.) -, POR 1962: 33, 37, BLACK SEA

Stenhelia (Del.) palustris Brady (1868) var. bispinosa  
Bodin, 1970

- --, Bodin, 1972, p. 847
- , COLL, 19766 : 361, 362; TAB. 1
- , BODIN 1972: pp. 651, 664, 675, 677; Tabs. 2, 3, 4, 6;  
Figs. 3.
- , BODIN 1971: pp. 421, 427, 428 - Tab, 430; Fig. 3.
- , ARLT 1988: 304
- , BODIN 1977: 311

STENHELIA PALUSTRIS BIFIDIA - SEE S. BIFIDIA

STENHELIA (STENHELIA) PEDICULATA LANG, 1965

CALIFORNIA

-- LANG, 1965: 231-236 ♀♂, 209; FIGS. 127-129, N. SP. 1

--, THISTLE & COULL, 1979: 71; TAB. 1

— Knatz, 1986: passim

STENHELIA (D.) POLLUTA -- SEE S. (D.) NORMANI POLLUTA

Diosaccidae - Harpacticoida.

Stenhelia proxima G.O. Sars, ♂. ♀.

— — Sars, 1907, p. 183: pl. 120, fig. 2.

— — Nicholls 1939 & 1940, p. 267, in key

— —, LANG, 1948, p. 602.

— —, Wells, 1970, p. 261.

--, Montagna & Carey, 1978, p. 119, BEAUFORT SEA

-- THISTLE & COULL, 1979: 71, 72; TAB. 1

Habitat. Norway Coast.

-- FOR 1962: 37

Stenhelia (Stenhelia) pubescens Chislenko, 1978

--- Chislenko 1978: 173-177, Figs. 9-11, n. sp. female  
only, Poss'yet Bay, Sea of Japan

Stenhelia reflexa (Brady), ♂, ♀.

syn.

— — Sara, 1906, p. 186: pl. 123; 1906<sup>b</sup>, p. 322

— — T. Scott, 1899<sup>c</sup>, p. 97.

— — T. Scott, 1895, p. 166: pl. 3, f. 1-9.

A synonym of Delavalia reflexa.

(Norman & Brady, 1909, p. 133).

— —, LANG, 1948, p. 606.

— — Wilson, 1932, p. 230: fig. 154.

Amphiascus sp. inquaer. Nicholls 1941 b, p. 83

--, Dolzonolskaya, 1970, p. 77, pl. XVII, fig. 3

Stenhelia reflexa (Brady)

card 2

--, Becker, Von K., 1970, p. 59

-- A. SCOTT 1896: 138, UNITED KINGDOM

STENNELIA (DELAVALIA) REFLEXA BRADY ✓  
ROBERTSON, 1880

--, COULL, 1976b: 360, 362; TAB. 1

--, MARCOTTE & COULL, 1974: TAB. 1

S. R., CHISLENKO 1977b: 272, FRANZ JOSEF LAND

S. (D.) R.?; BODIN 1964: 128 -, Pl. III FIG. 16, 17, GULF OF  
MARSEILLES

Stenhelia (Delavalia) stephensoni

—Greenwood & Tucker, 1984: 127-133, fig 1-2

Stenhelia (Delavalia) tethysensis Monard, ♀

— — Monard, 1928, p. 402, : fig. 36.

— — — Nicholls 1939 & 1940, p. 263, in key

— — — LANG, 1948, p. 611.

--, Dolzonolskaya, 1970, p. 77, pl. XVII, fig. 2

--, COULL, 1976: 363; TAB. 1

Habitat. Banyuls.

— Michailova - Neikova, 1968: 214

— Serban, 1959: 270 Romania

*Stenhelina truncatipes* Sewell

\_\_\_\_\_ Sewell 1940, p. 295, fig. 67, ♀, Maldives Arch.

--, COULL, 1976 b: 3633 TAB. 1

-- KRISHNASWAMY 1957 d: 55

STENHELIA (DELAVALIA) UNISETOSA WELLS 1967

— Wells, 1967: 265-268, fig 40-41A-G

--, WELLS, 1971: 508

--, COULL, 1976b: 357, 361, 363; TAB. 1

--, Ito, T., 1981, p. 448

Stenhelium (Stenhelium) xylophila Hicks, 1988

- Hicks, 1988, new species, pp. 437, 443-446  
figs 5, 6, New Zealand

Stenbelia sp.

- - Coull & Wells, 1981: passim
- Michailova - Neikova, 1968: 214
- SHIH ET AL 1971: 210, CANADA-ARCTIC
- FEDER & PAUL 1980: 31-, PORT VALDEZ, ALASKA
- RADHAKRISHNA & RANGA REDDY 1976: 90, INDIA
- S. (D.) sp., HARTZ BAND 1971: 12-, ST. THOMAS
- S. sp., IWASAKI, N. 1993: 401-, NEW ZEALAND
- S. (D.) sp., HUYS, OATSUKA & BOXSHALL 1994: 205
- S. sp., FLEEGER, TANG & HIGGINS 1983: 940-941,  
TABS. 1, 2, CHINA

Stenhelia (Delavalia) sp.? Bodin, 1977

--- Bodin 1977:326-329, fig. 7, Rivedoux, France ♂

STENHELIA sp. BOXSHALL, 1988

-- BOXSHALL 1988: 271-273, FIG. 1

STENHELIA (STENHELIA) spp.

-- spp. 1, 2, CRADELL 1967: 38- YAQUINA BAY, OREGON  
-- , COULL 1968: 59-, BERMUDA

Harpacticoida.

Stenkelia accraensis T. Scott, ♀.

— — T. Scott, 1894, p. 95: pl. 10, fig. 2-12.

Amphiascus sp. inquaer. Nicholls 1941 b, p. 83

~~Amphiascus~~ TYPHLAMPHIASCUS —, LANG, 1948, p. 706.

Habitat. Accra - AFRICA -

Diosaccidae - Harpacticoida.

Stenhelia blanchardi T. & A. Scott.

— T. & A. Scott, 1895, p. 353: pl. 15, fig. 1-10.

— T. Scott, 1906, b, p. 323.

Mesamphiascus b. Nicholls 1941b,

TYRHAMPHIASCUS —, LANG, 1948, P. 708.

Habitat. British Seas.

Stenhelia brevicornis Thompson & Scott

see Amphiascus

— —, LANG, 1948, P. 708 (TYPHAMPHIASCUS)

Diosaccidae - Harpacticoida.

Stenkelia denticulata I. C. Thompson, ♀.

— — Thompson, 1893, p. 194: pl. 30, fig. 1-11

— — Brady, 1903, p. 3,

— — Norman & Brady, 1909, p. 134,

— — T. Scott, 1906, b, p. 322.

Mesamphiascus \_\_\_\_\_ Nicholls 1941 b

Habitat. English Seas.

Diosaccidae - Calanoida.

Stenhelia dentipes, Thompson & Scott, ♀.

syn.

— Thompson & Scott, 1903, p. 262; pl. 6, fig. 8-14.

Nicholls 1941 b, p. 91

— TYPHLAMPHISCUS, LANG, 1948, p. 709.

Habitat, Pearl oyster washings, Ceylon.

Diosaccidae - Harpacticoida,

Stenhelia dispar T. & A. Scott, ♀.

syn.

-- T. & A. Scott, 1894, p. 141: pl. 8, f. 8-12.

-- T. Scott, 1906, b, p. 322.

Amphiascus sp. inquaer. Nicholls 1941 b, p. 83

--, Vervoort, 1964, p. 232

Habitat. British Seas.

Stenelia erythraea A. Scott, ♀  
syn

— — A. Scott, 1902, p. 411: pl. 3, figs. 11-14.

Measmphasus e. Nicholls 1941 b

Habitat. Indian Ocean.

Diosaccidae Harpacticoida

Stenhelia glacialis Brady, ♀.

— — Brady, 1918, p. 32: pl. 12, figs. 9-14.

doubtful Nicholls 1939 & 1940, p. 267

Nicholls 1941 b, p. 91: appears to be *Thalestera*

— —, LANG, 1948, p. 615.

Habitat. Macquarie Island.

Stenheli ~~e~~ gracilicaudata Thompson & Scott

see Amphiascus

— *TYPHDAMPHIASCUS*, LANG, 1948, P. 709.

Diosaccidae - Harpacticoida.

Stenhelia herdmanni A. Scott, ♀.

syn

— — A. Scott, 1896, p. 60<sup>35-136</sup> pl. 1, figs. 1-11.

— — Brady, 1903, p. 3.

— — Norman & Brady, 1909, p. 134.

Amphiascus sp. ? Nicholls 1941 b

— —, HANC, 1948, p. 680.

Habitat, English Seas.

Stenhelia herdmani A. Scott

--, Lang, 1944, p. 18, a syn. of *Pseudamphiascopsis* h.

Diosaccidae - Harpacticoida.

Stenkelia hirsuta I.C. Thompson, ♀,

?

— — Thompson, 1893, p. 194: pl. 31, f. 1-13.

— — T. Scott, 1902, b, p. 457; 1903, p. 11.

— — T. Scott, 1906, b, p. 322.

Habitat. British Seas; Finmark (Arctic).

Diosaccidae - Harpacticoida

Stenkelia hispidus Brady, P. 9.

syn.

— — Brady, 1880, p. 32: pl. 42, figs. 1-14.

— — Thompson, 1893, p. 193: pl. 19, f. 6, a-c.

A synonym of Amphiascus hispidus.

(Sars, 1906, p. 166).

Amphiascoides

Nicholls 1941 b

Habitat, British Seas.

Stehnelia hispida Brady - see Paramphiascella hispidus

Stenkelia hyperborea T. Scott, ♀.

syn.

— T. Scott, 1903, p. 11: pl. 2, f. 9-13.

Amphiascoides hyperboreus, Nicholls 1941 b

Habitat. Finmark (Arctic).

Stenhelia ima Brady, ♂. ♀.  
syn

— — Brady, 1880, p. 35; pl. 43, figs. 1-14.

— — Carus, 1885, p. 321.

Canthocamptus) — — Brady, 1872, p. 436; pl. 19, figs. 1-5.  
n rostratus Claus, 1863, p. 122; pl. 13, figs. 5-8.

A synonym of Amphiascus imus.  
(Sars, 1906, p. 156).

*Stenkelia ima* Timm, 1894, p. 381.

— — Thompson, 1893, p. 194, pl. 21, f. 2, d-f,

— — Giesbrecht, 1884, p. 119; <sup>12</sup>pls. 2-5, 7-12.

—, Pesta, 1932, p. 59

—, Giesbrecht, 1881, p. 256

-- A. Scott 1896: 136

Stenhelia intermedia Scott - see Paramphiascella

Stenhalia irrasa A. Scott, ♀

syn.

— — A. Scott, 1902, p. 410: pl. 3, figs. 6-10

Robertsonia i.,

Habitat. Indian Ocean.

Stenhelia knoxi Thompson & Scott

see Robertsonia knoxi

Diosaccidae - Harpacticoida

Stenkelia limicola Brady ♀

syn.

- — Brady, 1899, p. 433: pl. 12, figs. 1-7,  
— — Norman & Brady, 1909, p. 133,

Nicholls 1941b, p. 85, probably *Amphiascoides*

--, Vervoort, 1964, p. 232

Habitat. English Seas.

*Stenhelia longicornis* Thompson & Scott

see *Amphiascus*

Diosaccidae - Harpacticoida

Stenelia longirostris Norman & Scott, ♀

syn.

— — Norman & Scott, 1905, p. 288

S. normani, Nicholls 1941b, p. 92

Habitat. British Seas.

Diosaccidae - Harpacticoida.

Stenhelia meeki Brady, ♀.

syn.

- — Brady, 1905, p. 216: pl. 4, figs. 7-16.
- — Norman & Brady, 1909, p. 134.

A synonym of Amphiascus confusus.  
(Sars, 1911, p. 389).

Diosaccidae - Calanoida,

Stenkelia minuta Thompson & Scott, ♀.

syn.

— Thompson & Scott, 1903, p 262: pl. 6, f. 21-24.

— Gurney, 1927f, p. 536: fig. 149, A-C.

Mesamphiascus angustipes, Nicholls 1941b, p. 92

— —, LANG. 1948, P. 609.

--, Klie, 1942, p. 459, = Amphiascus angustipes

Habitat. Pearl oyster washings, Ceylon.  
Red Sea; Suez Canal.

Stenhelia minuta A. Scott 1902

-- --, Por, 1964, pp. 83-84, pl. 12 figs. 111, 112

--, COLL, 1976: 363; TAB. 1

--, Ito, T., 1981 p. 448

-- Por & Marcus, 1972: 262 Suez canal

-- Por 1973: 91, SINAI (MEDITERRANEAN)

Amphiascoides

Diosaccidae - Harpacticoida

Stenohelia neglecta Norman & Scott, ♀

syn.

— — Norman & Scott, 1905, p. 286

Amphiascoides neglectus, Nicholls 1941 b, p. 81, 91

--, Dolzonolskaya, 1970, p. 82, a syn. of Amphiascella n.  
--, Vervoort, 1964, p. 193, 232

Habitat. British Seas.

Diosaccidae - Calanoida.

Stenkelia perplexa Thompson & Scott, ♀.

— Thompson & Scott, 1903, p. 261; pl. 6, f. 1-7.

Mesamphiascus — Nichols 1941b, inadequately descr.

AMPHIASCUS —, LANG. 1948. P. 656.

Habitat, Pearl oyster washings, Ceylon.

Stenhelia pygmaea Norman & Scott

syn. = Amphiascoides p.

— —, LANG, 1943, P. 614.

--, Lang, 1944, p. 23, a syn. of Haloschizopera p.

Stenhelia similis

See Robertgurneya

Diosaccidae - Harpacticoida

Stenhelia simulans Norman & Scott.

syn.

— — Norman & Scott, 1905, p. 285.

Mesamohuscus —, Nicholls 1941 b

--, Lang, 1944, p. 21, a syn. of Robertgurneya s.

Habitat. British Seas.

Stenhelium varians Norman & Scott, 1905 - see Amphiascus