

in/

Temorites.

G.O. Sars, 1900.

Temoridae - Calanoida

T. brevis ^(M)

Syn. Temorites Sars, 1900, p. 100

Body short, robust, last thoracic segt. fused with preceding one; no rostrum; abdomen with 3 segts. between the gen. segt. and furca. 1st. ant. 24-jointed; right ant. in ♂ prehensile;

2nd. ant. with 7-jointed exopod. Rami of first 4 pairs of legs 3-jointed, except endopod of 1st. legs which is 2-jointed; 5th. legs uniramous, 3-jointed, ^{in ♀} asymmetrical in ♂, right one larger. 3-segd, with curved terminal claw: left leg 4-segd, with a straight terminal spine. Outer teeth on mandibles unguiform, palp biramous.

TEMORITES G. O. SARS, 1900

- MAUCHLINE 1988: 722

②

Temoridae - Calanoida.
Temorites brevis G. O. Sars, ♀♂.

- — Sars, 1900, p. 100: pls. 30 & 31.
- — Stephensen, 1913, p. 322.
- — Mrázek, 1902, p. 523.
- — Sars, 1925, p. 194.
- — , Brodsky, 1950, P. 417, fig. 295.

Habitat, Norway; Greenland.

T. brevis, Grice, 1962. p. 101

-- --, Johnson, 1963. pp. 92, 93, 97

--- --, Tanaka, 1965, pp. 50-52, fig. 243 a-k

--- --: Vaupel-Klein, 1970, p. 39.

-- --; Vervoort, 1957, p. 115-118, figs. 102-108.

-- --, Hure & Scotto di Carlo, 1968, p. ~~54~~ 53.

--, Bernard, 1970, pp. 9

--, Roe, 1972a, pp. 300-

--, Vives, 1972, p. 216.

--, WHEELER, 1970: TAB. 4

--, DAMKAER, 1975: 11

--, Shih & Laubitz, 1978, p. 50

— Deerey & Brooks, 1977: 265

— Vives, 1978: 266, 278

-- ALMEIDA PRADO POR 1986: 520, ANTARCTIC

-- COPLE Y WIEBE 1990: 8-9, FIG 24a-m,
GUAYMAS BASIN

-- RAZOUK 1994: 136-, PL. 65, ANTARCTIC; 13

-- WILSON, C. B. 1936: 371, GREENLAND

Temorites discoveryae Grice & Hulsemann

-- -- Grice & Hulsemann, 1965, pg. 251, fig. 20 (a) to
(h); fig. 21 (a) to (i)

-- --; Park, 1970 , p. 478.

--, WHEELER, 1970: 6, 13, FIGS. 94-96; TAB. 4

TEMORITES SP. 1

--- COPLEY & WIEBE 1990:9, FIG. 24a-p,
GUAYMAS BASIN

TEMORITES sp.

-- COPLEY ET AL. 1989: 14-, NW ATLANTIC