

in)

Harpacticoida - Harpacticidae

Tigriopus valid

Norman, 1868 -

T. fulvus ^(M.)

Syn. Tigriopus Norman, 1868,

Tigriopus G. O. Sars, 1904, p. 54.

Harpacticus (pars) Fischer, Tølljeborg, etc.,

Tigriopus Börian, 1921, p. 64.

General form resembling Harpacticus, but narrower posteriorly. 1^o antennae stout, chelate in the ♂. Exopod of 2^o antennae 4-jointed. 1^o legs with 3-jointed exopod endopod of 2^o legs in ♂ with middle joint produced both outside and inside into a spine = rami of 3^o pair alike in sexes. 5^o legs like those of Harpacticus.

Tigriopus - forme + speciation

(2)

Bozic, 1956.

--, ~~1960~~, 1969: KEY TO SPECIES : 63-64

--, Vacquier & Belser, 1965, p. 1619-1621

-- ITO (TATSANORI), 1984: 268

- HOOGA 1984b: 107, FIG. 2-8, NAUPLII

- BRESCIANI, 1986: 141

- ANGULATUS- GROUP, SOYER ET AL. 1987: 143-144, 152-153

- CORKEET 1986: 69

- WELLS 1986: 132-133

Tigriopus

card 3

- Williamson 1991:811

- Noordt 1954:247-, cf. DISCOHARPACTICUS

Harpacticidae - Harpacticoidae

Tigriopus angulatus, Lang, 1933

①

— — 1933, Lang; 1-8, FIGS. 1-15, N.S.P., MACQUARIE ISLAND

— — 1934, Lang, p. 9: text-fig. 10,

Harpacticus breicornis Giesbrecht, 1902,

--, ITO, 1976: 529

-- = T. CALIFORNICUS (ITO, 1969: 63)

Habitat. Campbell Island.

--, HICKS, 1977a: TAB. 3, 4

Harpacticidae - Harpacticoida

Tigriopus angulatus Lang, ♂♀.

(2)

-- MISTAKIDIS 1949: 61

— — Lang. 1933, p. 1: figs. 1-15.

- - Bradford, 1967, p. 53

-- DUSSART 1984: 65

-- YEATMAN 1983: 57, 77-79, Fig. 13a-i

ANGULATUS-GROUP, SOYER ET AL. 1987: 143-144, 152-153

Habitat, Macquarie Island.

-- SOYER ET AL. 1987: 144, GIVE SYNONYMY; 152

-- WELLS 1986: 132

T. N. A., MITCHELL, C. J. 1976: 502

TIGRIPOS BRACHYDACTYLOS CAUDEIAS, 1959

- , ITO, 1977: 84
--, ITO, 1969: 63, 64
-- CARLI + FIORI 1977a: 104
-- SOYER ET AL. 1987: 143
-- WELLS 1986: 132

TIGRIOPUS BREVICORNIS

(O.F. MULLER) 1776
(*Cyclops brevicornis*).

— Muller of, 1776 : 200

— —, LANG, 1948, p. 340, Pl. 154:1 - NORWAY.

— — Bradford, 1967, p. 59

— — —, Gilat, 1967, pp. 79-95, figs. 1-2, tabls. 1-4

— — —, Wells, 1970, p. 257

— —, Vervoort, 1964, p. 78

— —, Omori, 1973, p. 5.

— —, 1969 : 63, 64

PRODUCTION

— —, Comita & Comita, 1966 : 171-184 ; FIG. 1-11 EGGS

— —, ROE, 1958 : 226

Tigriopus brevicornis

card 2

--, Smol & Heip, 1974, p. 162

— Heberer, 1955: 261-262 (1955 a)

-- UYE ET AL. 1982: 34.

— Lazzaretto & Libertini, 1985: 330-333

--, PRESCIANI, 1986: 126, 135 - tegument

-- SAZHINA 1975: 83, 84

-- VILELA 1983: 51-64, 2 FIGS. - CULTURE

-- VILELA 1984: 83-115, CULTURE

-- CARLI 1967: 208-, ITALY (= HARPACTICUS FULVUS)

Tigriopus brevicornis

card 3

-- Carli et al. 1984: 113

-- CARLI + FIORI 1977a: 101-110, FIGS. 6-9, 11, 12,

-- CARLI + FIORI 1977b: 182, 187

-- CARLI + LOI 1965: 23-31, FIGS. 1, 2, ITALY

-- SOYER ET AL. 1987: 143; SYN. T. B. VAR.

NORTHUMRIENSIS MISTAKIDIS, 1949

-- WELLS 1986: 132

-- KIKOTO ET AL. 1986: 143

-- DAHMS 1988b: 15; FIGS., KUNASHIANN, SWEDEN
(BALTIC)

Tigriopus brevicornis

card 4

-- Whitehouse & Lewis 1973:233-

-- DAHMS 1991: 88-, FIG. 4B, D, F

-- BOXSHALL 1992: 358-, FIG. 8B

-- PRESCIANI & DAHMS 1994: 137-

-- DAHMS 1992a: 231-, TABLE 1

-- MOREIRA, G., TILLETT ET AL. 1982: 90

-- HOLMES 1983: 20, IRELAND

-- MCINTYRE 1969: 271

-- DÜRBAN 1997: 645, FIGS. 5, 6

Tigriopus

CALIFORNICUS

BAKER

--, LANG, 1948, p. 342, PL. 154: 2 - 5-341.

--, BRADFORD, 1967, p. 59 (in key to spp. of Tigriopus)

--, Fulton, 1968, p. 47, T. triangulus is a syn.

--, Vervoort, 1964, p. 78

HABITAT : E. AFRICA, LAGUNA BEACH, CALIF.

--, ROSENFIELD & COULÉ, 1974: TAB. 6

--, ITO, 1969: 63, 64; SYN: T. angulosus

--, COULÉ & DUDLEY, 1976: 44 (reference to Huizinga 1971)

--, COMITA & COMITA, 1966: 175

--, Johnson & Olson, 1948: 327

--: Huizinga 1971: 230-236. Cultivation in artificial soil.

Tigriopus californicus

BAKER, 1912

card 2

--, Vacquier & Belser, 1965, p. 1619-1621

---, Boxshall, 1982, p. 163

—, Lang, 1958: 40

-- YEATMAN 1983: 77-79, FIG. 13j-k.

— Lazzaretto & Libertini, 1985: 330-333

— Pallares, 1968: 38-40, pl. 6, fig. 1-11

— Burton, Feldman & Curtsinger, 1979: 29-39, CALIFORNIA
COAST

-- VILELA 1984: 89

-- RIEPER 1978: 337

Tigriopus californicus Baker, 1912

card 3

-- Carli & Fiori 1977a: 104

-- CARLI & FIORI 1977b: 186

-- SOYER ET AL. 1987: 144, 152

-- BAMSTEDT 1986: 26-

-- CORNER ET AL. 1986: 265-

-- BLADES-ECKELBARGER 1986: 31, 33

-- WELLS 1986: 132

-- Ho & PERKINS 1985: 592-

-- COX & HENDRICKSON 1991: 40-41, CALIFORNIA

Tigriopus californicus Baker, 1912

card 4

-- Haderlie et al. 1981: , Alaska (new record) to
Baja California; = T. triangulus

-- KASK ET AL. 1982: 35, BRITISH COLUMBIA

-- Croaston 1965: 160-, Pl. 17, CALIFORNIA

-- Boxshall 1992: 353 -

-- PALLARES 1970: 261-, ARGENTINA

-- SONG + CHANG 1993: 204, YEATMAN'S (1983) RECORD FROM
KOREA PROBABLY = T. JAPONICUS

-- MISTAKIDIS 1949: 61

TIGRIOPUS CALIFORNICUS BAKER, 1912

(5)

-- ARNOFSKY 1996: 136

-- DÜRBAUM 1997: 202-203, 211, 213

Tigriopus crozettensis Soyer, Thiriot-Quievreux &
Colomines, 1987

-- Soyer et al. 1987: 149-152, figs. 3-4, n. sp., Crozet
Archipelago

Harpacticidae Harpacticoida

Tigriopus fulvus (Fischer), ♂. ♀.

Pl. 2, fig. 34-39

Harpacticus — Fischer, 1860: p. 656: pl. 1, fig. 30-33: 1

— chelifer Tulljeborg, 1853, p. 200: pl. 22, fig. 2-11.

— crassicornis Brady & Robertson, 1875, p. 196.

— curticornis Boeck, 1864, p. 38.

— Bradford, 1967, p. 59

Habitat British Seas.

--, 1976: 467

--, BARRETT, 1966: 125

Tigriopus lilljeborgii Norman, 1869, p. 296.
Harpacticus fulvus Brady, 1880, vol. 2, p. 149: pl. 64, figs. I-II.
Tigriopus — Norman & Brady, 1909, p. 122.
 — — Sars, 1916, p. 6.
 — — Sars, 1904, p. 54: pls. 31 & 32.
 — — T. Scott, 1906, a, p. 311.
Harpacticus fulvus Canu, 1892, p. 158
 — — Barrois, 1890, p. 288.
 — — Brian, 1917, p. 178: 1921, p. 64.
 — —, J.H. Fraser 1936
 — — Monard 1935a, p. 77. Roscoff, France
Tigriopus — Bozic, 1953 1955a 1955b.
 1956.

Tigriopus fulvus

card 2

- , Vaissiere, 1961, pp. 22-25, fig. 7
--, Omori, 1973, p. 5.
--, Bradley, 1975, pp. 33-34.
--, Carillo et al., 1974, p. 452.
--, Tundisi & Tundisi, 1968, p. 63.
--, ITO, 1971: 250, 253
--, ITO, 1977: ??
--, FANTA, 1970: 177
--, ITO, 1969: 58, 63, 64
--, Compton Compton, 1966: 173, 175, 179
--, JOHNSON OLSON, 1948: 320, 326, 327
--, SHAW 1938: 9-16: 4 Figs

Tigriopus fulvus

card 3

--Menzel 1925: 454

--UVE ET AL. 1982: 30

--KOGA 1970a: 12, 19-20, TABLE 4, FIG. 6

- FURVUS, KOGA 1984b: 103, 190, FIG. 61-36, as FULVUS -
NAAPLII; 164

--HOEBEL 1978: 79

--VILELA 1972: 1

--TEARE 1978: 352

--HIRAKAWA 1974: 43, 51-52, 44

TIGRIOPUS FULVUS

CARD 4

- , ITO, TATSUNORI, 1970b: 475, 482, 485, 498
- CARLI ET AL. 1983: 11-20, ITALY
- CARLI ET AL. 1984: 110-121, SPANISH MEDITERRANEAN
- CARLI + FIORI 1977a: 101-110, FIGS. 1-5, 10
- CARLI + FIORI 1977b: 181-190, FIGS. 1-50, DEVELOPMENT
- JOYER ET AL. 1987: 143, 152
- WELLS 1986: 132
- MUYS 1967: 51-
- CLOGSTON 1965: 8-

TIGRIOPAS FULVUS (FISCHER)

CARD 5

T. LILLJEBORGII N. VAR., MISTAKIDIS 1949: 55-70,
PLS. I-III, N. VAR., WHITLEY BAY, ENGLAND;

SYNONYMY OF T. FULVUS

- MOREIRA, G. 1975: 78
- MOREIRA, G., TILLETT ET AL. 1982: 89-90
- MCINTYRE 1969: 271, 273
- CARMAN & DOBBS 1997: 124, 129, TAB. 2
- LANG 1933: 6-7
- DÜRBAUM 1997: 202-203

Harpacticidae - Harpacticoidae

Tigriopus fulvus

var. adriatica van Douwe, ♂. ♀.

— — van Douwe, 1913,

— — Pesta, 1921, p. 572: text-fig. J16.

— — CARLI ET AL. 1984: 113

— — CARLI + FIORI 1977a: 102, A "DIFFERENT SPECIES."

Habitat. Adriatic.

— — SOYER ET AL. 1987: 143

— — MISTAKIDIS 1949: 61,

SHOULD BE T. GILLJEBORGII

VAR. ADRIATICA

Tigriopus fulvus Monard var. *algirica* ~~Monard~~

— — — Monard 1936, p. 41, fig. 20e-f, ♀♂, Algeria

--- CARLI ET AL. 1984:113

--- CARLI + FIORI 1977a: 102, 104

--- SOYER ET AL. 1987: 143

--- MISTAKIDIS 1949: 61, SHOULD BE *T. LILLJEBORGII*
VAR. ALGIRICA

TIGRIOPOUS IGAI ITO, 1977

- ITO, 1977: 77 - 90 ♀♂, COPEPODID II-II; FIGS. 12-21
- , WELLS, 1979: 2
- SOYER ET AL. 1987: 144
- WELLS 1986: 132

Harpacticidae - Harpacticoida

Tigriopus incertus Smirnov.

— — Smirnov, 1932, p. 205; figs. 16-23.

-- Mistakidis 1949: 61

Habitat. Franz-Joseph Land.

①

Tigriopus japonicus Mori

- Mori, 1938: 294—295, pl 9, fig. 1-12.
- —, Bradford, 1967, p. 59
- —, Takeda, 1949, pp. 125-127
- —, Chiba, 1956, p. 10
- —, Okada & Taniguchi, 1971, p. 33
- —, Omori, 1973, pp. 5, 8, 9.
- —, BARSZECZ-YEVICH, 1976 : 104
- —, ITO, 1971: 235, 237, 250, 253
- —, ITO, 1976: 467
- —, ITO, 1977: 77, 89, 90
- —, ITO, 1969: 58-63, ♀♂, 66, 67; FIG. 1, 2

--, COMITA & COMITA, 1966: 172

(2)

TIGRIOPUS JAPONICUS NORI

--, KADOTAA & TANAKA, 1984: 111 (as TIGRIOPS JAPONICUS)

-- KOOA 1970a: 11-21, FIGS. 1-6, DEVELOPMENTAL STAGES)

JAPAN

-- KOOA 1973: 34-36, FIGS. 7-9 and 10-8, DEVELOPMENTAL STAGES.

-- KOOA 1984b: 103, 190, FIG. 61-35, NAUPLII, 105;
FIGS. 4-7, 5-7, 6-7, 8-6, 9-13; 118, 119, 127, 163-164,
FIG. 47, TABLE 2-(25); FIG. 57 (7,8), ~~586~~

-- IWASAKI ET AL 1984: 89, 91

Tigriopus japonicus Mori

card 3

-- Iwasaki & Kamiya 1977: 52.

— Lazzaretto & Libertini, 1985: 330-333

— Tanaka, 1965a : 45, fig. 33a-c

-- HOEBEL 1978: 79

-- ABRAHAM + GOPALAN 1975: 316

-- VILELA 1972: 2

-- HIRAKAWA 1974: 51-52

-- ITO, TATSUNORI 1970b: 474-500, FIGS. 3-12, PLs. VII, VIII,
DEVELOPMENT; JAPAN SEA - HOKKAIDO.

TIGRIOPUS JAPANICUS MORI, 1938

CARD 4

-- ITÔ, T. 1976: 220, 228-229

-- VILELA 1984: 85

-- RIEPER 1978: 344

-- CARLI + FIORI 1977a: 104

-- CARLI + FIORI 1977b: 182, 186

-- CARLI + LOI 1965: 25

- JAPANICUS, MERRYLAT JAMES + MARTIN THOMPSON
1986: 1275

-- SOYER ET AL. 1987: 144

Tigriopus japonicus Mori, 1938

card 5

-- Blades-Eckelbarger 1986: 31

-- WELLS 1986: 132

-- CHEN Q-C 1986: 527

-- UYE & FLEMINGER 1976: 260

-- TSENG & Hsa 1984: 381-389, FIG. 1, TAIWAN

-- Muus 1967: 51-

-- BOXSHALL 1990: 210

-- SONG & CHANG 1993: 203-, KOREA

-- MISTAKIDIS 1949: 61

Tigriopus japonicus Mori, 1938

card 6

-- Moreira, G., Jilllett et al. 1982: 90

-- MOREIRA, G. & VERNBERG 1978: 454

-- DEFAYE, SUCH & DUSSART 1985: 119, 127

Tigriopus kerguelensis Soyer, Thiriot-Quievreux &
Colomines, 1987

-- Soyer et al. 1987: 144-149, figs. 1-2, n. sp. ♀,
Kerguelen & Crozet Archipelagoes

Tigriopus lilljeborgii Norman,

— — Norman, 1868, p. 296.

a synonym of Tigriopus fulvus.

--, Giesbrecht, 1882, p. 133

-- CARLI & FIORI 1977a:102, 104; T. LILLJEBORGII

NORTHUMBIENSIS NOT ACCEPTED.

-- MISTAKIDIS 1949: 55-61

TIGRIPODUS MINUTUS Bozic, 1960

- ITO, 1977: 83, 84
- ITO, 1969: 63, 64
- CARLI + FIORI 1977a: 104
- SOYER ET AL. 1987: 144
- WELLS 1986: 132

Tigriopus raki n. sp.

-- BRADFORD, 1967, p. 54

--, ITO, 1977: 85, 89

-- CARLI & FIORI 1977a: 104

-- SOYER ET AL. 1987: 144

-- WELLS 1986: 132

Tigriopus triangulus Campbell

— — Campbell 1930, p. 180, pl. 1, figs. 7-12, ♂ ♀
British Columbia

—, Fulton, 1968, p. 47, a syn. of T. californicus

— HADERLIE ET AL. 1981: , SYN. OF T. CALIFORNICUS

— MISTAKIDIS 1999: 61

Tigriopus sp

- Michailova - Neikova, 1968: 212
- VACQUIER 1962: 724-725, LA TOLLA
- ROSE 1927: 160, OFF ALCERIA

TIGRIOPUS spp.

-- TEPPER + BRADLEY 1989: 38