

DGurney (1945)

Nemesis aggregatus Cressey, 1967

(*N. robusta*)

Cressey 1967 Proc. U.S. Nat. Mus., 121(3572):6(1,2,6-20)

Pillai 1985 Fauna of India, p.658(229, 230A-H)

Nemesis atlantica Wilson, 1922

Wilson 1922 Proc.U.S.Nat.Mus., 60:60(ix,x)

Wilson 1932 U.S.Nat.Mus., Bull.158:463(xxxiii,a)

Wilson 1936 Paper Tortugas Lab., 29:340

Pearse 1948 J.Elisha Mitch.Sci.Soc.,64(1):128

Cressey 1970 Smithsonian Contr.Zool.,38:24(

Kabata 1979 Ray Society, p. 259

Nemesis carchariae-glauci (Hesse, 1883)

Wilson 1922 Proc.U.S.Nat.Mus., 60:69

Nemesis carchariae-glauci

1. *Pagodina carchariae-glauci* HESSE, 1883
[Ann. Sci. Nat. Zool., 16: 13 (XII, 12-19)]

Nemesis carchariarum Roux, 1828

(*N. lamna*)

Roux 1828 Crust.de Medit., pl.xx,figs.10-11

M.-E2 1840 Hist.Nat.Crust., 3:486

Kroyer 1837 Nat.Tidsskr., 1:199

Nemesis lamna Risso, 1826

Risso 1826 H.N.des Principales productions de l'Europe,
5:136(v,25)

Poche 1902 Zool.Anz., 26:8

Wilson 1922 Proc.U.S.N.M., 60:59

Brian 1906 Cop.par., p.71

Fage 1923 Bull.soc.zool.fr.,48:280

Delamare 1948 Bull.Mus.H.N.Paris,20(5):447

Delamare & Euzet 1952 Vie et Milieu,3(2):216

Wilson 1932 Bull.U.S.N.M. 158:461(xxii)

Brian 1944 Annales Mus.Argent.Cien.Nat.,41:197(v,41-42)

Yamaguti 1939 Vol.Fub.Yoshida,II,5, p.455(xviii,38-46;xix,
47-49)

Legender 1923 Bull.Soc.Zool.Fr.,48:278

Delamare & Nunes-Ruivo 1954 Vie et Milieu 4(4):213

Wilson 1935 Amer.Midl.Nat. 16(5):779

Heller 1865 Zool.T.2

Burmeister 1833 Acta Acad.Caes.Leop.Carol.Nat.17(1):328

Heegaard 1962 Rec.Aus.Mus., 25(9):184(201)

Natthews & Parker 1950 Proc.Zool.Soc.London, 120:

Scott 1963 Irish Nat.,J., 14(8):177

Cressey 1967 Proc.U.S.Nat.Mus., 121(3572):6

Cressey 1970 Smithsonian Contr.Zool., 38:24(93)

Markevich 1956 Izd.Akad.Nauk. p. 162(93)

Kensley & Grindley 1973 Ann.S.Afr.Mus., 62(3):102 (24)

Essafi & Raibaut 1977 Bull.Soc.Sc.nat.,12:28

Kabata 1979 Ray Society, p. 259

Hewitt 1979 N.Z.J.Fresh.&Mar.,13(1):171

Benz 1980 J.FishDiseases,3:343(1-3)

Benz 1986 Syllogeus 58:219

Markevitch & Titar 1978 4th Inter.cong.Parasit.H:39

Pillai 1985 Fauna of India, p.662(230I-M,231A-G)

Nemesis lamna

1. Nemesis lamnae ~~Milne Edwards~~ ^{Roux} 1828
2. Nemesis carchiarum Roux, 1828
3. Nemesis mediterranea Heller, 1865
4. " lamna var. simillima Valle, 1878

Nemesis lamna lamna Risso, 1826

Hewitt 1969 Zool.Publ.Victoria, 49:2(1-26)

Pilgrim 1985 Mauri Ora, 12:37

Nemesis lamaa var *sinuata* (Valle, 1878)
(*N. lamaa*)

Brian 1906 Genova, p.72(v,2)

Nemesis lamna var. *sinuata*

l. *Nemesis mediterranea* var. *sinuata*, VALLE, 1878

Nemesis lamna vermi Scott, 1929

Hewitt 1969 Zool. Publ. Victoria 49:7(27-50)

Kabata 1979 Ray Society, 1979, p. 259(1266-1294)

Pilgrim 1985 Mauri Ora, 12:37

Nemesis laurna f. *vermi*

l. *Nemesis vermi* A. SCOTT, 1929

Nemesis lamnae Risso, 1826

(*Nemesis lamna*)

Roux 1828 Crustacés de la Méditerranée pl.xx,fig.1-9

M.-E. 1840 H.N.des Crustacés 3:48**6**

Guérin 1841 Iconog.Crust., pl.xxxv,fig. 11.

Groult, 1887 Hist.nat.de la France, 15:189(xiv,2)

Rose et Vaissière 1952 Bull.Soc.H.N.Af.Nord,43(8/9):173

Risso ~~Hist.Nat.de l'Europ.merid., 5:136(v,25)~~

Kroyer 1837 Natur.Tidsskr.,1:199

Rose & Vaissiere 1952 Bull.Soc.Hist.Nat.Afr.Nord,43:173

Nemesis macrocephalus Shiino, 1957

Sgiino 1957 Rep.Fac.Fish.Mie U.,2(3):392(1,2)

Kabata 1979 Ray Society, p. 259

Nemesis mediterranea Heller, 1865
-(*N. lamna*)

Heller 1865 Reise d. Novara, p. 220 (xxi, 2a-e)

Richiardi 1880 Catalog. Crost. Parassit., p. 150

Valle 1878 Boll. Soc. Adriat. Sc. Nat., 4:

Valle 1880 Boll. Soc. Adriat. Sci. Nat. Triest., 6: 66

Brian 1898 Atti Soc. Lid. Sci. Nat. Geogr., 9: ~~21~~ 15

B.-S. 1899 Proc. Zool. Soc. London, p. 476

Brian 1902 Atti Soc. Lig. Sc. Nat. Geogr., 13: 17

Brian 1905 Ann.Mus.Zool.R.Univ.Napoli, 24(1):7

Carus 1885 Prodr.Faun.Medit., p.365

Btian 1899 Atti.Soc.Lig.Sci.Nat.Geogr.,10:201

Stossich 1880 Bull.Soc.AdriaticaSci.Nat.Trieste,5(5):262

Nemesis mediterranea var. *sinuata* Valle, 1878

(*N. lamona* var *sinuata*)

Valle 1878 Boll. Soc. Adriatica di Sc. nat., 4, c. tav.

Brian 1899 Attiv. Soc. Lig. Sc. Nat. Geogr., 10: 201 '5

Carus 1885 Prodr. fauna Medit., p. 365

Nemesis pallida Wilson, 1932
(*N. robusta*)

Wilson 1932 U.S.Nat.Mus., Bull.158:464(xxxiii)

Wilson 1936 Paper Tortugas Lab., 29:340

Wilson 1937 Alan Hancock Pacif.Exped., 2(4):29

Bere 1936 Amer.Midl.Nat., 17(3):604

Pearse 1947 J.Elisha Mitch.Sci.Soc., 63(1):9

Barnard 1948 Ann.Mag.Nat.Hist., (12) 1(4):250

Causey 1953 Publ.Inst.Mar.Sci., 3(1):14

Barnard 1955 Ann.S.Afr.Mus. 41(5).275(200 n)

Nemesis pilosus Pearse, 1951

Pearse 1951 Proc.U.S.Nat.Mus., 101:362(75)

Cressey 1970 Smithsonian Contr.Zool., 38:24

Kabata 1979 Ray Society, p. 259

Nemesis robusta (van Beneden, 1851)

Heller 1865 Crust. der Novara-Exp., p. 212, 221

Valle 1884 Sec. ser. di Aggitante al Cat. Crost. parassit., p. 1

Carus 1885 Prodr. fauna Medit., p. 365

B.-S. 1899 Proc. Zool. Soc. London, px722 p. 476

Brian 1906 Genova, p. 72(iv, l-10)

Wilson 1922 Proc. U. S. Nat. Mus., 60: 59

L.-S. 1936 Parasit., 28: 410

Brian 1914 Atti Soc. Lig. Sci. nat. Geog., 25(3): 136

Brian 1924 Parasitol. Mauritanica p.39

Rose et Vaissiere 1953 Bull. Soc. Hist. Afr. Nord, 43:173

D.-D. & N.-R. 1954 Vie et Milieu 4(4):211(6,a-f)

Oorde & S.-S. 1936 Tierw. N.-O. See 31(10c):148(133)

Rose & Vaissiere 1952 Bull. Soc. Hist. Afr. Nord, 43:173

N.-R. 1956 Anais da Junta de Invest. Ultramar., 9(2):26

Cressey 1967 Proc. U.S. Nat. Mus., 121(3572):6

Hewitt 1969 Zool. Publ. Victoria, 49:14(51-77)

Nemesis robusta (van Beneden, 1851) (cont.)

Markevich 1956 Izd.Akad.Nauk. p. 163(94)

Carli 1974 Boll.Pesca Piscic Idrobiol.29(2):179(1-19)

Essafi & Raibaut 1977 Bull.Soc.Sc.nat.,12:28

Kabata 1979 Ray Society, p. 261(1295-1308)

Carli 1978 Soc.ital.Sci.nat.,69(1-2):23(1-15)

Benz 1986 Syllogeus, 58:219

Benz & Adamson 1990 Can.J.Zool.,68:1180(1-6)

Kabata 1988 Can.Sci.Publ.101:37(17A-D)

Pillai 1985 Fauna of India, p.664(231H-M,232,233A-D)

Nemesis robusta

1. *Ergasilus robusta* Van Beneden, 1851
2. *Pagodina robusta* van Beneden, 1853
3. *Nemesis palliata* Wilson, 1932
4. " *aggregatus* Cressey, 1967

Nemesis sphyrnae Rangnekar, 1984

Rangnekar 1984 Crustaceana, suppl. 7:350(3)

Nemesis spinulosus Cressey, 1970

Cressey 1970 Smithsonian Contr.Zool., 38:25(94-110)

Nemesis sp.

Pillai 1968 Zool. Anz., 179(3/4):295(35-45)

Kabata 1970 J.nat.Hist., 4:166(3-4)

Nemesis tiburo Pearse, 1952

Pearse 1952 Q.J.Florida Acad.Sci., 15(4):217(74-81)

Kabata 1979 Ray Society, p. 259

Nemesis vermi A.Scott, 1929

(*N. lanna vermi*)

A.Scott 1929 Rep.Lanc.Sea-Fish.Lab.,37:96(ii)

Nemesis versicolor Wilson, 1913

- Wilson 1913 Proc. U.S. Nat. Mus., 44:236(xxxiii, 190-194; xl)
♂ → Endactyloides
- Wilson 1922 Proc. U.S. Nat. Mus., 60:59
- Cressey 1967 Proc. U.S. Nat. Mus., 121(3572):6
- Kabata 1979 Ray Society, p. 259
- Pillai 1985 Fauna of India, p. 668(233E-0)