

Salmincola alpina (Olsson, 1877)
(*S. edwardsii*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:604

Hansen 1923 Danixh Ingolf-Exped., 3(7):51(iii, 9a-e)

Stephensen 1940 Zool.Iceland, 3(34):10

Stephensen 1943 Meddl.Grond., 121(9)L14

Salmincola arcturi (Miers, 1877)

(*S. edwardsii*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:605

Wilson 1920 Canad.Acr.Exped., 7(L):8L

Hansen 1923 Danish Ingolf-Exped., 3(7):52

Salmincola baicalensis Messjatzeff, 1926

(*S. thymalli*)

Messjatzeff 1926 ARch.Natur., 92(4):127

Markewitsch 1937 Acad.eiss.UKR.SSR, p.130

Salmincola beani (Wilson, 1908)

Wilson 1915 (*S. californiensis*)
Proc.U.S.Nat.Mus., 47:615(xxxii,52-53)

Wilson 1916 Bull.U.S.Bur.Fish., 34:363

Fasten 1921 Biol.Bull., 41(3):121(i,1-3)

Salmincola bicauliculata (Wilson, 1908)

(*S. edwardsii*)

Wilson 1920 Canadian Arct. Exped., 9(L):8L

Wilson 1916 Bull. U.S. Bur. Fish., 34:363

Wilson 1915 Proc. U.S. Nat. Mus., 47:612 (xxxi, 41-42)

Markewitsch 1937 Akad. wiss. UKR, SSR, p. 132

Hoshina 1954 J. Tokyo U. Fish., 41(1):75

Markevich 1956 Izd. Akad. Nauk. p. 210(123)

Bere 1930 MS Rep. biol. Sta., 259: 3

Salmincola californiensis (Dana, 1852)

- Wilson 1915 Proc.U.S.Nat.Mus., 47:(xxix,16-17)
- Wilson 1916 Bull.U.S.Bur.Fish., 34:362(1xx)
- Kabata 1969 J.Fish.Res.Bd.Canada,26:3000(53-80)
- Kabata & Cousens 1973 J.Fish.Res.Bd.Can.30:881(1-88)
- Kabata 1977 J.Fish.Res.Bd.Can.,34:191(1-8)
- Hoshina & Nishimura 1976 Fish Pathol.,11(3):153(1-3)
- Arai 1969 J.Fish.Res.Bd.Canada 26(9):2335

Bailey & Margolis 1987 Canadian J. Zool., 65:420

Markevitch & Titar 1978 4th Inter. Cong. Parasit. H:39

Kabata 1988 Can. Sci. Publ. 101:49(23A-F)

Nagasawa 1994 Sci. Rep. Hokkaido Fish Hatch., 48:83

Salmincola Californiensis

1. *Achtheres carpenteri* Packard, 1874
2. *Lernaeopoda Californiensis* Dana, 1852
3. " *beanii* Wilson, 1908
4. " *falculata* Wilson, 1908
5. *Salmincola carpenteri* Wilson, 1915
6. " *beanii* Wilson, 1915
7. " *falculata* Wilson, 1915
8. " *lata*? Maskevich, 1940
9. " *Yamanu* Hoshino & Suenaga, 1954

Salmincola carpenteri (Packard, 1874)

(*S. Californiensis*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:616(xxxii,54-60)

Wilson 1916 Bull.U.S.Bur.Fish., 34:364

Salmincola carpionis (Kroyer, 1837)

- Wilson 1915 Proc.U.S.Nat.Mus., 47:606
- Wilson 1920 Canad.Acrt.Exped., 7(L):8L
- Hansen 1923 Danish Ingolf-Exped., 3(7):51
- Stephensen 1940 Zool.Iceland,3(34):10
- Stephensen 1943 Medd.Grond., 121(9):13
- Kabata 1969 J.Fish.Res.Bd.Canada 26:2998(31-52)
- Fryer 1978 Limnofauna Europaena, p.225

Markevitch & Titar 1978 4th Inter.cong.Parasit.H:39

Kabata 1988 Can.Sci.Publ.101:49(23G-L)

Nagasawa et al. 1994 Sci.Rep.Hokk.Salmon Hatch.,48:17(4)

Nagasawa et al. 1995 Can.J.Fish.Aquatic Sci.,52(1):178(1-11)

Nagasawa et al. 1998 J.Marine Syst.,15:269(@)

Nagasawa et al. 1997 Bull.Nat..Res.Inst.Aquacult.26:35(1-3)

Salmincola *Carpionis*

1. *Zernaeopoda* *Carpionis* Krayer, 1837
2. " *gibber* Wilson, 1908
3. *Salmincola* *gibber* Wilson, 1915
4. " *saluelini* Richardson, 1938
5. " *smirnovi* Martelwichi, 1940

Salmincola coregonorum (Kessler, 1868)

Wilson 1915 Proc.U.S.Nat.Mus., 47:604

Kabata 1969 J.Fish.Res.Bd.Canada 26:3003(197-206)

Fryer 1978 Limnofauna Europaena, p.226

Salmincola Coregonorum

1. *Lernaeopoda Coregonorum* Kessler, 1868
2. *Basanistes Coregoni Neresheimeri*, 1909
3. *Achtheres pseudobasanistes* Zandt, 1935
4. " *Coregonorum*, Markewitch, 1937.

Salmincola corpulentus (Kellicott, 1880)

Kabata 1988 Can.Sci.Publ.101:51(24A-E)

Salmincola corpulentus

1. *Achtheres corpulentus* Kellicott, 1880

~~2. *Achtheres*~~

2. *Salmincola extumescens* (Gadd, 1901)

3. *Salmincola inermis* (Wilson, 1911)

Salmincola cottidarum Messjatzeff, 1926

Messjatzeff 1926 Arch.Naturh., 92(4):127

Koriakov 1951 C.R.Acad.Sci.URSS,n.s.,79(5):907

Koriakov 1952 C.R.ACAD.Sci.URSS,n.s.,87(325)

Markewitsch 1937 Acad.wiss.UKR,SSR, p.133

Koriaiov 1959 Trud.Sov.Ikht.Komiss.Akad.Nauk SSSR,9:168

Kozhov 1963 Monographiae biol.,11:1

Kabata 1969 J.Fish.Res.Bd.Canada 26:3009(225-238)

Markevich 1956 Izd.Akad.Nauk. p. 212(125)

Kabata & Korjakov 1974 Parazitologija, 8(4):306(1-7)

Piasecki 1993 Mitt.Zool.Mus.Berl., 69(1):167

Salmincola edwardsii (Olsson, 1869)

Wilson 1915 Proc.U.S.Nat.Mus., 47:609(XXX,30-35)

Fasten 1916 Biol.Bull., 31(6):407(i-iii)

Fasten 1919 Publ.Puget Sound Biol.Sta., 2:153

Wilson 1916 Bull.U.S.Bur.Fish., 34:363

Anon 1947 Rep.Occ.biol.Quebed, 2:45

Bangham J.Fish.Res.Bd.Canada,11(6):682,683,686

Bere 1930 Cont.Canad.Biol.& Fish., 5(13):427

- Davis 1930 Care & Disease of trout, p.140(fig.3)
- Fasten 1918 Publ.Puget sound biol.Stat.,2(36):73
- Fasten 1921 Biol.Bull., 41(3):121(i,4)
- Hadwrlie 1953 U.Calif.Publ.Zool., 57(5):359(lxiii,e)
- Markewitsch 1937 Acad.wiss.UKR.SSR, p.123,181,214(xvii)
- Meyer 1962 Maine Dept.Inland Fish.& Game Bull.1:34(iv,A)
- Kabata 1969 J.Fish.Res.Bd.Canada 26:3004(165-196)
- Markevich 1956 Izd.Akad.Nauk. p. 203(118)**

Salmincola edwardsi (Olsson, 1869)

(cont.)

Fryer 1978 *Limnofauna Europaena*, p.226

Arthur et al 1977 *J.Fish.Res.Bd.Canada* 33(11):2492

Fryer 1981 *J.Zool.Lond.*,193:253(1-12)

Kennedy 1978 *J.Fish.Biol.*,13(4):

Beverly-Burton 1978 *Cnad.J.Zool.*,56(2):

Hanek & Molar 1974 *J.Fish.Res.Bd.Can.*31:1137

Markevitch & Titar 1978 4th Inter.Cong.Parasit.H:39

Kabata 1988 Sci.Can.Publ.101:47(21G-K)

Poulin et al 1990 Parasitol., 100:417

Poulin et al 1990 Can.J.Zool.,68:1330

Sobecka & Piasecki 1994 Acta Ichthyol. & Pisc.,23:104(4)

Salmincola edwardsii

1. *Lernaeopoda salmonea* Mayor, 1924
2. *Basanistes salmonea*, M. E. 1840
3. *Lernaeopoda edwardsii* Olsson, 1864
4. " *fontinalis* Smith, 1874
5. " *alpina* Olsson, 1877
6. " *arcturi* Miers, 1877
7. " *licauliculata* Wilson, 1908
8. *Salmincola arcturi*, Wilson, 1915.
9. " *licauliculata*, Wilson, 1915
10. " *ogvassa* Wilson, 1915

Salmincola exsanguinata Sanderman & Pippy, 1967

(*S. edwardsii*)

Sanderman & Pippy 1967 J. Res. Fish. Bd. Canad., 24(9):1931(13-8)

Salmincola extensa^{us} (Kessler, 1868)

Wilson 1915 Proc.U.S.Nat.Mus., 47:605

Kabata 1969 J.Fish.Res.Bd.Canada 26:3012(114-128,245)

Fryer 1978 Limnofauna Europaena, p.226

Arthur et al 1977 J.Fish.Res.Bd.Canada 33(11):2492

Salmincola extensus

1. *Lernaeopoda extensa* Kessler, 1868
2. " *coregoni* Smith, 1874
3. " *muralnal olsson*, 1879
4. *Actheres coregoni* Baumann, 1911
5. " *extensus*, Markkevich, 1937
6. *Salmincola wisconsinensis* Tidd & Bangham, 1945
7. " *muralnal*, Wilson, 1915

Salmincola extumescens (Gadd, 1904)

(*S. corpulentus*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:605

Wilson 1920 Canad.Arct.Exped., 7(L):8L

Markewitsbh 1937 Akad.wiss.UKR,SSR, p.137,182,217(xxii)

Kabata 1969 J.Fish.Res.Bd.Canada 26:3014(149-164)

Markevich 1956 Izd.Akad.Nauk. p.216(130)

Fryer 1978 Limnofauna Europaena, p.226

Piasecki 1993 Mitt.Zool.Mus.Berl.,69(1):167

Salmincola extumescens

1. *Lernaeopoda extumescens* Gadd, 1901
2. *Lernaeopoda inermis* Wilson, 1911
3. *Salmincola inermis*, Wilson, 1915
4. *Salmincola omuli* Messjatzoff, 1926

Salmincola falculata (Wilson, 1908)

(*S. californiensis*) → (*S. Carpini*) ↗

Wilson 1915 Proc.U.S.Nat.Mus., 47:613(xxxi, 43-44)

Wilson 1920 Rep.Cana.Arct.Exped., 7(L):3L

Yamaguti 1939 6:550(xlv, 110-115)

Markewitsch 1937 Akad.wiss.UKR.SSR, p.133

Gussev 1951 Parasit.Sbor., 13:444(xxxi)

Hoshina 1954 J.Tokyo U.Fish., 41(1):75

Adams 1956 Parasit., 42(3):296(photo.)

see
Nagasawa et al.
(1994)

Wilson 1916 Bull.U.S.Bur.Fish., 34:363

Markevich 1956 Izd.Akad.Nauk. p. 210(124)

Bere 1930 MS Rep. biol. Sta., 259: 3

Salmincola gibber (Wilson, 1908)

(*S. carpi onis*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:615(xxxiii,61-62)

Wilson 1920 Rep.Canad.Arc.Exped.,7(L):3L,8L

Markewitsch 1937 Akad.wiss.UKR,SSR, p.131

Markevich 1956 Izd.Akad.Nauk. p. 209(122)

Salmincola gordonii Gurney, 1933
(*S. salmonis*)

Gurney 1933 Brit.F.-W. Cop., 3:357

Friend 1941 Trans. roy. Soc. Edinb., 60:508

Gurney 1945 Ann. Mag. Nat. Hist., (11):123

Bruce ~~et~~ al 1963 Mar. Fauna Isle of Man, 16:134

Fryer 1978 Limnofauna Europaena, p.226

Salmincola gordon;

1. *Achtheres percarum*, T. & A. Scott, 1913

Salmincola heintzi (Neresheimer, 1909)

Monod & Vladykov Ann.Parasit., 1931, 9(3):218

Pesta 1934 *Tierwelt deutschl.* 29: 53(32)

Kabata 1969 J.Fish.Res.Bd.Canada 26:3017

Salmincola heintzi

1. *Lernaeopoda heintzi* Neresheimer, 1909

Salmincola inermis (Wilson, 1911)

- (*S. extumescens*) (*S. carpulentus*)
- Wilson 1915 Proc.U.S.Nat.Mus., 47:614 (xxxii, 47-51)
- Wilson 1916 Bull.U.S.Bur.Fish., 34:363
- Wilson 1920 Canad.Arct.Exped., 7(L):8L
- Bangham 1955 Amer.Mid.Natur., 53(1):185
- Tidd 1931 Ohio J.Sci., 31:454

Salmincola jacutica^{us} Markewitsch & Bauer, 1950

Markewitsch & Bauer 1950 Tr.Inst.Zool.,URSR,4:113

Kabata 1969 J.Fish.Res.Bd.Canada ~~1969~~ 26:3013(129-136,246

Markevich 1956 Izd.Akad.Nauk. p. 208

Salmincola lata Markevich, 1940

(*S. californiensis*?)

Markevich 1940 Dopovidi Akad.NaukUkr.RSR 11:17

Kabata 1969 J.Fish.Res.Bd.Canada 26P3017 (241)

Markevich 1956 Izd.Akad.Nauk. p. 214(128)

Salmincola longimanus Gundrizer, 1974

Gundrizer 1974 Inst.Biol.Biofiz.Tomsk.,3:61

Kabata 1977 Proc.Biol.Soc.Wash.,90(2):189(1-2)

Salmincola lotae (Olsson, 1877)

Wilson 1915 Proc.U.S.Nat.Mus., 47:604

Heegaard 1943 Ark.Zool., 34A(18):34

Markewitsch 1937 Akad.wiss.UKR.SSR, p.126(xviii)

Markewitsch 1935 Mem.Soc.F.Flda.Fenn.11:43

Kabata 1969 J.Fish.Res.Bd.Canada 26:3008(81-91)

Markevich 1956 Izd.Akad.Nauk. p. 204(119)

Fryer 1978 Limnofauna Europaena, p.226

Salmincola lotae

1. *Lernaeopoda lotae* Olsson, 1877

Salmincola maraenae (Olsson, 1877)

(*S. extensus*)

Wilson 1915 Proc.U.S.Nat.Mus, 47:605

Salmincola mattheyi Dedie, 1940

(*S. edwardsii*)

Dedie 1940 Rev.Suisse de Zool. 47(1):12(i,1-3;t.figs.1-54)

Gurney 1948 Ann.Mag.Nat.Hist., (11):498

Salmincola nordmanni (Kessler, 1868)

Markewitsch 1937 Akad.wiss.UKR.SSR., p.135 (xxi)

Agapova 1966 Akad.Nauk Kaz.SSR.....1966:342

Kabata 1969 J.Fish.Res.Bd.Canada 26:3011(137-148,247)

Markevich 1956 Izd.Akad.Nauk. p. 215(129)

Fryer 1978 Limnofauna Europaena, p1226

Salmincola nordmanni

1. *Basanistes nordmanni* Kessler, 1868
2. *Lernaeopoda tuberculata* Gadd, 1906

Salmincola omuli Messjatzeff, 1926
(*S. extumescens*)

Messjatzeff 1926 Arch.Naturg., 92:126(

Salmincola oquassa Wilson, 1915

(*S. alpina*) (*S. edwardsi*)

Wilson 1915 Proc.U.S.Nat.Mus., 47:611(xxxi,36-40)

Wilson 1916 Bull.U.S.Bur.Fish., 34:363

Salmincola salmonea^{u s} (Gissler, 1751) (*Limnulus*, 1758)

- Wilson 1915 Proc.U.S.Nat.Mus., 47:607
- Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:113
- Friend 1941 Trans.Roy.Soc.Edinb., 60:503
- Gurney 1933 Brit.F.-W.Cop., 3:348
- Bere 1930 Cont.Canad.Biol.& Fish., 5(13):427
- Gurney 1945 Ann.Mag.Nat.Hist., (11):121
- Markewitsch 1937 Acad.wiss.UKR,SSR, p.122
- O.-L. & S.-S. 1936 Tierw.N.-O. See, 31(oOc):168(175)

- Pesta 1934 Tierwelt.Deutschl., 29:52(31)
- O'riordan 1966 Proc.Roy.Irish Acad., 64(B,20):376
- Sanderman & Pippy 1967 J.Fish.Res.Bd.Canada,24(9):1930
- Kabata 1969 J.Fish.Res.Bd.Canad.,26:2996(2-30)
- Markevich 1956 Izd.Akad.Nauk.p. 202(117)**
- Fryer 1978 Limnofauna Europaena, p.226
- Kabata 1979 Ray Society, p. 353(1462-1485)
- Ksbata 1988 Can.Sci.Publ.101:49(22E-I)

Salmincola salmoneus (Linnaeus, 1758)

(cont.)

McGladdery & Johnston 1988 *Aquaculture*, 68:193

Polyanski 1955 *Trav.Inst.Zool.Acad.Sci.USSR*, 1:104

Salmincola salmoneus

1. *Lernaea salmonea* LINNAEUS, 1761
2. *Basanistes salmonea*, M.-E., 1840
3. *Lernaeopoda salmonea*, BLAINVILLE, 1822
4. *Lernala cyprinacea*, HERMANN, 1783
5. *Entomoda salmonea*, LAMARCK, 1818
6. *Pediculus salmonis*, GISLER, 1751
7. *Lernaeopoda carpionis*, KRÖYER, 1837
8. *Schisturus salmoneus*, OKEN, 1816
9. *Salmincola gordonii* GURNEY, 1933
10. *Salmincola* ~~carpionis~~

Salmincola salvelini Richardson, 1938

(*S. carpio*)

Richardson 1938 Canad. J. Res., 16(D):225(1,A-H)

Salmonella siscowet (Smith, 1874)

- Wilson 1915 Proc.U.S.Nat.Mus., 47:608(xxx,23-29)
- Wilson 1916 Bull.U.S.Bur.Fish., 34:363
- Wilson 1920 Cana.Arc.Exped., 7(L):3L,8L
- Kabata 1969 J.Fish.Res.Bd.Canada 26:3007(207²²⁴)
- Kabata 1988 Can.Sci.Publ.101:49(22A-C)

Salmincola siscowet

1. *Lernaeopoda siscowet* Smith, 1874

... (S. carpiensis) Markewich, 1940

Markewich 1940 Dopovidi Akad.Nauk Ukr.RSR LL:17(

Markevich 1956 Izd.Akad.Nauk. p. 213(127)

Salmincola stellata Markewitsch, 1936

^{us}

Markewitsch 1936 New studies on local Lernaeopodidae,
17:107(

Markewitsch 1937 Akad.wiss.UKR.SSR., p.134, 183.216 (xx)

Kabata 1969 J.Fish.Res.Bd.Canada 26:3010(239,242)

Markevich 1956 Izd.Akad.Nauk. p. 212(126)

Kabata 1986 Canadian J.Zool., 64:1854(10-17)

Nagasawa & Urawa 1991 Sci.Rep.Hokk.Sal.Hatch., 45:57

Nagasawa 1994 Sci.Rep.Hokk_k do Fish. Hatch., 48:83

Nagasawa et al. 1994 Bull.Fac.Fish.Hokkaido Univ.,45:109(1)

Salmincola strigatus (Markevich, 1936)

Kabata 1969 J.Fish.Res.Bd.Canada 26:3016(240,243,244)

Salmincola strigatus

1. *Achtheres strigatus* Martensich, 1936

Salmincola thymalli (Kessler, 1868)

- Wilson 1915 Proc.U.S.Nat.Mus., 47:613(xxxii,45-46)
- Gurney 1933 British F.-W.Cop., 3:352
- Markewitsch 1937 Acad.wiss.UKR,SSR, p.128(xix)
- Gurney 1945 Ann.Mag.Nat.Hist., (LL):123
- Harding & Gervers 1956 Nature, 177:664
- Grabda 1958 Zool.Poloniae, 9(2/3):155
- Kabata 1969 J.Fish.Res.Bd.Canada 26:3002(92-113)

Markevich 1956 Izd.Akad.Nauk. p. 206(120)

Fryer 1978 Limnofauna Europaena, p.226

Arthur et al 1977 J.Fish.Res.Bd.,Canada 33(11):2492

Kabata 1979 Ray Society, p. 354(1486-1499)

Kabata 1988 Can.Sci.Publ.,101:47(21A-E)

Salmincola thymalli

1. *Zernaeopoda thymalli* Kessler, 1968
2. " *clavigera* Olsson, 1872
3. *Salmincola baicalensis* Messjaters, 1926

Salmincola thymalli baicalensis Messjatzeff, 1926

Messjatzeff 1926 Ark.Naturg.Abt.,92:

Hanek & Dulmaa 1970 Folia Parasit., 17: 79

Salmincola wisconsinensis Tidd & Bangham, 1945

(*S. extensus*)

Tidd & Bangham 1945 Ohio J.Sci., 45(2):82(1-6)

Bangham 1955 Amer.Midl.Natur., 53(1):185,186

Salmincola yamame Hoshina & Suenaga, 1954

(*S. californiensis*)

Hoshina & Suenaga 1954 J.Tokyo U.Fish., 41(1):75(1-~~4~~4i, 1-8)