

Taeniacanthus acanthocepholae Yamaguti, 1939

Yamaguti 1939 Pt.4, p.401(vi,49-59)

Yamaguti 1963 New York, p.20(pl.24,fig.3)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.447:11(1-4)

Lin & Ho 2006 J.Fish.Soc.Taiwan 33(2)172(1-2)

Taeniacanthus albidus Wilson, 1911

(grades gracilis)

Wilson 1911 Proc.U.S.Nat.Mus., 39:388(1x, 211-219, t.fig.41)

Yamaguti 1963 New York, p.20(pl.20, fig.2)

Kabata 1979 Ray Society, p. 78

Taeniacanthus aluteri (Avdeev, 1977)

Dojiri & Cressey 1987 Smith.Contr.Zool.447:16(5-9)

Ho & Lin 2007 J.Fish.Soc.Taiwan 34(2):153(5-6)

Taeniacanthus aleuteri

1. *Anchistrotos aleuteri* AVDEEV, 1977

Taeniacanthus anguillaris (Devi & Shyamasundarik 1980)

Dojiri & Cressey 1987 *Smith.Contr.Zool.*, 447:22(10-12)

Lin & Ho 2006 *J.Fish.Soc.Taiwan* 33(2):173(3-5)

Taeniocanthus anguillaris

1. *grodes anguillaris* DEVI & SHYAMASUNDARI
1980

Taeniacanthus balistae (Claus, 1864)

Yamaguti 1963 New York, p.20

Ho & Rockicki 1987 J.Nat.Hist., 21:1028(3-4)

Dojiri & Ho 1987 Rep.Sado mar.biol.Sta.,17:33(1A)

Radujkovic & Raibaut 1989 Acta Adriat.,30(3)

Dojiri & Cressey 1987 Smith.Cont.Zool.,447:26(13-16)

Lin & Ho 2006 J.Fish.Soc.Taiwan 33(2):178(6-8)

Taeniacanthus zengopteri

1. *Anchistrotus zengopteri*
2. *Bomolochus zengopteri* T. SCOTT, 1902

Taeniacanthus balistae

1. *Eucanthus balistae* (CLAUS, 1864)
2. *Anchistrotos balistae*
3. *Taeniacanthus longichela* YAMAGUTI
+ YAMASU, 1959

Taeniacanthus canthigasteri Izawa, 1967

(T. Kitamakura)

Izawa 1967 Rep.Fac.Fish.Pref.U.Mie,6(1):29(1-4)

Kabata 1979 Ray Society, p. 78

Taenicanthus carchariae Sumpf, 1871

Sumpf 1871 Inaugural-Dissertation, U. Gotting., p. 7(I, ii)

Wilson 1911 Proc. U.S. Nat. Mus., 39:388

Wilson 1922 Ark. f. Zool., 14(10):8

Capart 1959 Exp. Ocean. Belg., 3(5):63(1)

Yamaguti 1963 New York, p. 20(pl. 20, fig. 1)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith. Contr. Zool. 447:11(

Taeniacanthus coelus Wilson, 1922

Wilson 1922 Ark.f.Zool., 14(10):6(iii, 18-26)

Wilson 1923 Ark.f.Zool., 15(3):4

Yamaguti 1963 New York, p.21

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.447:32

Taeniacanthus comparatus Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.447:32(17-19)

Taeniocant~~us~~ cynoglossi (Rangnekar & Murti, 1960)

Dojiri & Cressey 1987 Smith.Contr.Zool.447:36

Paeniacanthus cynoglossi

1. *Parataeniacanthus cynoglossi* RANGNEKAR
& MURTI, (1960)

Taeniocanthus dentatus Sebastian, 1964

Sebastian 1964 J.Mar.Biol.Ass.India, 6(1):94(1-10)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.447:36

Pillai 1985 Fauna of India, p.99

Taeniacanthus dentatus Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.447:36(20-22)

Taeniacanthus flagellans Wilson, 1913

(*Prodes gracilis*)

Wilson 1913 Proc.U.S.Nat.Mus., 44:206(xxv,54-61)

Wilson 1922 Ark.f.Zool., 14(10):8

Yamaguti 1963 New York, p.21(pl.18,fig.2)

Kabata 1979 Ray Society, p. 78

Taeniocanthus fugu Yamaguti & Yamasu, 1959

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5(3/4):94(ii,23-32)

Yamaguti 1963 New York, p.21(pl.19,fig.2)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:40(23-24)

Taeniacanthus glomeratus Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:41(25-27)

Taeniocanthus hapalogenyos Yamaguti & Yamasu, 1959

(*Debilacolar* h.) (*Bemoluchus* h.)

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5(3/4):95(iii, 44-55)

Yamaguti 1963 New York, p.21(pl.19, fig.8)

Taeniacanthus indicus Pillai, 1963

(*grodes gracilis*)

Pillai 1963 Crustaceana 6(2):112(1,A-J)

Kabata 1979 Ray Society, p. 78

Pillai 1985 Fauna of India, p. 100(24)

Taeniocanthus inimici (Yamaguti & Yamasu, 1959)

Cirrhacanthus id
Dojiri & Cressey 1987 Smith.Contr.Zool., 447:48

- Taeniocanthus kitamakura* Yamaguti & Yamasu 1959
Yamaguti & Yamasu 1959 Biol.J.Okayama U.,5:97(ii,33-43)
Yamaguti 1963 New York, p.21(pl.19,fig.7)
Kabata 1979 Ray Society, p. 78
Dojiri & Cressey 1987 Smith.Contr.Zool.,447:48(28-32)

Taeniacanthus Kitamakura

1. *Taenicanthus canthigasteri* IZAWA, 1967

Taeniacanthus lagocephali Pearse, 1952

Pearse 1952 Inst.Marine Sci., 2(2):8(1-4)

Ho 1969 Bull.mar.Sci., 19(1):112(1-5)

Kabata 1979 Ray Society, p. 78

Uma Devi & Shyamasundari 1980 Crustaceana 39(2):197

Izawa 1986 Publ.Seto mar.biol.Lab., 31:38(1-9)

Dojiri & Cressey 1987 Smith.Contr.Zool., 447:54(33-37)

Pillai 1985 Fauna of India, p.102(25)

Boxshall & Montu 1996 Nauplius, 5/1:41(3.23)

Lin & Ho 2006 J.Fish.Soc.Taiwan 33(2):183(9-10)

Taeniocanthus lagocephali

1. *grodes lagocephali*
2. *Taeniocanthus sabatugi* YAMAGUTI
& YAMASU, 1959

Taeniacanthus longicaudus Pillai, 1963

(Irodes)
Pillai 1963 Crustaceana 6(2):116(3,A-T)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:60

Pillai 1985 Fauna of India, p.104(26)

Taeniacanthus longicervis (Pillai, 1963)

Dojiri & Cressey 1987 Smith.Contr.Zool., 447:60(38-41)

Taeniacanthus longicervis

1. *Parataeniacanthus longicervis* ZILLER, 1963

Taeniacanthus longichela Yamaguti & Yamasu, 1959
(*T. balistae*)

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5:99(iii, 56-66)

Shiino 1960 Rep.Fac.Fish.Mie U., 3(3):507(4,5)

Yamaguti 1963 New York, p.21(pl.19, fig.5)

Kabata 1979 Ray Society, p. 79

Reimer 1986 Wiadom.Parazyt., 32:506

Taeniacanthus miles (Pillai, 1963)

Dojiri & Cressey 1987 *Smith.Contr.Zool.*, 447:66(42-43)

Ho et al. 2007 *J.Fish.Soc.Taiwan*, 34(4):347(3-4)

Taeniocanthus miles

1. *Parataeniocanthus miles* PILLAI, 1963
2. *Parataeniocanthus russelli*
Uma Devi & Shyam Sundari, 1980

Taeniacanthus moa (Lewis, 1967)

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:70(46-49)

Kim 1998 Fauna & Flora of Korea, 38: 535(239-140)

Taeniacanthus moa

1. *Anchistrotos moa* LEWIS, 1967

Taeniacanthus monacanthi Yamaguti, 1939
(*Cirracanthus m.*)

Yamaguti 1939 ~~Prt.~~ 4:402(vii,viii,60-71)

Shiino 1959 Rep.Fac.Fish.Univ.Mie,3(2):372(17c)

Yamaguti 1963 New York, p.21(pl.23,fig.3)

Kabata 1979 Ray Society, p. 78

Taeniacanthus narcini Pillai, 1963

(*Irides* n.) (*Canulacanthus* n.)

Pillai 1963 Crustaceana 6(2):114(2,A-L)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:76

Pillai 1985 Fauna of India, p.107(27)

Radhakrishnan & Nair 1983 Acta Ichthyol.,13(2):97

Taeniacanthus neopercis Yamaguti, 1939

Yamaguti 1939 Pt.4:403(viii,ix,72-80)

Yamaguti 1963 New York, p.21(pl.24,fig.2)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.contr.Zool.,447:76(50-52)

Lin & Ho 2006 J.Fish.Soc.Taiwan 33(2):186(11-12)

Taeniacanthus nudicauda Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.contr.Zool.,447:80(53-55)

Taeniacanthus occidentalis (Wilson, 1924)

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:84(56,57)

Taeniacanthus occidentalis

1. *Anchistrotos occidentalis* WILSON, 1924

Taeniacanthus ostracionis (Richardi, 1870)

Dojiri & Cressey 1987 Smith.contr.Zool.,447:86(58-61)

TaeniaCanthus ostracionis

1. Bomolochus ostracionis RICHARDI, 1870
2. Anchistrotus ostracionis

Taeniacanthus papulosus Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:86(62-64)

Taeniacanthus pectinatus Yamaguti & Yamasu, 1959

Yamaguti & Yamasu 1959 Biol.J.Okayama U.,5:101(iv,67-78)

Yamaguti 1963 New York, p.21(pl.19,fig.1)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:94

Taeniacathus petilus Dojiri & Cressei, 1987

Dojiri & Cressey 1987 Smith.contr.Zool.,447:96(63-67)

Taeniacanthus platycephali (Yamaguti, 1939)

Dojiri & Ho 1987 Rep.Sado mar.biol.Sta., 17:34(

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:96(68-70)

Ho & Sey 1997 Kuwait J.Sci.Engineer.,23:63

Taeniacanthus platycephalus:

1. *Parataeniacanthus platycephali*

YAMAGUTI, 1939

Taeniacaenhus pollicaris Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool., 447:103(71-74)

Taeniacanthus pseudorhombi (Yamaguti, 1939)

Dojiri & Cressey 1987 Smith.Contr.Zool., 447:109(75-78)

Taeniacanthus Pseudorhombi

1. Pseudotaeniacanthus pseudorhombi
YAMAGUTI, 1939

Taeniacanthus pterois Shen, 1957 莖鮐蜥刺魚蚤

Shen 1957 *Acta Zool.Sinica* 9(4):312

Yamaguti 1963 *New Fork*, p.21(pl.18,fig.4)

Kabata 1979 *Ray Society*, p. 78

Dojiri & Cressey 1987 *Smith.Contr.Zool.*,447:114(79-82)

Ho & Lin 2007 *J.Fish.Soc.Taiwan* 34(2):156(7-8)

Taeniacanthus rotundiceps (Shiino, 1957)

Dojiri & Ho 1987 Rep.Sado mar.biol.Sta.,17:34(1B)

Dojiri & Cressey 1987 Smith.Contr.Zool.447:118(83-86)

Kim 1998 Fauna & Flora of Korea, 38: 538(241-242)

Taeniacanthus sabafugu Yamaguti, & Yamasu, 1959

(*T. lagocephali*)

Yamaguti & Yamasu 1959 Biol. J. Okayama U., 5:102(vi, 77-89)

Yamaguti 1963 New York, p.21(pl.19, fig.6)

Taeniacanthus sauridae Yamaguti & Yamasu, 1959

Yamaguti & Yamasu 1959 Biol.J.Okayama U.,5:106(v,90-99)

Yamaguti 1963 New York, ~~px222~~ p. 21(pl.19,fig.4)

Kabata 1979 Ray Society, p. 78

Cressey & Cressey 1979 Smith.Contr.Zool.,296:14(27,28)

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:124

Taeniacanthus sebastichthydis Yamaguti, 1939

Yamaguti 1939 Pt.4:399(iv,v,38-48)

Shen 1957 Acta Zool.Sinica, 9(4):313

Yamaguti 1963 New York, p.21(pl.23,fig.1)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:124(87-89)

Kim 1998 Fauna & Flora of Korea, 38: 541(243-244)

Taeniacanthus sebastichthydis

1. *Taeniacanthus sebastisci* YAMAGUTI, 1939

Taeniacanthus sebastisci Yamaguti, 1939

(*T. sebastichthydis*)

Yamaguti 1939 Pt. ~~4~~, p. 405 (ix, 81-85)

Yamaguti 1963 New York, p. 21 (pl. 23, fig. 2)

Kabata 1979 Ray Society, p. 78

Dojiri & Ho Rep. Sado mar. biol. Sta., 17:36

Taeniacanthus similis Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.447:128(90-91)

Dojiri & Ho 1987 Rep.Sado mar.biol.Sta.,17:36(1C-G)

Taeniacanthus spiniferus Ho & Lin, 2007

Ho & Lin 2007 *Syst.Parasitol.*, 67:78(3-4)

Taeniacanthus tetradonis (Bassett-Smith, 1898)

Kabata 1979 Ray Society, p. 78

Dojiri & Cressey 1987 Smith.Contr.Zool., 447:128

Pillai 1985 Fauna of India, p.109

Taeniacanthus tetradontis

1. *Bomolochus tetradontis*
2. *Prodes tetradontis*
3. *Taeniacanthus tetradontis*

Taeniacanthus tetraodontis (Yamaguti, 1939)

Yamaguti 1963 New York, p.21(pl.25,fig.3)

Taeniacanthus upenei Yamaguti, 1954

(*Isodes u.*)

Yamaguti 1954 Pub. Seto Mar. Biol. Lab., 3(3):377(i,iii,8-10,
20)

Yamaguti 1963 New York, p.21(pl.25,fig.1)

Kabata 1979 Ray Society, p. 78

Taeniacanthus upenei upeneoides Yamaguti, 1954

(Irodes u.)
Yamaguti 1954 Pub. Seto Mar. Biol. Lab., 3(3):378(ii, 17-18)

Yamaguti 1963 New York, p. 22~~xx~~

Taeniacanthus williamsi Dojiri & Cressey, 1987

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:130(92-95)

Taeniakanthus wilsoni A.Scott, 1929

Scott 1929 Rep.Lanc.Sea-Fish.Lab., 37:84(i,1-10)

Yamaguti 1963 New York, p.22

Kabata 1979 Ray Society, p. 79(79-87)

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:137

Taeniacanthus yamagutii (Shiino, 1957)

Yamaguti & Yamasu 1959 Biol.J.Okayama U., 5:104(v, 100-112)

Dojiri & Ho 1987 Rep.Sado mar.biol.Sta., 17:36

Dojiri ~~d~~^{Cyrtos} Ho 1987 Smith.contr.Zool., 447:137(96-99)

Kim 1998 Fauna & Flora of Korea, 38: 545²⁷⁵⁻²⁴⁶~~(275-246)~~

Taeniaacanthus yamaguti

1. *Prodes tetradontis*
2. *Prodes yamaguti*

Taeniacanthus zeugopteri (T. Scott, 1902)

Dojiri & Cressey 1987 Smith.Contr.Zool.,447:142