

(n)

Aetideidae - Calanoida -

Pseudochirella

G. O. Sars, 1920

P. calcarata <sup>①</sup>

Syn. Pseudochirella, Sars, 1920, p. 5.

PSEUDOCHIRELLA

G. O. SARS, 1920

(2)

- MAUCHLINE, 1988: 730; FIG. 20C, PORE SIGNATURE
- , TANAKA, 1957d: 192, 197, 198, 199
- , PARK, 1978: 158-159; KEYS TO ANTARCTIC ♀ ♂ SPECIES
- , Bradford & Jillett, 1980, pp 66-67;
- , Gardner & Szabo, 1982, p. 26, 251.
- , BJÖRNBERG, T. 1986: 54; FIG. 4c
- VYSHKOVARTZEEVA 1994: 120

Pseudochirella accepta Zvereva 1976

-- Zvereva 1976b: 200-202, figs. 1-12, n. sp. ♀,

Bering Sea.

-- MARKHASEVA 1986a: 465

PSEUDOCHIRELLA BATILLIPA PARK, 1978

- PARK, 1978 : 176 FIGS. 50, 51 ♀
- MARKHASRVA 1984: 511-514, CENTRAL ARCTIC
- RAZOUKS 1994: 12

Aetideidae-Calanoida

Pseudochirella bilobata Vervoort

Vervoort, W., --- 1949, pp. 38-41, fig. 18.

Tanaka, Omori -- 1969, pp. 155

--, PARK, 1978: 158 i syn: GAIODUS PARVISPINUS

Pseudochirella bowmani Markhaseva

Pseudochirella scopularis (Sars). -Wilson, 1950:317.

Pseudochirella bowmani Markhaseva 1986 *a*:passim.;  
462-465, figs. 1(1-6), 2(1-8), n. sp. ♀ only -  
southeastern Pacific

Aetideidae - Calanoida

Pseudochirella calcarata G.O.Sars, ♀

— — Sars, 1920, p. 5.

— — Sars, 1925, p. 89: pl. 13, figs. 15-21.

--, PARK, 1978: 158

Habitat. Station 2959, Monaco, Atlantic.

Pseudochirella dentata

--Tanaka, Omori, 1969, pp. 155.

--, Park, 1978: 158

--, Bradford & Jillett, 1980, pp. 67-68, fig. 46

Aetideidae - Calanoida  
Pseudochirella divaricata (G.O. Sars), ♀.

Gaïdius — us, Sars, 1905, p. 10

Pseudo. — a, Sars, 1925, p. 91: pl. 25, figs. 5-7

— — Wilson 1942, p. 205

— — JESPERSEN, 1934, P. 66, S. DAVIS STR. W. GREENLAND WATERS.

— , PARK, 1978: 158

Habitat. Temperate Atlantic

— Deevy & Brooks, 1977: 263

Pseudochirrella divaricata (C.O.SARS) (2)

- Tanaka, Omori, 1969, p. 155.  
-- Mauchline 1988: 730

Aetideidae-Calanoidea

Pseudochirella dubia (Sars) ♀<sup>♂</sup> ①

, Sars, 1925, p. 96 - AZORES  
Undeuchaeta dubia Sars, 1905, p. 15

— —, JESPERSEN, 1934, P. 67, S. DAVIS STR. W. GREENLAND WATERS.

--, PARK, 1978: 158

-- HAUCH LINE 1988: 730

Pseudochirella dubia

(3)

-Tanaka & Onori, 1969, p. 135.

Pseudochirella elongata (Wolfenden, 1905)

-- --; Vervoort, 1957, p. 69, fig. 54.

-- , Bernard, 1970, p. 109, 117, 122, 132, 167

-- , Tanaka, Omori, 1969, pp 155

-- , PARK, 1978: 94, 158, 159-163 & figs.; FIGS. 37-40; 340. KUCHIRELLA E.

-- MARKHASEVA 1984: 511-514, FIGS. 1, 2- CENTRAL  
ARCTIC

-- RAZOULS 1994: 12

Aetideidae - Calanoida.

Pseudochirella fallax G.O. Sars, f.

— — Sars, 1920, p. 6

Bradyetes major, Sars 1907, p. 9  
— — Sars 1925 . p. 95

--, WHEELER, 1970: TAB. 4

Habitat.

- Deevney & Brooks, 1977: 263

--, PARK, 1978: 158

Aetideidae-Calanoida

Pseudochirella gibbera Vervoort

Vervoort, W., --- 1949, pp. 41-43, fig. 19.

Tanaka, Omori -- P69, pp. 155

--, Park, 1978: 158

Pseudochirella granulata

-- Tanaka in Omori, p. 155

--, Park, 1978: 158

PSEUDOCHIRELLA GURJANOVAE BRODSKY, 1955

-- MARKHASEVA, 1986b, TRANSFERRED TO

BATHEUCHAETA

Pseudochirella hirsuta (Wolfenden, 1905)

-- --; Vervoort, 1957, p. 69, fig. 54.

-- Tanaka, Omori, 1969, pp. 156.

--, PARK, 1978: 94, 158, 163-165 ♀; FIGS. 44-46; SYN: EUCHIRELLA H  
--, Grice & Hulsemann, 1968: tab. 2

PSEUDOEUCHIRELLA —, YAMANAKA 1976: 161-196, SW ATLANTIC

-- RAZOULS 1994: 80-, PL. 33, ANTARCTIC; 12

Pseudochirella incisa (Easterly, 1911)

— —, Easterly, 1911

Undeuchaeta superba With, 1915., 137 pl. 4 fig 6a-b  
Pseudochirella incisa, Grice, 1964. pp. 262-3, fig. 41.

Grice, 1964 = UNDEUCHAETA INCISA, (PARK, 1978: 183)

—, Grice & Hulsemann, 1968: fig. 2

— Mesundeuchaeta asymmetra  
Wolfseder 1911: 244 pl. 29 f. 4-7

Pseudochirella limata, Grice & Hulsemann  
, 1968

-- Tanaka, Omori, P. 156

--, PARK, 1978: 158

--, Grice & Hulsemann, 1968: 327; fig. 20-25

Aetideidae - Calanocida

Pseudochirella lobata (G.O.Sars), ♀.

Undeuchaeta p - Sars, 1907, p. II.

P - L, Sars, 1925, p. 93: pl. 25. figs. 11-13.

--, PARIS, 1978: 158

Habitat. Temperate Atlantic.

*Pseudochirella magna* (Wolfenden)

*Chirundina magna*, Wolfenden 1911, p. 241, fig. 27, +  
pl. 28, figs. 10-13

*Pseudochirella magna*, Sewell 1929, p. 129, fig. 49  
Indian O. ♀

--, SEWELL, 1947, P. 97, FIG. 21, ARABIAN SEA.

--, VERVOORT, 1949, P. 48, FIG. 22, 23, BANDA SEA, FLORES SEA. AREA.

--Tanaka, ? Omori, 1969, p. 156.

--, PARK, 1978: 158

--, OWEDE & FOYO, 1964a: 355

Pseudochirella mawsoni Vervoort, 1957

- -- Vervoort, 1957, pp. 64-67, figs. 44-48.
- --; Tanaka, Omori, 1969, p. 156
- , PARK, 1978: 95, 158, 171, 172-176 ♀♂; FIGS. 48-49; 340.  
P. TUBERCOSA
- , Bradford & Jillett, 1980, pp 68-71, fig. 47.
- RAZOUFS 1994: 82; PLs. 34, 35, ANTARCTIC; 12

Pseudochirella notacantha (G.O. Sars) ♀♂.

— — Sars, 1924, p. 86: pl. 24, figs. 7-12

— — Farran, 1929, p. 232.

Gaïdius notacanthus, Sars, 1905, p. 9.

— — Farran, 1909, p. 33: pl. 3, fig. 7. ♂.

— Tanaka, Omori, 1962, pp. 156, 162, 166.

Habitat. Antarctic; Temperate Atlantic.

—, PARK, 1978: 94, 158

— Deevy & Brooks, 1977: 263

*Chirundina notacantha* Witt, 1915, p. 148.

— —, Sewell, 1947, p. 98, FIG. 21, D.

— —, Jespersen, 1934, p. 66, S. DAIVIS STR. W. GREENLAND WATERS.

— —; Vervoort, 1957, p. 67-69, figs. 49-53.

-- RAZOUWS 1994:12

Pseudochirella obesa G.O. Sars, ♀

— — Sars, 1920, p. 6.

— — Sars, 1925, p. 94

— — JESPERSEN, 1934, P. 67, DAVIS STR. GREENLAND WATERS.

— Deevay & Brooks, 1977: 263

Habitat. Stations 2738, 2959, Monaco.

--, PARK, 1978: 158

--, OWREY FOY, 1964a:  342, 343, 351-357 S FIG.

--, OWREN & FOYD, 1972: TAB. 3

--, OWREN FOYD, 1964b: 363

--, Bradford & Jillet, 1980, p. 71, fig. 48.

- Vampel-Klein, 1984: part 7, 52, fig. 3b, 5a,  
7n, 8i, m, 12e, 15j-k, 16i, l, m, n, 17d  
18c, g-i, pl. 1c, d, pl. 2a

-- SANDER + MOORE 1978: 233

-- MARKHASEVA, 1986a: 463

Pseudochirella obtusa (G.O. Sars). ♀

Undeuchaeta — Sars, 1905, p. 15.

Chirundina abyssalis With, 1915, p. 147: pl. 5, f. 5.

Pseudochirella obtusa, Sars, 1925, p. 83: pl. 24, f. 1-4.

— — Sewell 1929, p. 131, fig. 50 ♀, Indian O.

— — SEWELL, 1947, p. 101,

— — VAUPEL-KLEIN, 1972, p. 501-571

Habitat. Atlantic: Mediterranean.

— Tanaka, Omori, 1969, pp. 156

— Roe, 1975, p. 309.

— Bradford & Jillett, 1980, p. 71, fig. 49

— Vaupel-Klein, 1984: part 7: 52

— — Rose, 1929, p. 24.

— —, JESPERSEN, 1934, P. 65, S. DAVIS STR. GREENLAND WATERS.

— —, VERVOORT, 1949, P. 37, FIG. 21, C. TIMOR SEA & FLORES SEA AREA.

--, Ehrhardt, 1967, p. 737-

--, Roe, 1972a, pp. 294-

--, VAUPEL-KLEIN, 1972: 502, 508, PL. 6c (SEM)

--, PARK, 1978: 158; SYN: CHIRODINA ABYSSALIS; EUCHIRELLA  
DORIA

--, FERRARI, 1980: 543, 545

Pseudochirella obtusa (G. O. Sars, 1905)

card 2

-- Mauchline 1988: 730

-- Soldevilla, et al. 1988: 58 Canary Islands

PSEUDOCHIRELLA PACIFICA (BRODSKY)

- — — BRODSKY, 1950, p. 189, FIG. 105, U.S.S.R.  
— — — TANAKA, Onom., 1969, p. 156.  
-- PARK, 1978: 158  
-- MOTODA + MINODA, 1974: 232 (as P. PACIFICUS)  
-- ZVEREVA 1976b: 201-2, FIGS. 13-20, descr. ♀

Aetideidae - Calanoida

Pseudochirella palliata (G.O.Sars). ♀

Undeuchaeta — Sars, 1907, p. 11.

P — p — Sars, 1925, p. 92 : pl. 25, figs. 8-10.

--, PARK, 1978: 158

Habitat. Temperate Atlantic.

PSEUDOCHIRELLA

POLYSPINA

(BRODSKY)  
1950

— —, Brodsky, 1950, p. 185, fig. 102, USSR

— —: Vaupel-Klein, 1970, p. 15, fig. 4f.

— , Morris, 1970, p. 2300.

— , Minoda, 1972, p. 327.

— Tanaka, Onori, 1969, pp 155, 160-164, 166. Fig 2

— Rao, 1975, p. 309.

— Harding, 1974, p. 148

— , TANAKA, 1974: 194-195 ♀ FIG. 55

— , PARIS, 1978: 158, 169-172, 176; FIGS. 45-47 ♀♂; 34a. P. SPINIFER

— , Gardner & Szabo, 1982, p. 26, 252-253, fig. 14-9-1

PSEUDOCHIRELLA POLYSPINA (BRODSKY, 1950) CARD 2

--, MOTODA + MINODA, 1974:232

— Deevey & Brooks, 1977:263

-- RAZOUKS 1994:12

Pseudochirella pustulifera (G.O.Sars). ♀.

— — Sars, 1925, p. 85: pl. 24, figs. 5-6

Undeuchaeta — Sars, 1905, p. 14. [pl. 4, f. 3]

Euchirella wolfendeni, Flarran, 1909, p. 38: pl. 2, figs. 18-19: n.

Chirundina pustulifera, Witt, 1915, p. 145.

— —, JEPSENSEN, 1934, p. 65, S. DAVIS STR. GREENLAND WATERS.

— TANAKA & ORKORI, 1969, p. 155, 162, 164 fig. 3.

Habitat. Temperate & boreal Atlantic. —

—, TANAKA, 1957d: 192-194 ♀, FIG. 54

<sup>1</sup>,  
<sub>1</sub>  
195,

—, PARK, 1978: ~~fig.~~ 158, 165-169, 176, FIGS. 43, 44; SYNS. UNDEUCHETA

PUSTULIFERA, EUCHIRELLA WOLFENDI

--, Grice & Hulsemann, 1968: fig. 2

--, FERRARI, 1980: 543, 545

-- ZVEREVA 1976b: 201

- Deevey & Brooks, 1977: 263

-- MAUCHLINE 1988: 730-, PORE-SIGNATURE

-- RAZOUWS 1994: 12

Aetideidae - Calanoidae

Pseudochirella scopularis (G.O. Sars), ♀. ①

Undeuchaeta — Sars, 1905, p. 14.

Pseudoch. — Sars, 1925, p. 90: pl. 25, figs. 1-4.

— —, Vervoort, 1949, p. 46, figs. 21A, B. MOLUCCAN SEA,

— — Tanaka, : Onori, 1969, p. 156.

--, PARK, 1978: 158

Habitat. Temperate Atlantic

--, FERRARI, 1980: 543, 545

PSEUDOCHEIRELLA SCOPULARIS (G.O. SARS) CARD 2

--, MARK HASRUA 1986a: 463, WILSON'S 1950

RECORD (p. 317) OF P. SCOPULARIS IS P.  
BOWMANI N.S.P.; 465 - RELATIONSHIPS.

Aetideidae-Calanoida

Pseudochirella semispina Vervoort

Vervoort, W. --- 1949, pp. 44-46, fig. 20.

Tanaka & Omori, p. 156, 169.

--, Paras. 1978: 158

PSEUDOCHEIRELLA SPECTABILIS (SARS)  
1900

— —, BRODSKY, 1950, P. 185, FIG. 103, (USSR)

--, PARK, 1978: 15F

--, MOTODA & MINODA, 1974: 215, 232

PSEUDOCHEIRELLA SPINIFERA (BRODSKY)

— — BRODSKY, 1950, P. 188, FIG. 104, USSR.

— — : Vaupel-Klein, 1970, pp. 16-17.

— — ; Tanaka, & Onori, 1968, pp. 155, 162, 164, 165. Fig. 4.  
— — Minoda, 1972, p. 327.

— , PARO, 1978: 158 = P. POLYSPINA (p. 169)

— , MOTODA + MINODA, 1974: 232

PSEUDOCHIRELLA

SPINOSA (ABEYENDER, 1911)

--, PARK, 1978: 158

-- RAZOUKS 1994: 12

Pseudochirella squalida, 1967, Grice & Hulsemann, p. 24,  
figs. 65-70;

-- Tanaka : Omori, 1969, pp. 156.

--, PARK, 1978: 158

--, Bradford & Jillett, 1980, p. 71, fig. 50

--, Grice & Hulsemann, 1968: tabl. 2

--, FERRARI, 1980: 536-550, figs. 1-5

-- Deevay & Brooks, 1977: 263

PSEUDODCHIRELLA TUBERCULATA TANAKA, 1957

-- TANAKA, 1957 d: 195-197 ♀, FIG. 56

--, TANAKA & OMORI, 1969: 155, 166

--, ROE, 1975: 307-309 FIG. 7

--, PARO, 1978: 158

--, Grice & Hulsemann, 1968: fig. 2

-- ZVEREVA 1976b: 901

Pseudochirella tuberosa Grice & Hulsemann, 1968

--, Grice & Hulsemann, 1968: 327-329, fig. 26-33

--, Tanaka & Omori, 1969: 156

--, (= P. mawsoni) Park, 1978: 172.

Pseudochitella vervoorti

-- Tanaka, Omori, 1969, pp. 155, 166  
fig. 5.

--, Park, 1978: 158

Pseudochirella sp.

— sp. Vervoort, 1957, p. 69.

NR. PSEUDOCHEIRELLA, COBLEY ET AL. 1989: 13-  
NW ATLANTIC

Pseudochirella sp.

-- Grice, 1962. p. 196.

Pseudochirella sp.

--, Bradford, 1972, p. 40, fig. 81-8.6