

(M) Chondracanthidae - Hernaeopodoidea.

Acanthochondria OAKLEY, 1930

♂

Leigh-Sharpe, 1927.

A. cornuta.

Syn. Acanthochondria, Leigh-Sharpe, 1927, p. 466.

CHONDRACANTHIDAE - POECIKOSTOMATOIDEA

Acanthochondria Oakley, 1927-1930

①

- Kabata 1984: 1703-1713.
- KABATA 1988: 90, 96-97, DIAGNOSIS + KEY TO CANADIAN SPECIES
- LÜWINKO 1953: 13-, ♀
- Ho 1970: 115, syn. Rylovia MARKEWITSCH, NEW SYNONYMY; 118-, DIAGNOSIS, REVISION
- KABATA 1992: 180-, DIAGNOSIS, KEY TO BRITISH SPECIES
- Ho 1994: 515

Acanthochondria Oakley, 1930

card 2

-- Ho & Kim 1995b: 45-, review, keys

ACANTHOCHONDRIA ALBIGUTTA - see

A. GALERITA

Acanthochondria argatula (Markewitsch, 1940)

Rylovia -, Markewitsch 1940:

Acanthochondria -, n. comb., Ho 1970: 115, returned

Rylovia to synonymy of Acanthochondria

A. -, Ho 1972: 149

A. -, Kabata 1987: 215

A. ARGUTULA, Ho & Kim 1995a: 32, TAB. 1

A. ARGUTULA, Ho & Kim 1995b: 59

Acanthochondria ateleopi Capart, 1959

— Capart, 1959 : 99 — fig. 24 a-b. — ex

-- Kabata 1984: 1705.

ATELEOPUS. BARNARDI,
OFF W. AFRICAN COAST

-- kabata, 1987 : 215

~~KABATA 1987~~

-- HOGANS 1992: 31-36, FIGS. 1, 2, EX ATELEOPUS
LOPPEI, GULF OF MEXICO (NEW HOST & GEOGRAPHIC
RECORD)

-- Ho + Kim 1995b: 59

Acanthochondria barnardi Capart, 1959

— Capart, 1959: 101–102 , fig. 25a–b.

-- Kabata 1984: 1704.

-- Ho 1970: 127, PROBABLY SYN. OF A. CORNUTA

-- Ho + Kim 1995 b: 59

Acanthochondria bicornis Shiino ♀ ♂

--- Shiino, 1955, PP. 103-107, Figs. 21-22. Japan

Host: Upper side gill arches *Zenion japonicum*, Minabe,
Japan.

-- Kabata 1984: 1708, 1710.

-- Ho + Kim 1995b: 60-

Chondracanthidae - Lernaeopodoida

Acanthochondria brevicorpa Yu, ♂♀

— — Yu, 1935, p. 9: pl. 4, figs. 1-8.

.. Ho + Kim 1995 b: 60-, syn. A. HAZEKUTI

Host. Gills of Synechogobius hasta, Chefoo.

= *A. BREVICORPA* Chondracanthidae Bernaeopodoida

Acanthochondria hazekuti Yamaquti ♂♀.

— — Yamaquti, 1939, p. 535: pl. 37, figs. 27–32.

-- Kabata 1984: 1708, 1710.

-- Ho & Kim 1995b: 60 –, SYNONYM OF *A. BREVICORPA*,
NEW SYNONYMY

Host. Gills, *Acanthogobius hastes* (Temm. & Schleg.)

Ariake Bay, Japan

Acanthochondria briani (Yü & Wu, 1932)

-- Kabata 1984: 1706.

-- Kabata, 1987: 215

--

Ho + Kim 1995 b: 59

-- Ho 1991: 55, TAB. I

ACANTHOCHONDRIA BULBOSUS - see A. TCHANGI

ACANTHOCHONDRIA CHILENSIS - see
A. PHYCIDIS

Acanthochondria chylomycteri - see Pseudochondracanthus

Chondracanthidae-Ternaeopodoida

Acanthochondria clavata (Bassett-Smith) ♂, ♀, 2

Chondracanthus - us. B.-S., 1896^b, p. 13: pl. 5, fig. 1.

— — See card C. clavatus

Acanthochondria -a, Oakley, 1930, p. 190: fig. 4, A, C, D,

A. -, KABATA 1968: 341, FIGS. 76, 93 NO RECORD

A. -, KABATA 1984: 1704, 1708

Host. Gills of Pleurnectidae.

A. CLAVATUS, BOER 1970: 2, TABLE I, HOLLAND

A. -A, KABATA 1992: 182; FIG. 40B, C, SYNONYMY, HOST LIST

A. -A, HO + KIM 1995b: 60-

C. -us, VILLALBA + FERNANDEZ 1985: 31

ACANTHOCHONDRIA

Chondrocanthus clavatus, ^{Chondracanthidae,} T. Smilt. 1896. 3. ♀.

C. —, T. Smilt. 1896, p. 13 : pl. V, fig. 1. ①

C. —, —, 1899, p. 492.

C. —, T. Scott, 1900, p. 165 : pl. VII, figs. 35-37.

C. —, A. Scott, 1901, a, p. 351.

Acanthochrondria clavata, Oakley 1930, p. 186

Host. Gills of Lemon Soles, Pleuronectes microcephalus.

Faroës:

English Seas.

- C. —, A. Scott, 1904, b, p. 122; 1904, a, p. 42.
C. —, B.- Smith, 1896, a, p. 161.
C. —, T. Scott, 1906, b, p. 371.
C —, Hansen, 1923, p. 44

Acanthochondria
Clavata ②

ACANTHOCHONDRIA CLAVATA (BASSITT-SMITH) ③

- HO 1991: 55, TAB. I

CHONDRACANTHUS-US, ATRIA G. 1980: 303, 307

Acanthochondria compacta Markevitch, 1956

-- Kabata 1984: 1710.

-- Ho 1970: 127, PROBABLY SYN. OF A. CORNUTA

-- Ho & Kim 1995b: 60

= ACANTHOCHONDRIA

Chondracanthus cornutus (Müller). ♂♀.
syn.

Chondracanthidae.

① ①

p. 227.

Lernaea cornuta, Müller, 1776, pl. XXXIII, fig. 6.

Schisturus cornutus: Oken, 1816, Vol. III, p. 183.

Entomoda cornuta, Lamarck, 1818, p. 685.

Lernentoma cornuta, Blainville, 1822, p. 441, No. 6.

Acanthochrondria cornuta, Oakley 1930, p. 186

Host. Sills of the Pleuronectidae.

New England: Greenland: Bohuslän: Faroes:

France: Iceland:

Europe.

LERNENTOMA - , TEMPERE 1898: 123-224, PL. 29 FIG. 14

- Lernentoma cornuta, Blainville, 1823, p. 126. (2)
Horned Ternaea, Shaw, 1800-1826, p. 295.
Ch. cornutus, Cuvier, 1830, vol. III, p. 258
— — . Nordmann, 1832, p. III; pl. IX, figs. 5-10.
— — . Kröyer, 1837, p. 196.
— soleae, Kröyer, 1838, p. 139; pl. III, fig. 4.
— cornutus, M. Edwards, 1840, p. 500; pl. Xb, figs. 18-22.
— soleae, — , 1840, p. 501.
Lernentoma cornuta, Baird, 1850, p. 328; pl. xxxv, fig. 2.
— — . White, 1850, p. 128! 1857, p. 327.
Ch. cornutus, van Beneden, 1851, a, p. 108; pl. IV, figs. 1-4.
Anops cornuta Oken, 1816, p. 359.
Acanthocondria cornuta

= ACANTHOCHONDRIA

Chondracanthidae

Ch. cornutus, van Beneden, 1861, p. 157. ②3

—, Kröyer, 1863, p. 249; pl. XIII, fig. 7, a-d.

—, Heller, 1866, p. 755.

—. Olsson, 1868, p. 29, ^{pl. II}fig. 12 : 1871, p.

—. van Beneden, 1870, pp. 72, 76, 77; pl. II. fig. 1.

—. Smith, 1871-2, p. 578.

—. Tütker, 1875, p. 162.

—. Vogt, 1877, b, p. 75; pl. VI, figs. 4-8, 249.

—. Stossich, 1880, p. 252.

—. Valle, 1880, — p. 72.

—. Richiardi, 1880, p. 6.

- . Carus, 1885, p. 355.
- . B. Smith, 1899, p. 491: 1896, a, p. 161.
- . T. Scott, 1900, p. 164: pl. VII, figs. 19-31.
- . A. Scott, 1901, a, p. 351.
- . Thompson & Scott, 1903, p. 294
- . A. Scott, 1904b, p. 122: 1904, a, p. 42.
- . Stossich, 1880, p. 252.
- . M. J. Rathbun, 1905, p. 100
- . Stephensen, 1913, p. 342.
- . Pearson, 1906, p. 28.
- . Brian, 1899, b, p. 3, footnote.

Acanthocondria
coronata

Chondracanthidae-Lernaeopodoida

Acanthochondria cornuta (O. F. Müller). ♂. ♀. (5)

Lernaea cornuta Müller, 1776, p. 227; pl. 33, fig. 6.

Schisturus — vs Oken, 1816, p. 183.

Entomoda — a Lamarck, 1818, p. 685.

Lernentoma — Blainville, 1822, p. 441.

Chondracanthus — vs Cuvier, 1830, vol. 3, p. 258.

Host. Gills of Pleuronectidae.

Acanthochondria — a Oakley, 1930, p. 189: fig. 3, A-D. (6)
Chondracanthus — See card. C. cornutus.

A. cornuta (6)

Acanthochondria cornuta (O. Fr. Müller, 1776)

7

--, Stephensen, 1940, p. 8-9, Chondracanthus c. &
flurae are syns.

--, Ho, 1978, p. 7, ♀, fig. 13

--, Pillai, 19?, p. 1573

-- DO ET AL. 1984:22

-- KABATA 1984: 1703, 1704, 1708

-- Kabata 1986c: 213, 215 not syn. w/ A. hippoclossi

-- Ho 1970: 119 - 127, FIGS. 8-33, SYNONIMY

-- Ho 1991: 55, TAB. I

= ACANTHOCHONDRIA

C. cornutus ~~6~~

CH. — T. Scott, 1906, b, p. 371.

8

— — Wilson, 1920, p. 52.

— — Hansen, 1923, p. 43.

— — Bere, 1930, p. 7: pl. I, figs. 1-2.

--, Beneden & Bessels, 1868?, p. 33-, pl. 3; fig. 15

--, Stephensen, 1940, a syn. of Acanthochondria c.

--, Acloque, 1899: 197, as CONDRCANTHUS.

9 (B)

Acanthocondria cornuta

--, Ho, 1971, p. 3 Key

--, Kabata, 1969, p. 506.

--, Polianskii, 1955, p. 95

-- Boxshall 1974: 699

-- IZAWA 1987: 153-

-- KABATA 1988: 96, FIG. 41A; HOST RECORDS-CANADA

-- kabata, 1987: 213, 215

-- Ho 1987c: 80

-- LÜNING 1953: 13-, FIG. 3a, b, d

-- KABATA 1992: 183-, FIG. 40 F, G; SYNONYMY, HOST LIST

ACANTHOCHONDRIA CORNUTA (MÜLLER OF 1776) CARD 7

-- IZAWA 1986b: 160

-- HOGANS 1992: 35

-- HO & KIM 1995b: 60-, SYNONYMY, HOST LIST

-- HOLMES 1983: 21, IRELAND, HOST FLOUNDER
PLATICHTHYS FLESUS.

CONDRACANTHUS -, HO 1991: 54

=A. CORNUTA Chondracanthidae - Lernaeopodoida.

Acanthochondria depressa (T. Scott). ♀. ♂.

Chondracanthus — vs, T. Scott, 1905^a, p. 114: pl. 6. f. 7-13.

— — T. Scott, 1906^b, p. 372.

Acanthochondria — a, Oakley, 1930. p. 191: fig. 4, 73, E, F.

— — Wilson, 1932, p. 503: fig. 299.

— Stock & Vos, 1960, p. 206

Host. Gills of Pleuronectes flesus.

— Ho & Kim 1995 b: 57, TAB. I, SYN. OF A. CORNUTA

— Ho 1991: 55, TAB. I

--, Boer, 1970-2, p. 8,9,10, tbl. 1&2

(2)

-- Ho 1970:123-, syn. of A. cornuta

Acanthocandrea
depressa.

= A. CORNUTA

Chondracanthidae-Terraeopodida

Acanthochondria fluriae (Krøyer) ♀. ♂.

1

Chondracanthus — Krøyer, 1863, p. 249: pl. 13, fig. 6.

— — See card C. fluriae.

Acanthochondria — Oakley, 1930, p. 192: fig. 5, E, F, G.

— — Wilson, 1932, p. 502: pl. 37, f - n.

— —, Ronald, 1958. p. 5

Host. Gills of Drepanopsetta platessoides.

A. fluriae, Polianskii, 1955, p. 90-

= A. CORNUTA

Acanthochondria flurae

(2)

--, Boer, 1970-2, tbl. 1

-- Ho 1970: 119 -, POSSIBLE SYNONYM OF A.
CORNUTA

-- Ho & Kim 1995b: 57, TAB. 1, SYN. OF A. CORNUTA

A. S., Ho 1991: 55, TAB. 1

= ACANTHOCHONDRIA CORNUTA

Chondracanthidae

Chondracanthus floral, Kröyer, ♀.

— —, Kröyer, 1863, p. 249; pl. XIII, fig. 6.

— —, B-Smith, 1899, p. 492 (= Ch. cornutus).

— —, T. Scott, 1900, p. 166; pl. VII, figs. 32–34.

— —, T. Scott, 1906, b, p. 371.

Acanthochrondria —, Oakley 1930, p. 186

Host. Gills of Rough Dab. Patessa limandoides:
or Drepanopsetta platesoides, Fabr.

English Seas.

— — I. & H. Scott, 1913, p. 171: pl. 47, f. 5.
= *C. cornutus*, Hansen, 1923, p. 43. [pl. 53, f. 10, 11]

--, Stephensen, 1940, p. 8, ^{of Scott is} ₁ a syn. of Acanthochondria
cornuta

ACANTHOCHONDRIA CRASSICORNIS - SIE
HETEROCHONDRIA

Acanthochondria cyclopsetta Pearse

1952---- Pearse, A.S., pp. 37-39, figs. 145-149.

--, Ho, Ju-Shey, 1971, p. 3, Fig 1, Key

-- Ho & Kim 1995b: 60, Host list

Chondracanthidae—Lernaeopodoida

Acanthochondria cynoglossidis (Thompson & Scott) ♀

Chondracanthus — T. & S., 1903, p. 294; fig. 1, text.

Acanthochondria — Oakley, 1930, p. 186.

— —, Pillai, 19?, p. 1573

— — kabata, 1987: 215

Host. Nasal coeca of Cynoglossus.

— Ho & Kim 1995 b: 59

— Ho 1991: 55, FIG. 1

ACANTHOCHONDRIA DELTOIDEA -

SEE CHONDRACANTHUS

ACANTHOCHONDRIA DEPRESSA - see A. CORNUTA

acanthochondria diastema sp. nov. KABATA, 1965

--- Kabata, 1965, pp. 12-13.

-- Ho & DOJIRI 1988: 273 - 279, FIGS. 1-29,
HOST PLATYCEPHALUS sp., AUSTRALIA; NOT =
PTEROCHONDRIA ALATALONGICOLLIS

-- Ho & KIM 1995b: 60

Acanthochondria dilatata Shiino, 1955

-- Shiino 1955: 107-110, figs. 23-24, ♀♂, n. sp.

Kumano Dist., Japan. Host: Helioclenus
dastylopterus.

-- Kabata 1984: 1708.

-- Ho + Kim 1995b: 60

Acanthochondria dilata

--, Ho, 1972, p. 149

Acanthochondria dojirii Kabata 1984

-- Kabata 1984: 1703, 1708-1710, figs. 29-41, n. sp. ♀

British Columbia; host Parophrys vetulus Girard.

p. 1710: = Acanthochondria sp. A of Dojiri, 1977.

-- KABATA 1988: 97, FIG. 41E; HOST RECORD-CANADA

-- Ho & Kim 1995b: 60

= ACANTHOCHONDRIA Chondracanthidae-Ternaeopodoida
Chondracanthus elongatus B-Smith J.F.

— — B-Smith, 1898, a, p. 14: pl. 6, fig. 4-6.

— — B-Smith, 1899, p. 493.

— — Pillai, 19?, p. 1571,

ACANTHOCHONDRIA ELONGATA, Horkim 1995b: 61-,

n. comb.

Host. Gills of Solea sp.

A. ELONGATA, Ho 1991: 55, TAB. I

Bombay-

Chondracanthidae - Lernaeopodoida

Acanthochondria epachthes (Wilson) ♀.♂.

Chondracanthus - Wilson, 1908, p. 434; pl. 66, fig. 1-10.

Acanthochondria - Oakley, 1930, p. 192, 186

A. - Wilson, 1935, p. 787. Pacific coast.

A. - Kabata 1984: 1710, A. holocephalarum Kabata, 1968

is a synonym.

Host. Gills of Chimaera, CALIFORNIA

-- KABATA 1988: 97, FIG. 41C; HOST RECORDS - CANADA

-- Ho & Kim 1995b: 61-

-- Ho 1991: 55, TAB. I



= A. EPACHTHES

Acanthochondria holocephalarum Kabata, 1968

n. sp. Kabata, 1968, pp. 339-344, figs. 77, 79-92

(A. clavata of Wilson, 1935 a synonym)

-- Kabata 1984: 1710, a synonym of A. epachthes
(Wilson, 1908).

-- Ho + Kim 1995b: 57, TAB. I, syn. of A. EPACHTHES

Chondracanthidae-Lernaeopodoida

Acanthochondria exilipes, n.sp., ♂, ♀.

— Wilson, 1931.

— Wilson, 1932, p. 501 : pl. 37, a - e.

— Ho, Ju-Shey, 1971, p. 3-7, Fig 2-4

--, Ho, 1978, p. 7, 10, fig. 12

Host. Gills of Lophotilus chameleonticeps.

-- Ho + Kim 1995b: 61-

Acanthochondria constricta Shiino ♀ ♂

-- -- Shiino, 1955. PP. 96-100, Figs. 17-18.

--, Kabata, 1968, p. 344

Hoat: Buccal cavity of *Diederleinia berycoides*, Mie,
Japan

--, Ho, 1975, p. 304-305

-- Kabata 1984: 1706.

-- kabata, 1987: 215

-- Ho + Kim 1995 b: 60-

= ACANTHOCHONDRIA

Chondracanthus cornutus (Müller). ♂♀.
syn.

Chondracanthidae.

① ①

p. 227.

Lernaea cornuta, Müller, 1776, pl. XXXIII, fig. 6.

Schisturus cornutus: Oken, 1816, Vol. III, p. 183.

Entomoda cornuta, Lamarck, 1818, p. 685.

Lernentoma cornuta, Blainville, 1822, p. 441, No. 6.

Acanthochrondria cornuta, Oakley 1930, p. 186

Host. Sills of the Pleuronectidae.

New England: Greenland: Bohuslän: Faroes:

France: Iceland:

Europe.

LERNENTOMA - , TEMPERE 1898: 123-224, PL. 29 FIG. 14

- Lernentoma cornuta, Blainville, 1823, p. 126. (2)
Horned Ternaea, Shaw, 1800-1826, p. 295.
Ch. cornutus, Cuvier, 1830, vol. III, p. 258
— — . Nordmann, 1832, p. III; pl. IX, figs. 5-10.
— — . Kröyer, 1837, p. 196.
— soleae, Kröyer, 1838, p. 139; pl. III, fig. 4.
— cornutus, M. Edwards, 1840, p. 500; pl. Xb, figs. 18-22.
— soleae, — , 1840, p. 501.
Lernentoma cornuta, Baird, 1850, p. 328; pl. xxxv, fig. 2.
— — . White, 1850, p. 128! 1857, p. 327.
Ch. cornutus, van Beneden, 1851, a, p. 108; pl. IV, figs. 1-4.
Anops cornuta Oken, 1816, p. 359.
Acanthocondria cornuta

= ACANTHOCHONDRIA

Chondracanthidae

Ch. cornutus, van Beneden, 1861, p. 157. ②3

—, Kröyer, 1863, p. 249; pl. XIII, fig. 7, a-d.

—, Heller, 1866, p. 755.

—. Olsson, 1868, p. 29, ^{pl. II}fig. 12 : 1871, p.

—. van Beneden, 1870, pp. 72, 76, 77; pl. II. fig. 1.

—. Smith, 1871-2, p. 578.

—. Tütker, 1875, p. 162.

—. Vogt, 1877, b, p. 75; pl. VI, figs. 4-8, 249.

—. Stossich, 1880, p. 252.

—. Valle, 1880, — p. 72.

—. Richiardi, 1880, p. 6.

- . Carus, 1885, p. 355.
- . B. Smith, 1899, p. 491: 1896, a, p. 161.
- . T. Scott, 1900, p. 164: pl. VII, figs. 19-31.
- . A. Scott, 1901, a, p. 351.
- . Thompson & Scott, 1903, p. 294
- . A. Scott, 1904b, p. 122: 1904, a, p. 42.
- . Stossich, 1880, p. 252.
- . M. J. Rathbun, 1905, p. 100
- . Stephensen, 1913, p. 342.
- . Pearson, 1906, p. 28.
- . Brian, 1899, b, p. 3, footnote.

Acanthocondria
coronata

Chondracanthidae-Lernaeopodoida

Acanthochondria cornuta (O. F. Müller). ♂. ♀. (5)

Lernaea cornuta Müller, 1776, p. 227; pl. 33, fig. 6.

Schisturus — vs Oken, 1816, p. 183.

Entomoda — a Lamarck, 1818, p. 685.

Lernentoma — Blainville, 1822, p. 441.

Chondracanthus — vs Cuvier, 1830, vol. 3, p. 258.

Host. Gills of Pleuronectidae.

Acanthochondria — a Oakley, 1930, p. 189: fig. 3, A-D. (6)
Chondracanthus — See card. C. cornutus.

A. cornuta (6)

Acanthochondria cornuta (O. Fr. Müller, 1776)

7

--, Stephensen, 1940, p. 8-9, Chondracanthus c. &
flurae are syns.

--, Ho, 1978, p. 7, ♀, fig. 13

--, Pillai, 19?, p. 1573

-- DO ET AL. 1984:22

-- KABATA 1984: 1703, 1704, 1708

-- Kabata 1986c: 213, 215 not syn. w/ A. hippoclossi

-- Ho 1970: 119 - 127, FIGS. 8-33, SYNONIMY

-- Ho 1991: 55, TAB. I

= ACANTHOCHONDRIA

C. cornutus ~~6~~

CH. — T. Scott, 1906, b, p. 371.

8

— — Wilson, 1920, p. 52.

— — Hansen, 1923, p. 43.

— — Bere, 1930, p. 7: pl. I, figs. 1-2.

--, Beneden & Bessels, 1868?, p. 33-, pl. 3; fig. 15

--, Stephensen, 1940, a syn. of Acanthochondria c.

--, Acloque, 1899: 197, as CONDRCANTHUS.

9 (B)

Acanthocondria cornuta

--, Ho, 1971, p. 3 Key

--, Kabata, 1969, p. 506.

--, Polianskii, 1955, p. 95

-- Boxshall 1974: 699

-- IZAWA 1987: 153-

-- KABATA 1988: 96, FIG. 41A; HOST RECORDS-CANADA

-- kabata, 1987: 213, 215

-- Ho 1987c: 80

-- LÜNING 1953: 13-, FIG. 3a, b, d

-- KABATA 1992: 183-, FIG. 40 F, G; SYNONYMY, HOST LIST

ACANTHOCHONDRIA CORNUTA (MÜLLER OF 1776) ~~CARD 7~~

-- IZAWA 1986b: 160

-- HOGANS 1992: 35

-- HO & KIM 1995b: 60-, SYNONYMY, HOST LIST

-- HOLMES 1983: 21, IRELAND, HOST FLOUNDER
PLATICHTHYS FLESUS.

CHONDRACANTHUS -, HO 1991: 54

=A. CORNUTA Chondracanthidae - Lernaeopodoida.

Acanthochondria depressa (T. Scott). ♀. ♂.

Chondracanthus — vs, T. Scott, 1905^a, p. 114: pl. 6. f. 7-13.

— — T. Scott, 1906^b, p. 372.

Acanthochondria — a, Oakley, 1930. p. 191: fig. 4, 73, E, F.

— — Wilson, 1932, p. 503: fig. 299.

— Stock & Vos, 1960, p. 206

Host. Gills of Pleuronectes flesus.

— Ho & Kim 1995 b: 57, TAB. I, SYN. OF A. CORNUTA

— Ho 1991: 55, TAB. I

--, Boer, 1970-2, p. 8,9,10, tbl. 1&2

(2)

-- Ho 1970:123-, syn. of A. cornuta

Acanthocandrea
depressa.

= A. CORNUTA

Chondracanthidae-Terraeopodida

Acanthochondria fluriae (Krøyer) ♀. ♂. ①

Chondracanthus — Krøyer, 1863, p. 249: pl. 13, fig. 6.

— — See card C. fluriae.

Acanthochondria — Oakley, 1930, p. 192: fig. 5, E, F, G.

— — Wilson, 1932, p. 502: pl. 37, f - n.

— —, Ronald, 1958. p. 5

Host. Gills of Drepanopsetta platessoides.

A. fluriae, Polianskii, 1955, p. 90-

= A. CORNUTA

Acanthochondria flurae

(2)

--, Boer, 1970-2, tbl. 1

-- Ho 1970: 119 -, POSSIBLE SYNONYM OF A.
CORNUTA

-- Ho & Kim 1995b: 57, TAB. 1, SYN. OF A. CORNUTA

A. S., Ho 1991: 55, TAB. 1

= ACANTHOCHONDRIA CORNUTA

Chondracanthidae

Chondracanthus floral, Kröyer, ♀.

— —, Kröyer, 1863, p. 249; pl. XII, fig. 6.

— —, B-Smith, 1899, p. 492 (= Ch. cornutus).

— —, T. Scott, 1900, p. 166; pl. VII, figs. 32–34.

— —, T. Scott, 1906, b, p. 371.

Acanthochrondria —, Oakley 1930, p. 186

Host. Gills of Rough Dab. Patessa limandoides:
or Drepanopsetta platesoides, Fabr.

English Seas.

— — I. & H. Scott, 1913, p. 171: pl. 47, f. 5.
= *C. cornutus*, Hansen, 1923, p. 43. [pl. 53, f. 10, 11]

--, Stephensen, 1940, p. 8, ^{of Scott is} ₁ a syn. of Acanthochondria
cornuta

ACANTHOCHONDRIA CRASSICORNIS - ssp.
HETEROCHONDRIA

Acanthochondria cyclopsetta Pearse

1952---- Pearse, A.S., pp. 37-39, figs. 145-149.

--, Ho, Ju-Shey, 1971, p. 3, Fig 1, Key

-- Ho & Kim 1995b: 60, Host list

Chondracanthidae—Lernaeopodoida

Acanthochondria cynoglossidis (Thompson & Scott) ♀

Chondracanthus — T. & S., 1903, p. 294; fig. 1, text.

Acanthochondria — Oakley, 1930, p. 186.

— —, Pillai, 19?, p. 1573

— — kabata, 1987: 215

Host. Nasal coeca of Cynoglossus.

— Ho & Kim 1995 b: 59

— Ho 1991: 55, FIG. 1

ACANTHOCHONDRIA DELTOIDEA -

SEE CHONDRACANTHUS

ACANTHOCHONDRIA DEPRESSA - see A. CORNUTA

acanthochondria diastema sp. nov. KABATA, 1965

--- Kabata, 1965, pp. 12-13.

-- Ho & DOJIRI 1988: 273 - 279, FIGS. 1-29,
HOST PLATYCEPHALUS sp., AUSTRALIA; NOT =
PTEROCHONDRIA ALATALONGICOLLIS

-- Ho & KIM 1995b: 60

Acanthochondria dilatata Shiino, 1955

-- Shiino 1955: 107-110, figs. 23-24, ♀♂, n. sp.

Kumano Dist., Japan. Host: Helioclenus
dastylopterus.

-- Kabata 1984: 1708.

-- Ho + Kim 1995b: 60

Acanthochondria dilata

--, Ho, 1972, p. 149

Acanthochondria dojirii Kabata 1984

-- Kabata 1984: 1703, 1708-1710, figs. 29-41, n. sp. ♀

British Columbia; host Parophrys vetulus Girard.

p. 1710: = Acanthochondria sp. A of Dojiri, 1977.

-- KABATA 1988: 97, FIG. 41E; HOST RECORD-CANADA

-- Ho + Kim 1995b: 60

= ACANTHOCHONDRIA Chondracanthidae-Ternaeopodoida
Chondracanthus elongatus B-Smith J.F.

— — B-Smith, 1898, a, p. 14: pl. 6, fig. 4-6.

— — B-Smith, 1899, p. 493.

— — Pillai, 19?, p. 1571,

ACANTHOCHONDRIA ELONGATA, Horkim 1995b: 61-,

n. comb.

Host. Gills of Solea sp.

A. ELONGATA, Ho 1991: 55, TAB. I

Bombay-

Chondracanthidae - Lernaeopodoida

Acanthochondria epachthes (Wilson) ♀.♂.

Chondracanthus - Wilson, 1908, p. 434; pl. 66, fig. 1-10.

Acanthochondria - Oakley, 1930, p. 192, 186

A. - Wilson, 1935, p. 787. Pacific coast.

A. - Kabata 1984: 1710, A. holocephalarum Kabata, 1968

is a synonym.

Host. Gills of Chimaera, CALIFORNIA

-- KABATA 1988: 97, FIG. 41C; HOST RECORDS - CANADA

-- Ho & Kim 1995b: 61-

-- Ho 1991: 55, TAB. I

= A. EPACHTHES

Acanthochondria holocephalarum Kabata, 1968

n. sp. Kabata, 1968, pp. 339-344, figs. 77, 79-92

(A. clavata of Wilson, 1935 a synonym)

-- Kabata 1984: 1710, a synonym of A. epachthes
(Wilson, 1908).

-- Ho + Kim 1995 b: 57, TAB. I, syn. of A. EPACHTHES

Chondracanthidae-Lernaeopodoida

Acanthochondria exilipes, n.sp., ♂, ♀.

— Wilson, 1931.

— Wilson, 1932, p. 501 : pl. 37, a - e.

— Ho, Ju-Shen, 1971, p. 3-7, Fig 2-4

— Ho, 1978, p. 7, 10, fig. 12

Host. Gills of Lophotilus chameleonticeps.

— Ho + Kim 1995b: 61-

A^{= A. EXILIPESS}
canthochondria latili Capart

- Capart, 1959: 103, fig. 27a-c

- kabata, 1987: 216

-- Ho + Kim 1995 b: 60-, SYNONYM OF A. EXILIPESS,
NEW SYNONYMY

Acanthochondria fissicauda Shiino

Japan

-- -- Shiino, 1955, pp.90-93, Figs. 13-14.

market, Japan.

Host Buccal Cavity of *Callionymus richardsoni*, Tyosi Fish

-- Kabata 1984: 1708.

A. FISSICAUDA, Ho + Kim 1995b: 61-

-- Ho + Kim 1996: 279

ACANTHOCHONDRIA FLURAE - DE A. CORNUTA

Acanthochondria fraseri Ho, 1972

n. sp., Ho, 1972, pp. 523-7, figs. 1-2

-- KABATA 1988: 97, FIG. 416; HOST RECORD - CANADA

-- Ho + Kim 1995b: 61-

Chondracanthidae - Ternaeopodoidea.

Acanthochondria galerita (Rathbun) ♀.

Chondracanthus - R. Rathbun, 1886, p. 317: pls. 8 + 10.

— — M. Rathbun, 1905, p. 101.

Acanthochondria - Oakley, 1930, p. 186.

— — Wilson, 1932, p. 505: fig. 299, b.

— — Ho, Ju-Shey, 1971, p. 7-11, Fig. 5-7

Host. Mouth of Paralichthys dentatus.

— — Ho, 1978, p. 7, 10, fig. 11

— — KABATA 1984: 1703

— — Ho + Kim 1995b: 61-

— — Ho 1991: 55, TAB. I

= A. GALERITA

Lernaeopodida Chondracanthidae

Acanthochondria alboguttata Pearse

HOST PARALICHTHYS ALBICUTRULUS

1952--- Pearse, A.S., pp. 225-227, Figs. 103-110, FLORIDA

-- --, Causey, 1960, p.333. From Paralichthys sp.,
Salina Cruz, Oaxaca, Mexico.

-- KABATA 1988b: 5

-- CAUSEY 1955: 12, Miss., LOUISIANA, HOSTS., PL. I
FIGS. 6, 7

-- HO & KIM 1995b: 57, TAB. I, SYN. OF A. GALERITA

ACANTHOCHONDRIA GEMINA - see

A. PLATYCEPHALI

ACANTHOCHONDRIA GENIPERI - see
CHONDRACANTHUS

Acaanthochondria glandiceps Shiino ♀ ♂

-- -- Shiino, 1955, pp 93-96, Figs. 15-16, Hokkaido, Jap.

--, Kabata, 1968, p. 344

-- Kabata 1984: 1708, 1710.

-- Ho + Kim 1995a: 32, TAO. 1; ~~s.~~

Host: Attached to gill filament of *Hippoglossoides dubius*
Wakkanai, Japan.

-- Ho + Kim 1995b: 61-

Acanthochondria grandigenitalis(Yu & Wu, 1932)

---, Kabata, 1968, p. 344

-- Kabata 1984: 1703.

-- Ho + Kim 1995 b: 60

-- Ho 1991: 55, TAB. 1

ACANTHOCHONDRIA HAZEKUTI - see

A. BREVICORPA

Acanthochondria hippoglossi Kabata, 1987

--Kabata, 1987, new species, pp213-216, figs 1-11

Host : *Hippoglossus stenolepis*, *H. elassodon*

British Columbia

--Kabata 1988: 97, fig. 41H; host records Canada

-- Ho & Kim 1995 b: 61-

ACANTHOCHONDRIA HOLOCEPHALARUM - see
A. EPACHTHES

Acanthochondria incisa Shiino

1955, Shiino, PP.83-86, Figs. 9-10. Mie Prefecture, Jap.

--, Ho, 1975, p. 304-305, fig. 1

-- Ho + Kim 1995 b: 61-

Host: Floor of buccal Cavity or gill arch.

Chondracanthidae - Hernaeopodoidea

Acanthochondria inimiei Yamauti ♂♀

- — Yamauti, 1939, p. 533: pl. 36, figs. 18-24.
- DOJIRI & HO 1988: 47-53, FIGS. 1-3, EX PTEROIS VOLITANS, INIMICUS JAPONICUS, JAPAN.
- HO & KIM 1995a: 32, TAB. I
- HO & KIM 1995b: 45-, 61-
- Host Mouth, Inimicus japonicus (Cuv. & Val.).

Tarumi, Japan.

ACANTHOCHONDRIA KATIKA Ho + Kim, 1996

-- Ho + Kim 1996: 275-279, FIGS. 1, 2, BERING SEA;
HOST TRIGLOPS SCEPTICUS.