

Canthocamptidae - Harpacticoida

Antarctobiotus valid

Chappuis, 1930.

A. koenigi

(1)
⑦

Syn. Antarctobiotus, Chappuis, 1930, p. 62.

Attheyella (pars) Pesta, 1928, p. 76.

TYPE SPECIES: ATTHEYELLA KOENIGI PESTA, 1928

Antarctobiotus CHAPUIS, 1930

CARD 2

- CICCHINO & PINGUELET 1977: 207, DIAGNOSIS, KEY TO
- REID 1986a: 595 S.A. spp.
- EBERT 1976: 2.
- LEWIS 1984: 306, 309, 310-312, FIG. 1, DISTRIBUTION
- ROUCH 1962: 265, 266
- LEWIS, M. 1986: 116 -

Antarctobiotus adocetus Cicchino & Ringuelet, 1977

-- Cicchino & Ringuelet 1977: 216-, figs. 35-46, n.sp.

female + male, Tierra del Fuego, Argentina

Antarctobiotus australis Lewis, 1972

-- Lewis 1984: 306, 309 - New Zealand

Antarctobiotus bahamondei Ebert & Noodt,
1975

--, Ebert & Noodt 1975: 134-136; Figs. 43-50.

-- DUSSART 1984: 66

-- Roach 1986b: 341

Antarctobiotus diversus Lewis, 1972

-- Lewis 1984: 306, New Zealand

Antarctobiota elongatus Lewis, 1972

-- Lewis 1984: 306, 309 - New Zealand

Antarctobiotus exiguus Lewis, 1972

-- Lewis 1984: 306, New Zealand

Antarctobiota ignobilis Lewis, 1972

-- Lewis 1984: 306, New Zealand

Canthocamptidae - Harpacticoidea

Antarctobiotus koenigi (Pesta). ♂♀.

♂

Attheyella — Pesta, 1928, p. 81, FIG. 1, f-g, ^{ANTARCTICA} SOUTH GEORGIA,
Antarctobiotus — Chappuis, 1930, p. 62 : figs. I-II
— — , LANG, 1934, p. 1185.

--, Jakobi, 1959, p. 277

-- DUSSART 1984:66

Habitat. South Georgia.

ATTHEYELLA —, LANG 1934:3

-- DELANARE-DEBOUTTEVILLE + ROUCH, 1962:3

-- Rouch 1962:265

Antarctobiotus Konigi Pesta

(2)

--, Brehm, 1954, p. 44

A. KOENIGI, CICRHINO & RINQUELET 1977: 207, 219, FIGS.
47-57, REDSCRIPTION ♂♂, FALKLANDS (MALVINAS)

ATHRYELLA KOENIGI, LANG 1934: 3

Antarctobiotus longifurcatus Rouch, 1962

-- Delamare-Deboutteville & Rouch, 1962: 2, Fig. C, n. sp.

♀♂, Andine Patagonia

-- Rouch 1962: 238, 240, 268-270, figs. 119-128, n. sp.

♀♂, Andine Patagonia

-- Cicchino & Pinguellet 1977: 207-, FIGS. 1-20,
REDESCRIPTION, ♀♂, TIERRA DEL FUEGO

Antarctobiota neotropicus (Löffler, 1962) CARD

Moraria (Kühneltiella) neotropica, Löffler 1962: 195-197,
figs. 203-209, n. sp.

M. (K.) n., Löffler 1966:

A. -, n. comb., Cicchino & Ringuelet 1977: 208, 226,
invalidated subgenus Kühneltiella; synonym Antarcto-
biota rapoporti Rouch, 1962

M. (K.) -, Dussart 1984: 66

A. -, Dussart & Defaye 1990: 141, synonymy

= *A. NEOTROPICUS*

CARD 2

Antarctobiota rapoporti Rouch 1962

Delamare-Deboutteville & Rouch 1962: 2, fig. A, n. sp.

♀♂, Andine Patagonia

-- Dussart 1984: 66

-- Rouch 1962: 238, 240, 270-273, figs. 129-139, n. sp.

♀♂, Andine Patagonia

-- Cicchino & Rinouillet 1977: 207-, syn. op. A.
NEOTROPICUS Löffler

Antarctebiotics nichollsi Chappuis

1951---Chappuis, P.A. pp. 113-115, figs. 24-31.

--, Brehm, 1954, p. 44

-- DELAMARE-DEBOUTTEVILLE + Rouch, 1962:3

-- Rouch 1962:265-266

Antarctobiotus rapoporti - see A. neotropicus

Antarctobiotus ringueleti Rouch 1962

-- Delamare-Deboutteville & Rouch 1962: 2, fig, B, n. sp.

♀♂, Andine Patagonia

-- Rouch 1962: 238, 240, 266-268, figs. 108-118, n. sp.

♀♂, Andine Patagonia

-- Cicchino & Ringuelet 1977: 207-221, FIGS.

58-75, REDESCRIPTION ♀♂, TIERRA DEL FUEGO,
ARGENTINA

Antarctobiotus robustus (Richters, 1907)

Canthocamptus -, Richters 1907: 274, pl. 17 figs. 14-21,
n. sp., ♂♀, Southern Islands.

Canthocamptus -, Lang 1934: 3

Antarctobiotus -, Brehm 1954: 42

A. -, Jakobi 1959: 277

A. -, Delamare-Deboutteville & Rouch 1962: 3

A.-, Rouch 1962: 265

C. -, Cicchino & Ringuet 1977: 207 -

Antarctobiotus sphagnicola Cicchino & Ringuelet, 1977

-- Cicchino & Ringuelet 1977: 213-, figs. 21-34, n.sp.

female + male, Tierra del Fuego, Argentina

Antarcticobiotus triplex Lewis, 1972

-- Lewis 1984: 306, New Zealand

Antarctobiotus sp. Lewis, 1984

-- Lewis 1984: 306, New Zealand