

Caligieria, valid.

Dana, 1849.

Caligoida
Caligidae. ①

C. bella ^(M)

- Dojiri: 1983: 359

B. Smith, 1899, tries to make this a synonym for Elytrophora brachyptera, but in Elytrophora all four pairs of legs are biramous while here the first pair are uniramous (See Dana, 1852, p. 1360).

Caligarius = of or pertaining to, a soldier's boot. from the shape.

Near Caligus. Cephalothorax 2-jointed, without
disks for attachment, posterior segment bi-alate.
Posterior (fourth) feet 2-branched, setae short and
not plumose -

Differs from Caligus in its biramous 4th legs -
and alate free segment. In this latter char-
acter it shows a transition to Pandarus.
It has v. mx, furca, + stout obtuse mouth-tube of
Caligus; no lunules; eyes united in a single
spot of pigment; caudal setae short, stout, and
not plumose.

1852, p. 1360
Dana, 1849^a, p. 54; 1849^b, p. 285.
Caligieria Wilson, 1907, p. 698 (key).

Caligeria Dana, 1849

card 2

- Prabha 1983: 56-, a euryphorid & possible syn. of

Euryphorus?

Caligera bella Dana ♀, Caligoidae - Caligoida.

- — Dana, 1849, p. 57.
- — Dana, 1852, 3, p. 1360: pl. 94, fig. 8, a-h.
- — B-Smidt, 1899, p. 462 = Elytrophora brachyptera
- — Brian, 1912, p. 10 = " " " "

Host, Gills of Thynnus sp.

Europe.

-- Wilson, 1907, p. 698. Caligeria valid.